

★ SINCE 1973



KICKER[®]
MARINE AUDIO

ON THE WATER

To thrive in the unforgiving marine environment you need products that never compromise on quality, build standard or performance.

KICKER marine audio will exceed your expectations taking your on-water experience to the next level!

GO OVERBOARD!





CONTENTS

| | |
|---------------------|----|
| OUR STORY | 4 |
| ONBOARD | 5 |
| SOURCE UNITS | 6 |
| SPEAKERS | 8 |
| AMPLIFIERS | 10 |
| SUBWOOFERS | 13 |
| TOWERS | 14 |
| ACCESSORIES | 15 |
| SYSTEMS | 16 |
| SPECIFICATION | 18 |

OUR STORY

★ SINCE 1973

In 1973 our founder Steve Irby, a musician and loudspeaker creator, embarked on a journey that has resulted in hundreds of thousands of smiles all around the world. We love music, we love playing our music loudly and we build amazing audio products that allow us to do this.

From an over 40 year heritage of pro and automotive audio, in 2014 our experts turned their attention to an all new product line-up dedicated to Livin' Loud out on the water.

Boating is a social, exhilarating and fun experience which hits a new dimension when accompanied by the thumping beat of your favourite music. Awesome sounding audio at volume requires expert design, KICKER marine audio is made for playing loud, make sure your memories have the playlist they deserve.

KICKER is a market-leading manufacturer of audio equipment and consumer electronics based out of Stillwater, Oklahoma in the United States of America.

Introduced to the European market in 2018, KICKER Marine represents an astonishing level of performance which delivers an energetic immersive audio experience. This can only come from a company full of dedicated people with an intense passion for music.

BUILT FOR MARINE

The marine environment can take a huge toll on cosmetics and materials. Plastics fade or get brittle, foam speaker surrounds rot due to UV exposure, water creates its own issues, and saltwater even worse.

KICKER products undergo rigorous testing to ensure they meet or exceed marine industry standards for UV exposure as well as humidity and saltwater exposure.

All KICKER products meet or exceed requirements in the following testing:

- ASTM B117 Environmental and Salt Spray (fog) Exposure
- ASTM G154 Ultraviolet (UV) Exposure

Every effort has gone into delivering audio products which reproduce music as the artist intended. When designing for boats and on-water craft our dedicated team of engineers design from the ground up with performance, longevity and acoustical output at the forefront of all decisions.

Our goal is to create products that last season to season and become the soundtrack to your maritime activity.

GO
OVERBOARD!

ONBOARD YOUR BOAT

A high-end marine audio system for your boat adds a new dimension of entertainment to your vessel. It is an investment you make to entertain anyone who joins you out at sea or on the lake.

When deciding on an audio system for your boat it is wise to consider the following topics to inform your product selection:

// CONNECTIVITY - HOW YOU ACCESS YOUR MUSIC

// LISTENING STYLE - YOUR MUSIC PREFERENCES

// SPEAKER LOCATION - CREATE AN ENVELOPE OF SOUND

// SUBWOOFER BASS - GET THE FULL AUDIO EXPERIENCE

Our experts can help you design a system that suits your requirements and boat style perfectly, we look forward to speaking with you.



TENDER/ R.I.B



POWER BOAT



MOTOR BOAT



CRUISER

***KICKER is the best value,
premium performance
marine audio on the market***

**GO 
OVERBOARD!**

SOURCE UNITS

The brains of the operation. Access your music quickly and control the playlist for your on-the-water experience.



KMC6

PREMIUM DAB+ & NMEA MARINE SOURCE UNIT

Connect your Bluetooth to the KMC6, plug into the USB or RCA inputs, or turn on the DAB or AM/FM radio. Add KR55 or KRC12 remote commander for even more control. The ultimate Kicker source unit to integrate with the AV on any sized boat. This unit can be flush mounted from the rear.

- NMEA 2000 Port
- DAB+ Digital Radio
- Bluetooth Connectivity
- Full-Colour LCD Display
- 6 channels in 2 zones with upto 240W
- 3" circular cut-out
- Dedicated Zone 2 speaker outputs
- Video RCA Input with Remote trigger wire
- Charging USB w/Thumb-Drive Playback
- AM/FM and Weather-band Tuner
- Up to 16 Favourites for each source
- Front, Rear, Sub & Zone-2 RCA Outputs
- AUX RCA Input
- Day/Night Mode & Voltage Display
- Low Battery alert
- Loudness control
- Customizable EQ with Five Presets
- IP66 rated
- Black and Chrome Bezels
- RGB Trim Ring



KMC4

DUAL ZONE MARINE SOURCE UNIT

KMC4 is ready for any music you want to play, delivering great Kicker sound to a two zone set-up. This entertainment hub is a great centrepiece to control a rocking audio system on your boat. Choose from Black or Chrome bezel (supplied)

- Charging USB w/ Playback
- Bluetooth Connectivity
- Full-Colour LCD Display
- 3" circular cut-out
- KRC12 Remote Compatible
- AM/FM and Weather-Band Tuner
- Up to 10 Favourites for each source
- Front and Rear RCA Outputs, Plus Sub & Zone 2
- AUX RCA Input
- Day/Night Mode
- Low Battery Alert
- Loudness Control
- Customizable EQ with Five Presets
- IP66 & IP67 rated



KMC3 & KMC2

COMPACT VALUE FOCUSED MEDIA CENTRES

- Fits in circular gauge opening
- Supplied with Black and Chrome bezels
- Use USB, RCA, AM/FM and Bluetooth audio sources
- USB audio playback or charging
- RCA outputs
- Compatible with KRC12 Remote
- Power Output @ 14.4V, 4ohm stereo, <10% THD+N: 25x4
- Frequency Response [Hz]: 20-20k
- Signal-to-Noise Ratio [dB]: 87
- RCA Outputs: 1 Set of Pre-amp Outputs
- Line-Out Level [V]: 2.5
- IP Rating: IP66 & IP67
- AUX Input Sensitivity: 500 mV
- USB: Playback & Charging (compatible with multiple file types)
- BT Range: 10M / 30ft

KRC55 & KRC12

CONTROL YOUR SOURCE UNIT WITH A REMOTE

KRC55 DIGITAL REMOTE

- Compatible with KMC5 & KMC6 only
- 2.5" (63.5mm) full-color LCD display
- Controls most KMC5/6 functions
- Water-resistant IP67 rating
- Dimensions (mm): 76.2 x 101.6
- Protrusion from Surface (mm): 17
- Mount Hole Diameter (mm): 50.7
- Includes snap-on trim ring (removable)
- 25ft extension sold separately (**47KRCEXT25**)
- Y lead adaptor sold separately (**47KRCY1**)

KRC12 WIRED REMOTE

- Compatible with all Kicker source units
- Volume/Track/Station/Source Control
- 2.41" (61.2mm) diameter
- Mount as many KRC12s as you need
- Fully marinated IP66 rating
- Easily control your sound
- Supplied with 25' cable



KMC3



KMC2



SPEAKERS

The audio performance you get from a KICKER speaker system is leaps and bounds over what you'll have experienced before – this is what sets us apart. High quality audio reproduction at the volume required for noisy and demanding marine surroundings calls for the expert design that has made KICKER a household name.

All models of KICKER KM Marine Coaxials below meet or exceed industry standards for environmental humidity & corrosion* and material degradation due to UV exposure**.

- UV treatments on the coaxials' injection-moulded cones
- Santoprene® surrounds, baskets and grilles
- Splash and spray-resisting sealed motors, cones and locking terminal covers
- Speaker hardware is forged from rustproof, 316L stainless-steel

* ASTM B117 200 hr. Salt Fog Test ** ASTM G154 400 hr. Accelerated UV Test



KM654

KM SERIES CO-AXIALS

KM44 4" (100mm) Coaxial with 1/2" (13mm) PEI Tweeter, 4Ω
50W RMS / 150W PEAK power handling, Mounting Depth 46mm


KM654 6.5" (165mm) Coaxial with 3/4" (20mm) Titanium Tweeter, 4Ω
65W RMS / 195W PEAK power handling, Mounting Depth 60mm

KM SERIES (LED ILLUMINATED)

KM654L LED 6.5" (165mm) Coaxial with 3/4" (20mm) Titanium Tweeter, 4Ω
65W RMS / 195W PEAK power handling, Mounting Depth 60mm

KM84L LED 8" (200mm) Coaxial with 1" (25mm) Titanium Tweeter, 4Ω
150W RMS / 300W PEAK power handling, Mounting Depth 83mm

KM Coaxial Speakers supplied with both White & Charcoal grilles



KMLC
Multi-Colour
LED Lighting



KM84L



KM604W VALUE CO-AXIALS

A fantastic upgrade speaker with an integrated white grille and blue LED illuminated option. Marine-grade construction with a great smooth sound perfectly suited to run from a source unit or moderate amplifier power.



KM604W 6.5" (165mm) Coaxial with 1/2" (13mm) PEI Tweeter
4Ω 15-50W RMS / 150W PEAK power handling
Mounting Depth 63mm

KM604W/L As above with Blue LED illumination
White colourway only (*both models*)

KXML HORN-LOADED

If you like to get LOUD the high-output compression horn design of the KXML speakers is the perfect choice! Designed to throw sound further & handle higher power the neodymium motor and 1.25" (32mm) tweeter create a party on-board. Available in 3 power hungry models (White colourway only), including a 6x9!



BEST
BM
ET
2023
BOATING YACHTING
CRUISING WORLD
BEST IN ENTERTAINMENT

KXML654 6.5" (160mm) 4Ω 150W RMS / 300W PEAK, Mounting Depth 81mm

KXML84 8" (200mm) 4Ω 250W RMS / 500W PEAK, Mounting Depth 93mm

KXML694 6x9" (160x230) 4Ω 150W RMS / 300W PEAK, Mounting Depth 85mm

AMPLIFIERS

Bring your system to life with true KICKER power courtesy of our Amplifiers. The choice of two ranges comprising of 11 model variants. Get the most from your loudspeakers with our marine-grade KXMA or KMA amplifiers. Powerful, efficient and flexible with stunning sound quality - the centre of an unbelievable sounding audio system on your boat.

KXMA SERIES

The KXMA-series takes proven technologies and advanced components to the water. Our top of the range weather resistant marine amps utilise class-leading features for premium quality sound in the boating environment. Select from the six models to suit the needs of any system and benefit from KICKER technologies such as FIT2, SHOCwave & KicEQ+ for superior clarity & dependability.



KXMA9005

MODELS

KXMA500.4 Power: 2Ω Stereo 125W x4
Power: 4Ω Stereo 75W x4
Power: 4Ω Bridged Mono 250W x2
Dimension A: 284mm

KXMA800.4 Power: 2Ω Stereo 200W x4
Power: 4Ω Stereo 100W x4
Power: 4Ω Bridged Mono 400W x2
Dimension A: 294mm

KXMA900.5 Power: 2Ω Stereo 125W x4
Power: 4Ω Stereo 100W x4
Power: 4Ω Bridged Mono 250W x2
Sub Channel: 4Ω Mono 200W x1
2Ω Mono 400W x1
1Ω Mono 400W x1
Dimension A: 324mm


KXMA800.8 Power: 2Ω Stereo 100W x8
Power: 4Ω Stereo 50W x8
Power: 4Ω Bridged Mono 200W x4
Dimension A: 374mm

KXMA400.2 Power: 2Ω Stereo 200W x2
Power: 4Ω Stereo 100W x2
Power: 4Ω Bridged Mono 400W x1
Dimension A: 244mm

KXMA1200.2 Power: 2Ω Stereo 600W x2
Power: 4Ω Stereo 300W x2
Dimension A: 284mm



KXMA5004



KMA SERIES

KMA Amplifiers are an affordable way to get KICKER power on-the-water. Available in five flexible models.


Purpose-built for your boat, every KM amp comes complete with marine-grade speaker terminals, stainless-steel screws, conformal-coated circuit boards and ABYC/NMMA-compliant power connections.

MODELS

- KMA360.4** Power 2Ω Stereo: 90W x 4
Power 4Ω Stereo: 65W x 4
Power 4Ω Bridged Mono: 180W x 2
Dimension A: 315mm
- KMA600.4** Power 2Ω Stereo: 150W x 4
Power 4Ω Stereo: 75W x 4
Power 4Ω Bridged Mono: 300W x 2
Dimension A: 315mm
- KMA600.6** Power 2Ω Stereo: 100W x 6
Power 4Ω Stereo: 50W x 6
Power 4Ω Bridged Mono: 200W x 3
Dimension A: 353mm
- KMA150.2** Power 2Ω Stereo: 75W x 2
Power 4Ω Stereo: 40W x 2
Power 4Ω Bridged Mono: 150W x 1
Dimension A: 205mm
- KMA800.1** Power 1Ω Mono: 800W x 1
Power 2Ω Mono: 600W x 1
Power 4Ω Mono: 400W x 1
Dimension A: 205mm
Supplied with **KMARC** wired remote for bass adjustments




KMA150.2



KMARC





SUBWOOFERS

The heartbeat of any high-end system, the addition of a subwoofer should not be overlooked. If you want the full live-music experience out on the water then the weatherproof KICKER KMF subwoofers are where its at.

Choosing a free-air subwoofer allows you to add awesome sounding bass without an enclosure. Utilising the spacious storage compartments behind solid GRP panels in your boat means all you need to do is mount, power & set-up the sub for instant immersive sound with world-renowned KICKER bass!

Made to thrive on the water, KM subs are equipped with a splash-resistant, sealed motor structure and locking terminal cover, so the interior of the driver is kept perfectly dry and playing hard! **Available in 10" & 12", 4ohm and 2ohm versions.**



KSLR LED RINGS

Light up the night with the 1/2" LED spacers rings. Available for 6.5", 8" speakers & 10" & 12" Subs



KMG LED Grilles (sold separately)

KMF SERIES FREE-AIR SUBS

Co-moulded woofer cones and butyl surrounds create a superior seal, while tooled polycarbonate baskets, front and rear gasketing, and ASTM salt/fog* and UV** certification make this one of the loudest, longest lasting subs you'll ever put on your boat.

*ASTM B117 200 hr. Salt Fog Test **ASTM G154 400 hr. Accelerated UV Test

MODELS

KMF10 SUB 10" (250mm) Free-Air Marine Subwoofer (**2Ω or 4Ω SVC**)
175W RMS/ 350W PEAK Power handling
Mounting Depth: 127mm
Hole Diameter: 232mm / Outer Diameter: 271mm

KMF12 SUB 12" (300mm) Free-Air Marine Subwoofer (**2Ω or 4Ω SVC**)
175W RMS/ 350W PEAK Power handling
Mounting Depth: 139mm
Hole Diameter: 279mm / Outer Diameter: 329.5mm

Power handling assumes typical music program with minimal clipping. See your KICKER dealer for complete details.

KMG LED SUBWOOFER GRILLES

These grilles protect – brilliantly! Moulded from thick ABS plastic, the grilles come in white or charcoal. Thick silicone-coated LEDs give your boat an added flare! Fully programmable using the KMLC remote.

TOWER SPEAKERS

Play it loud, in any direction and bring the party to your boat! Our tower speakers are specifically designed to project crystal clear high quality audio to adrenaline junkies at the end of a tow rope. Whether you're wakeboarding, water-skiing or just swimming with friends don't miss out on the music!

KMTC & KMFC SERIES

KMTC LED illuminated Coaxial Tower Systems come loaded with powerful midrange drivers and titanium tweeters. The injection-moulded polypropylene speaker cones are UV-treated and matched with Santoprene® surrounds for excellent sound quality and durability in any weather. Available in White or Black/Charcoal *ASTM B117 200 hr. Salt Fog Test *ASTM G154 400 hr. Accelerated UV Test

A revolutionary 359° swivel clamp lets you aim your music wherever with no tools required. The stainless-steel clamp automatically adapts to tube sizes ranging from 1-1/2 to 3-1/4 inches – vertically or horizontally, while the through-clamp wiring creates a clean look without binding posts.

KMFC Flat-Surface-Mount Cans feature the same materials and performance as the KMTC series, made for flat surfaces. Install the KMFC either flat or angled, pitched up or down 5° or 10°.

KMTC65 & KMTC65W / KMFC65 & KMFC65W

6.5" (165mm) 2-way w/ 3/4" (20mm) Tweeter,
4Ω, 65W RMS/ 195W PEAK power handling

KMTC8 & KMTC8W / KMFC8 & KMFC8W

8" (200mm) 2-way w/ 1" (25mm) Tweeter,
4Ω, 150W RMS/ 300W PEAK power handling

HLCD SERIES

9 and 11-inch KMTC HLCD (horn-loaded compression driver) tower speakers. Available in black or white, these speakers deliver exceptional clarity and concert-level volume! Light up the night with standard LED illumination or upgrade using the optional KMLC controller.

KMTC9 & KMTC9W

9" (230mm) LED Horn Loaded Towers
Power handling 150-300W RMS/ 600W PEAK

KMTC11 & KMTC11W

11" (280mm) LED Horn Loaded Towers
Power handling 150W-300 RMS/ 600W PEAK

KMT67 LONG THROW

The KMT67 is a 300W peak power full-range, high-quality 2-way speaker system, consisting of a pair of DUAL 6-1/2-inch woofers in two stylish, injection-moulded ABS enclosures. Horn-loaded tweeters deliver long-range output & superior dispersion control.



ACCESSORIES

KICKER uses only 100-percent, full AWG spec, oxygen-free copper (OFC) in its cable products. OFC provides incredible wire flexibility, high corrosion resistance, and low internal resistance for max power transfer, getting the most from your equipment.

KICKER Marine Power and Signal Accessories are built to the highest standards in the marine industry. KICKER only designs and builds USCG (U.S. Coast Guard) and ABYC (American Boat and Yacht Council)-compliant accessory products.

KMWP POWER CABLE

Full-spec OFC copper wire is tinned to prevent corrosion. Compliant with Coast Guard and ABYC standards, our cable features a soft, flexible jacket for easy installation.

KMWPR050 / KMWPY050 0AWG OFC Red & Yellow Spools (50ft / 15M)

KMWPR4100 / KMWPY4100 4AWG OFC Red & Yellow Spools (100ft / 30M)

KMWPR8200 / KMWPY8200 8AWG OFC Red & Yellow Spools (200ft / 60M)

KMW SPEAKER & RGB CABLE

Engineered to withstand the toughest marine environments, made purpose built to connect both speakers and LED lights. OFC 16AWG for speakers and 18AWG for RGB connections.

KMWRGB150 Speaker & RGB Cable Spool (150ft / 45M)

KMW16400 Speaker Cable Spool (400ft / 120M)

KMPK WIRING KITS

Our convenient marine-grade amplifier wiring kits, available in 4AWG and 8AWG come complete with fuse, fuse holder, power and ground cable, plus remote wire.

Just add your choice of KICKER KMI phono cable to enable a professional and safe installation on your boat to last season after season.

KMPK4 4AWG OFC Wiring Kit

KMPK8 8AWG OFC Wiring Kit



KMI RCA INTERCONNECTS

Marine-grade RCA cables purpose-built for life on the water, flexible and to the highest build quality. Various length choices & a unique multi-purpose Y lead.

KMI1 1 Metre 2ch. RCA

KMI3 3 Metre 2ch. RCA

KMI7 7 Metre 2ch. RCA

KMI10 10 Metre 2ch. RCA

KMIY Y adaptor RCA



SYSTEM GUIDANCE

SYSTEM ONE

No Audio on-board? No problem!

Simply combine either our **KMC2** or **KMC3** source unit with a set of 4" **KM44** or 6.5" **KM604W** speakers. Get bright and lively sound on your boat with the most space conscious speakers we offer.

SYSTEM TWO

Need to replace some lifeless existing audio? We got you!

Our **KMC2** or **KMC3** source unit brings you into the 21st century with multi-source audio. Replace drab OE speakers with our 6.5" **KM654** or **KM654L** speakers & you won't look back. The perfect platform to build a bigger system over time.

SYSTEM THREE

Want your speakers to really SING? Get amplified!

When using the **KMC4** source unit combined with the compact 2 channel **KMA AMP** and a single pair of **KM654**, **KM654L** or **KM84L** speakers you will have an energetic captain-focussed sound system.

Below you'll see some suggestions on typical system set-ups to give you an idea of what can be achieved with KICKER Marine audio products.

Whether you are starting out, adding or upgrading for performance we are here to assist you in achieving an awesome result! #GoOverboard

SYSTEM FOUR

You're a serious music fan, you need a thumping system - fact.

A 6-channel **KMA600.6** amplifier will pair up with 2 sets of **KM654** or **KM654L** speakers and yep, you guessed it, a **KMF10** subwoofer! This is where things start to really crank up, be the envy of your friends!

SYSTEM FIVE

Loud, clear and ready to rock!

An 8 channel **KXMA** amplifier will get the best from 2 sets of **KM654** plus a 10" **KMF** subwoofer and a set of 6.5" **KMTC** tower speakers. A truly great sounding system from a single amp.

UPGRADE OR ADD TOWERS

The larger the boat and bigger your appetite for sound, the further we go!

Start moderately and build from there, or go full throttle from the outset. Utilise the extra features found in **KMC6**, add more **KM** speakers, or size up to 8". Add **KMA** or **KXMA** amplification to get more power. Watersports fans, add **KMTC** towers.

SPECIFICATIONS

LOUDSPEAKERS

| Model | Description | RMS Power (watts) | Max Power (watts) | Impedance (ohms) | Outer Diameter (mm) | Hole Diameter (mm) | Mounting Depth (mm) |
|-------------|-------------------------------|-------------------|-------------------|------------------|---------------------|--------------------|---------------------|
| KA45KM44 | 4" Coaxial Speaker | 50 | 150 | 4 | 130 | 94 | 46 |
| KA45KM654 | 6.5" Coaxial Speaker | 65 | 195 | 4 | 174.1 | 128 | 59.9 |
| KA45KM654L | 6.5" Coaxial Speaker with LED | 65 | 195 | 4 | 174.1 | 128 | 59.9 |
| KA45KM84L | 8" Coaxial Speaker with LED | 150 | 300 | 4 | 204.1 | 170 | 82.9 |
| KA49KM604W | 6.5" Coaxial Speaker | 15-50 | 150 | 4 | 178 | 132 | 63 |
| KA49KM604WL | 6.5" Coaxial Speaker with LED | 15-50 | 150 | 4 | 178 | 132 | 63 |
| KA48KXML654 | 6.5" Horn-Loaded Speaker | 15-150 | 300 | 4 | 178 | 139 | 81 |
| KA489KXML8 | 8" Horn-Loaded Speaker | 15-250 | 500 | 4 | 207 | 168 | 93 |
| KA48KXML69 | 6x9" Horn-Loaded Speaker | 15-150 | 300 | 4 | 188x262 | 148x218 | 85 |

SUBWOOFERS

| Model | Description | RMS Power (watts) | Max Power (watts) | Impedance (ohms) | Outer Diameter (mm) | Hole Diameter (mm) | Mounting Depth (mm) |
|------------|-----------------------|-------------------|-------------------|------------------|---------------------|--------------------|---------------------|
| KA45KMF102 | 10" Freeair Subwoofer | 175 | 350 | 2 | 271 | 232 | 127 |
| KA45KMF104 | 10" Freeair Subwoofer | 175 | 350 | 4 | 271 | 232 | 127 |
| KA45KMF122 | 12" Freeair Subwoofer | 175 | 350 | 2 | 329.5 | 279 | 139 |
| KA45KMF124 | 12" Freeair Subwoofer | 175 | 350 | 4 | 329.5 | 279 | 139 |

SOURCE UNITS

| Model | Description | Power | Max Power | Bezel Measurement | Hole Diameter | Mounting Depth | Features |
|----------|-----------------------------|-------------------|-------------------|-------------------|---------------|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| KA46KMC2 | Marine Media Centre | 25w x 4 (4Ω load) | | 113mm diameter | 76.2mm | 100mm | IP67, AM/FM, USB, 3.5mm Aux, RCA & Bluetooth |
| KA46KMC3 | Marine Media Centre | 25w x 4 (4Ω load) | | 88.9mm x 139.7mm | 76.2mm | 100mm | IP67, AM/FM, USB, 3.5mm Aux, RCA & Bluetooth |
| KA46KMC4 | Dual-Zone Media Centre | 25w x 4 (4Ω load) | 38w x 4 (2Ω load) | 88.9mm x 139.7mm | 76.2mm | 120.7mm | IP66, Dual-zone, RCA out, LCD display, AM/FM, USB, 3.5mm Aux, RCA & Bluetooth |
| KA46KMC6 | Premium Marine Media Centre | 25w x 6 (4Ω load) | 40w x 6 (2Ω load) | 88.9mm x 139.7mm | 76.2mm | 127mm | DAB+, IP66, NMEA port, Video input, Dual-zone, RCA out, Zone 2, speaker out, LCD display, AM/FM, USB, 3.5mm Aux, RCA & Bluetooth |

REMOTE CONTROLS

| Model | Description | Display | Water resistance | Dimensions | Hole Diameter |
|-----------|-----------------------------------------------------------------|--------------------------|------------------|------------------|---------------|
| KA47KRC55 | Digital Display Remote Control for the KMC5 & KMC6 source units | 2.5" (6.35cm) colour LCD | IP67 | 76.2mm x 101.6mm | 50.7mm |
| KA46KRC12 | Remote Control for the 46KMC2, KMC3, KMC4 & KMC5 source units | N/A | IP66 | 61.2mm diameter | 50.7mm |

AMPLIFIERS

| Model | Number of Channels | RMS Power @ 4 ohm | RMS Power @ 2 ohm | RMS Power Bridged @ 4 ohm | Accessories |
|---------------|--------------------|---------------------|---------------------|---------------------------|-----------------|
| KA48KXMA4002 | 2 | 100w x 2 | 200w x 2 | 400w x 1 | |
| KA48KXMA5004 | 4 | 75w x 4 | 125w x 4 | 250w x 2 | |
| KA48KXMA8004 | 4 | 100w x 4 | 200w x 4 | 400w x 2 | |
| KA48KXMA8008 | 8 | 50w x 8 | 100w x 8 | 200w x 4 | |
| KA48KXMA9005 | 5 | 100w x 4 + 200w x 1 | 125w x 4 + 400w x 1 | 250w x 2 + 400w (@ 1ohm) | Remote included |
| KA48KXMA12002 | 2 | 300w x 2 | 600w x 2 | | |
| KA48KMA1502 | 2 | 40w x 2 | 75w x 2 | 150w x 1 | |
| KA48KMA3604 | 4 | 65w x 4 | 90w x 4 | 180w x 2 | |
| KA48KMA6004 | 4 | 75w x 4 | 150w x 4 | 300w x 2 | |
| KA48KMA6006 | 6 | 50w x 6 | 100w x 6 | 200w x 3 | |
| KA48KMA8001 | 1 | 400w x 1 | 600w x 1 | | Remote included |



TOWER SPEAKERS

| Model | Description | RMS Power (watts) | Max Power (watts) | Impedance (ohms) | Enclosure Diameter/Width (mm) | Enclosure Depth (mm) | Underhang from Bar (mm) |
|--------------|---------------------------------------------------|-------------------|-------------------|------------------|-------------------------------|----------------------|-------------------------|
| KA45KMTC65 | 6.5" Coaxial Marine Tower System with LED | 65 | 195 | 4 | 178 | 246 | 210 |
| KA45KMTC65W | 6.5" Coaxial Marine Tower System with LED (white) | 65 | 195 | 4 | 178 | 246 | 210 |
| KA45KMTC8 | 8" Coaxial Marine Tower System with LED | 150 | 300 | 4 | 208 | 287 | 240 |
| KA45KMTC8W | 8" Coaxial Marine Tower System with LED (white) | 150 | 300 | 4 | 208 | 287 | 240 |
| KA45KMTDC65 | 6.5" Dual Coaxial Marine Tower System with LED | 130 | 390 | 4 | 357 | 246 | 210 |
| KA44KMTC94 | 9" Horn Loaded Tower System with LED | 300 | 600 | 4 | 249 | 277 | 294 |
| KA44KMTC94W | 9" Horn Loaded Tower System with LED (white) | 300 | 600 | 4 | 249 | 277 | 294 |
| KA44KMTC114 | 11" Horn Loaded Tower System with LED | 300 | 600 | 4 | 302 | 323 | 346 |
| KA44KMTC114W | 11" Horn Loaded Tower System with LED (white) | 300 | 600 | 4 | 302 | 323 | 346 |
| KA41KMT674 | 6.5" Long Throw Tower System | 150 | 300 | 4 | 484 | 280 | 230 |

KICKER[®]

MARINE AUDIO



KICKER Local Distributor/ Retailer Stamp

European Distribution:
Celsus UK Limited
6 The Alpha Centre, Upton Road, Poole,
Dorset BH17 7AG United Kingdom
info@celsusgroup.net / www.celsusgroup.net

For further specifications and technical information visit

WWW.KICKER.COM

★ **SINCE 1973**