

BS EN 1317 Impact Test



Customer satisfy
is the eternal pursuit
of corporation.

To be the best
Supplier of traffic
Safety products

地址:浙江省余姚市胜堰三角站向西200米
Add:Turn 200m to the west of Shengyan triangle station,
Yuyao city Zhejiang province China
邮编/zip:315400
手机/M.P.:+86-013566099333
电话/Tel:+86-574-62500228/22666990
传真/Fax:+86-574-62500990
网址/Web: www.nblzl-traffic.com
邮箱/E-mail:tengfeisumo@sina.com



Yuyao Road of Dragon Traffic Facilities Co.,LTD
余姚市龙之路交通设施有限公司
Ningbo Teslas Technology CO.,LTD.
宁波特司拉科技有限公司

企业简介

Introduction

余姚市龙之路交通设施有限公司(宁波特司拉科技有限公司)是一家专业生产交通设施,道路安全设施,安全防护设施的综合性企业。同时本公司也是一家以CAD/CAM/CAE模具制造为基础,数控加工为依托,全自动化机械生产为主体的现代化企业。

自公司成立以来,企业自身不断壮大发展,近年来在交通设施的研发、生产、销售方面取得了可喜的成绩。所有产品均符合或超过国家及行业标准,并在全国多项交通工程中使用。得到了广大客户和业内人士的一致肯定。同时还出口到欧洲、美国、日本、澳大利亚等各个国家地区,深受用户好评。

我们公司产品:路锥、防眩板、护栏、水马、警示柱、分道标、柱帽、减速带、轮廓标、道钉、警示灯、护脚器、防撞桶、诱导柱、定位器等。

龙之路以“造一流的交通精密模具,产一流的交通设施制品;率他人之先,创同行之最”的企业经营理念,竭诚为全球的交通事业和广大用户服务。

Yuyao Road of Dragon traffic facilities Co.,LTD. (Ningbo Teslas Technology CO.,LTD.)is located in Yuyao city Zhengjiang province where is famous for plastic and mold in China.It is a modern and comprehensive company which is basis on CAD/CAM/CAE, depending on numerically controlled machining,and producing with automatic machine.

In recent years, our company pays attention to developing and marketing of traffic facilities, and do very well.All of our products are consonant with or higher than national/trade standards.Many of them had been used in traffic projects in China.

Our products are not only taken highly of in our state,but also in many countries all over the world.We had exported to Erop,USA,Japan,Australia and other countries.

Our business philosophy:Producing first-class plastic and mold products of traffic facilities,and being No.1 in our industry.

We are ready and engar to serving you.

Here are our products:

Parapet, Guard wall,traffic cone,Anti-dazzle panel,Flexible guide post, Rubber speed humps and so on.



机器图 machine



生产 production 装配 assembly

仓库 warehouse 出货 Load shipment



Contents 目录

P1-10

护栏 Plastic Fence



P11-22

水马 Water Barrier



P23-26

路锥 Traffic cone



P27-30

诱导柱/警示柱
Guide post/Warning post



P31-32

警示板 Flexible guide pannel



P33-34

安全踏板 Trench Cover



P35-40

路障警示灯 Warning lamps



P41-45

减速带 Speed humps



P46

广角镜 Mirror



P47

伸缩杆 Extension pole



P48-49

道钉 Road Studs




P50-51

塑料安全网/塑料链条/警示带
Plastic Fence/Plastic Chain/Warning tape



P52-53

防眩板/安全盖 Safety Cover



P54-55

安全背心 Safety Vests
安全头盔 Safety Helmets



P56

指挥棒 Reflective baton



P57

三角警示牌 Warning triangle



P58

香烟桶/救生板/临时路牌
Cigarette Bucket/Life Board/Cone Sign



P59

反光膜 Reflective Sheeting



P60-61

吹塑划艇 Blow Rowboat
浮桶 floating barrels




P62

井盖 Manhole Cover



P63-64

塑料托盘 Plastic pallet



◦ 护栏 *Plastic Fence*

这种护栏是吹塑工艺,包括护栏和两个可以旋转的脚,它可以几个连成一排把道路隔开,也可以连成一个圈把工作区围住.

材料:塑料PE、橡胶、反光膜

高度: 1000mm

长度: 2000mm

厚度: 55mm

重量: 13kg ± 0.5kg/11kg ± 0.5kg

颜色可根据客户要求定做,连接方便

This barrier is blow-moulded, including one barrier and two rotatable legs. It can be joint to a line to direct the way or divide the road to two parts. Also, it could be circled for repair work.

Material: Plastic PE, rubber, reflective sheeting

Height: 1000mm

Length: 2000mm

Thickness: 55mm

Weight: 13kg ± 0.5kg/11kg ± 0.5kg

We can produce as your special request

Linking facility allowing system can be easily joined.



安装前
--Before installation



安装后
--After installation



型号(model):LZL-HL-01



型号(model):LZL-HL-02



型号(model):LZL-HL-03



型号(model):LZL-HL-04

连接方式一
Connection mode1



连接方式二
Connection mode2



型号(model):LZL-HL-05



型号(model):LZL-HL-06



型号(model):LZL-HL-07



型号(model):LZL-HL-08

型号(model):LZL-HL-09

有伸缩系统，能从240mm延伸到2600mm
宽度（全部打开）：2600mm
宽度（合拢）：240mm
高度：960mm
重量：2.2kg±0.2kg
材料：HDPE material :HDPE
颜色可根据客户要求定做
The plastic extensible barrier redirects traffic in unsafe and risky conditions.
It extends from 240mm to 2600mm with a flexible bending system.
Width(full open):2600mm
Width(full closed):240mm
Height:960mm
Weight:2.2kg±0.2kg
We can produce as your special request




型号(model):LZL-HL-10

有伸缩系统，能从130mm延伸到2300mm
宽度（全部打开）：2300mm
宽度（合拢）：130mm
高度：1070mm
重量：6.2kg±0.3kg
材料：HDPE material :HDPE
颜色可根据客户要求定做
The plastic extensible barrier redirects traffic in unsafe and risky conditions.
It extends from 130mm to 2300mm with a flexible bending system.
Width(full open):2300mm
Width(full closed):130mm
Height:1070mm
Weight:6.2kg±0.3kg
We can produce as your special request



型号(model):LZL-HL-11

材料：玻璃钢
宽度（全部打开）：3000mm
宽度（合拢）：220mm
高度：1200mm
重量：6kg
颜色可根据客户要求定做
Material: glass fiber reinforced plastic
The plastic extensible barrier redirects traffic in unsafe and risky conditions.
Width(full open): 3000mm
Width(full closed):220mm
Height:1200mm
Weight:6kg
We can produce as your special request



护栏 Plastic Fence

型号(model):LZL-HL-12

这种护栏是吹塑工艺,包括护栏和四个可以旋转的脚,它可以几个连成一排把道路隔开,也可以连成一个圈把工作区围住.
材料:塑料PE、反光膜
高度：1000mm
长度：1250mm / 1500mm
厚度：30mm
重量：20kg±1kg / 24kg±1kg
颜色可根据客户要求定做
连接方便
This barrier is blow-moulded,including four barriers and four rotatable legs
It can be joint to a line to direct the way or divide the road to two parts Also, it could be circled for repair work.
Material: Plastic PE reflective sheeting
Height:1000mm
Length:1250mm/1500mm
Thickness:30mm
Weight:20kg±1kg / 24kg±1kg
We can produce as your special request
Linking facility allowing system can be easily joined.



型号(model):LZL-HL-13

该产品通过德国塑料护栏TL标准测试
层压式堆叠设计，节约空间，方便运输
能根据客人不同需要选定颜色及在产品上刻上客人的商标
整体设计，坚固实用
可替换的灯座连接器，能为护栏配上路障灯
路障灯能根据不同的需要安装在护栏上
重量虽轻但产品稳固
该产品有防晒配方
用于道路分离及施工现场保护
独特的漏风设计，能防御强风吹袭
独特360度旋转护栏连接器，能连接不同的角度旋转的护栏

Tested to comply with the TL barrier panel requirements incl. Of protedting frames.
*Designed for compact stacking to provide low transport costs
*Choice of colours and customer's logo imprint on request
*Sturdy laminated edge
*Replaceable adapter for lamps(industrial property rights applied for)
*Lamps can be fixed at various angles with no danger of skewing
*More stability with less weight
*UV stability
*Can be used as lane partitions on road or substitute barriers
*Greater wind resistance due to special profile
*Speical designed connector with 360 swivel to link up any position

length	2200mm
height	1060mm
thickness	52mm
weight	70kg±2kg



◦ 护栏 Plastic Fence

这种护栏是吹塑工艺,包括护栏和两个可以旋转的脚,它可以几个连成一排把道路隔开,也可以连成一个圈把工作区围住.

材料:塑料PE、反光膜

颜色可根据客户要求定做,连接方便

This barrier is blow-moulded, including one barrier and two rotatable legs. It can be joint to a line to direct the way or divide the road to two parts. Also, it could be circled for repair work.

Material: Plastic PE reflective sheeting

We can produce as your special request

Linking facility allowing system can be easily joined.



型号(model):LZL-HL-14

高度: 1000mm Height:1000mm
长度: 1500mm Length:1500mm
厚度: 50mm Thickness:50mm
重量: 5kg±0.5kg Weight:5kg±0.5kg



型号(model):LZL-HL-15

高度: 1000mm Height:1000mm
长度: 2000mm Length:2000mm
厚度: 50mm Thickness:50mm
重量: 6.5kg±0.5kg Weight:6.5kg±0.5kg

型号(model):LZL-HL-16

危险环境下的交通场所,用于改造.

有伸缩系统,能从300mm延伸到3900mm

宽度(全部打开):3900mm

宽度(合拢):300mm

高度:1000mm

重量:17kg±0.5kg

颜色可根据客户要求定做

The plastic extensible barrier redirects traffic in unsafe and risky conditions.

It extends from 300mm to 3900mm with a flexible bending system.

Width(full open):3900mm

Width(full closed):300mm

Height:1000mm

Weight:17kg±0.5kg

We can produce as your special request



型号(model):LZL-HL-17

危险环境下的交通场所,用于改造.

宽度:500mm

高度:1000mm

重量:3kg±0.3kg

颜色可根据客户要求定做

The plastic extensible barrier redirects traffic in unsafe and risky conditions.

Width:500mm

Height:1000mm

Weight:3kg±0.3kg

We can produce as your special request



型号(model):LZL-HL-18

材料:PE+橡胶

高度:1000mm

长度:2000mm

厚度:50mm

重量:11KG

颜色可根据客户要求定做,连接方便

Material: PE + rubber

Height: 1000mm

Length: 2000mm

Thickness: 50mm

Weight: 11KG

We can produce as your special request

Linking facility allowing system can be easily joined.

型号(model):LZL-HL-19

材料:塑料PE、橡胶、反光膜

高度:1135mm

长度:2260mm

厚度:65mm

重量:15kg±0.5kg

颜色可根据客户要求定做,连接方便

Material: Plastic PE

Height:1135mm

Length:2260mm

Thickness:65mm

Weight:15kg±0.5 kg

We can produce as your special request

Linking facility allowing system can be easily joined.



型号(model):LZL-HL-20

材料:PE

长度:420-3500mm

宽度:420mm

高度:950mm

重量:7KG

Material: PE

Length: 420-3500mm

Width: 420mm

Height: 950mm

Weight: 7KG



型号(model):LZL-HL-21

材料:塑料PE、橡胶、反光膜

高度:1060mm

长度:2200mm

厚度:52mm

重量:70kg±2kg


Material: Plastic PE

Height:1060mm

Length:2200mm

Thickness:52mm

Weight:70kg±2 kg



室内围栏 Indoor barrier

elevator fence

可适用于室内，展会，电梯维修，机械维护，车间，大型室外活动。

elevator maintenance

Interior fencing, elevator maintenance,

Light simple, can be any combination, any move.

Can be used in indoor, exhibition, mechanical maintenance, workshop, large outdoor activities.



型号(model):LZL-HB-01

高度/Height	1050mm
宽度/Width	650mm
重量/weight	6.5kg



LZL-HB-01A



LZL-HB-01B



LZL-HB-03A



LZL-HB-03B



型号(model):LZL-HB-03

高度/Height	780mm
宽度/Width	1000mm
重量/weight	8kg



型号(model):LZL-HB-05

高度/Height	1000mm
宽度/Width	500mm
重量/weight	8kg



型号(model):LZL-HB-04

高度/Height	1000mm
宽度/Width	500mm
重量/weight	6kg

◦ 儿童安全围栏 *Child safety fence*

Can be customized according to requirements.
可根据要求定制。



◦ 金属护栏 *Mental Fence*

型号(model):LZL-HL-22

length	3000mm
height	800mm
thickness	50mm



型号(model):LZL-HL-23

length	3000mm
height	1000mm
thickness	50mm



型号(model):LZL-HL-24

length	3000mm
height	1000mm
thickness	50mm



◦ **水马 Water Barrier**


型号(model):LZL-5M-01

这种水马由抗UV紫外线稳定性好的塑料做成
材料:塑料PE
水马可以通过顶部的管口填充水或者沙子底部有便于排水的孔
底部的槽,便于叉车搬运
尾部的挂钩部分使整体容易地连接一起

Manufactured from UV stabilised HDPE
System can be water or sand filled via plug at top of unit
Lower plug inbase for easy drainage
Slot at base for ease of sighting with forklift
integral end section for linking units together




Length:1400mm	长度:1400mm
Height:900mm	高度:900mm
Width:420mm	宽度:420mm
Weight:12.5±1KG	重量:12.5±1KG
Color:Red/White	颜色:红色/白色



型号(model):LZL-5M-02

透明型临时隔音屏风

护栏屏障可以为行人专用区的使用
一个1.4米的水马固定到白色或红色的插棍,也进入另外一套位于相应的红色或白色的护栏.
利用水马之前的长隔柱,可以在水马上加装塑料屏风,从而更好地分隔车道与行人.
围栏和屏风固定在水马上,以增加水马整体的高度.这使得它更好地达到分隔行人和车道的目的.



型号(model):LZL-5M-01-A



◦ 水马 Water Barrier

型号(model):LZL-5M-03

这种水马由抗UV紫外线稳定性好的塑料做成
材料:塑料PE、反光膜
长度: 1500mm
高度: 1050mm
上宽: 200mm
下宽: 350mm
重量:19±1千克
水马可以通过顶部的管口填充水或者沙子底部有便于排水的孔底部的槽,便于叉车搬运尾部的挂钩部分使整体容易地连接一起

Manufactured from UV stabilised HDPE
Material: Plastic PE reflective sheeting
Length:1500mm
Height: 1050mm
Width top:200mm
Width bottom:350mm
Weight:19±1KGS
System can be water or sand filled via plug at top of unit
Lower plug inbase for easy drainage
Slot at base for ease of sighting with forklift
integral end section for linking units together



型号(model):LZL-5M-04

这种水马由抗UV紫外线稳定性好的塑料做成
水马可以通过顶部的管口填充水或者沙子底部有便于排水的孔底部的槽,便于叉车搬运尾部的挂钩部分使整体容易地连接一起
材料: 塑料PE、反光膜
长度: 1500mm
高度: 900mm
上宽: 220mm
下宽: 450mm
重量:13±1千克

Manufactured from UV stabilised HDPE
System can be water or sand filled via plug at top of unit
Lower plug inbase for easy drainage
Slot at base for ease of sighting with forklift
integral end section for linking units together
Material: Plastic PE reflective sheeting
Length:1500mm
Height: 900mm
Width top:220mm
Width bottom:450mm
Weight:13±1KGS



型号(model):LZL-5M-05

材料: 塑料PE
Material: Plastic PE
长度/Length: 1450mm
高度/Height: 800mm
上宽/Width top: 200mm
下宽/Width bottom: 400mm
重量/Weight:11kg±0.5kg



型号(model):LZL-5M-06

材料: 塑料PE、反光膜
Material: Plastic PE
长度/Length: 1500mm
高度/Height: 1150mm
重量/Weight: 12kg±0.5kg

◦ 水马 Water Barrier

型号(model):LZL-5M-07

这种水马由抗UV紫外线稳定性好的塑料做成
材料:塑料PE、反光膜
水马可以通过顶部的管口填充水或者沙子底部有便于排水的孔底部的槽,便于叉车搬运尾部的挂钩部分使整体容易地连接一起
材料: 塑料PE、反光膜
长度: 1300mm
高度: 630mm
上宽: 200mm
下宽: 400mm
重量:9±1千克

Manufactured from UV stabilised HDPE
System can be water or sand filled via plug at top of unit
Lower plug inbase for easy drainage
Slot at base for ease of sighting with forklift
integral end section for linking units together
Material: Plastic PE reflective sheeting
Length:1300mm
Height: 630mm
Width top:200mm
Width bottom:400mm
Weight:9±1KGS



型号(model):SM-07-01



型号(model):SM-07-02



型号(model):SM-07-03



型号(model):SM-07-05



型号(model):SM-07-04



型号(model):SM-07-06

◦水马 Water Barrier

型号(model):LZL-5M-08

材料: 塑料PE、反光膜 Material: Plastic PE
长度: 1450mm Length:1450mm
高度: 800mm Height: 800mm
上宽: 220mm Width top:220mm
下宽: 450mm Width bottom:450mm
重量: 12kg±1kg Weight:12kg±1kg



型号(model):LZL-5M-09

材料: 塑料PE Material: Plastic PE
长度: 1000mm Length:1000mm
高度: 600mm Height: 600mm
上宽: 100mm Width top:100mm
下宽: 250mm Width bottom:250mm
重量: 4.5kg±0.5kg Weight:4.5kg±0.5kg



型号(model):LZL-5M-10

材料: 塑料PE、反光膜 Material: Plastic PE
长度: 560mm Length:560mm
高度: 560mm Height: 560mm
上宽: 150mm Width top:150mm
下宽: 400mm Width bottom:400mm
重量: 4kg±0.5kg Weight:4kg±0.5kg



型号(model):LZL-5M-11

材料: 塑料PE、反光膜 Material: Plastic PE
长度: 500mm Length:500mm
高度: 560mm Height: 600mm
上宽: 170mm Width top:170mm
下宽: 400mm Width bottom:400mm
重量: 4kg±0.5kg Weight:4kg±0.5kg



◦水马 Water Barrier

型号(model):LZL-5M-12

材料: 塑料PE
Material: Plastic PE
宽度/Length: 1200mm
高度/Height: 2000mm
上宽/Width top:120mm
下宽/Width bottom:350mm
重量/Weight: 18kg±1kg



型号(model):LZL-5M-13

材料: 塑料PE
Material: Plastic PE
宽度/Length: 1200mm
高度/Height: 1800mm
上宽/Width top: 100mm
下宽/Width bottom:350mm
重量/Weight: 13kg±1kg



型号(model):LZL-5M-14

材料: 塑料PE、反光膜
Material: Plastic PE
宽度/Length: 1000mm
高度/Height: 2000mm
上宽/Width top:80mm
下宽/Width bottom:400mm
重量/Weight: 13kg±0.5kg



型号(model):LZL-5M-15

材料: 塑料PE
Material: Plastic PE
宽度/Length: 500mm
高度/Height: 750mm
重量/Weight: 3.8kg±0.5kg



型号(model):LZL-5M-16

材料: 塑料PE
Material: Plastic PE
长度/Length: 2000mm
高度/Height: 780mm
上宽/Width top: 200mm
下宽/Width bottom:380mm
重量/Weight: 15kg±1kg



型号(model):LZL-5M-17

材料: 塑料PE
Material: Plastic PE
长度/Length: 2000mm
高度/Height: 800mm
上宽/Width top: 145mm
下宽/Width bottom:400mm
重量/Weight: 15kg±0.5kg





◦ **水马 Water Barrier**

型号(model):LZL-5M-18

可折叠水马是一种非常实用的水马，它们很容易地组合和连接起来，折叠水马可以被水或者沙子填充，层叠的设计非常有效地减少了运输成本。折叠水马由抗紫外线的稳定性好的塑料做成，常规的颜色是红色和白色，但是也可做按客人的要求颜色来生产。折叠水马可以被用在码头，机场，建筑区确保行人的指导和安全。

The Stackable water filled barrier is a substantial barrier that is easy to set up and link together. The barrier can be filled on site with water or sand for extra stability and is designed to stack very efficiently which enables transport cost to be reduced. The stackable water filled barrier are manufactured from UV stabilised polythene and are normally supplied in red or white but other colours are available on request. The stackable water filled barrier can be used at docks, airport and construction sites ensure pedestrian guidance and safety.


Length:1000mm	长度:1000mm
Height:600mm	高度:600mm
Width:500mm	宽度:500mm
Weight:6.00kgs	重量:6KG
Color:Red/White	颜色:红色/白色



型号(model):LZL-5M-19

材料: PE
高度: 600mm
长度: 1000mm
上宽: 170mm 下宽: 450mm
重量: 15KG

Material: PE
Height: 600mm
Length: 1000mm
Width top: 170mm Width bottom: 450mm
Weight: 15KG



◦ **交通桶 Traffic Drum**



型号(model):LZL-TD-01

Height:1350mm
Dia:500mm
Body:4.8kg
5pieces reflective tape



型号(model):LZL-TD-02

Height: 700mm
Dia:430mm
Body:3.5kg
6kg
4pieces reflective tape

LZL-TD-02A

Height: 1000MM
Base Dia: 460mm
Body:6kg
Base: 9 kg
4 pieces reflective tape .



型号(model):LZL-TD-03

Height: 1200mm
Base Dia:90mm
weight: 16kg
with 3 pieces reflective tape



型号(model):LZL-TD-04

Height: 800mm
Base Dia:500mm
weight: 3.5kg
with 2 pieces reflective tape



型号(model):LZL-TD-05

Top Width: 23cm
Bottom width: 74cm
Height: 110cm
Thickness: 5cm
Weight: App. 2.1Kg



型号(model):LZL-TD-06

Height: 1100mm
Top Width : 230mm
Bottom width:740mm
Thickness:50mm
weight: 2.6kg



型号(model):LZL-TD-07

Height: 1000MM
Length:1700mm
Thicknee: 50mm
weight: 4KG

◦ **滚塑 ROTATIONAL MOULDING**

可定制各种滚塑产品和滚塑模具。

can customize all kinds of Rotational products and Rotational mold!

型号(model):LZL-RM-01

材料：塑料PE、反光膜

Plastic PE reflective sheeting

长度/Length: 1450mm

高度/Height: 800mm

上宽/Width top: 250mm

下宽/Width bottom: 486mm

重量/Weight: 15kg±0.5kg



型号(model):LZL-RM-02

材料：塑料PE

Material: Plastic PE

长度/Length: 1700mm

高度/Height: 700mm

上宽/Width top: 200mm

下宽/Width bottom:500mm

重量/Weight: 20kg±1kg



型号(model):LZL-RM-05

材料：塑料PE

Material: Plastic PE


长度/Length: 1500mm

高度/Height: 900mm

上宽/Width top:170mm

下宽/Width bottom:450mm

重量/Weight: 18kg±1kg



型号(model):LZL-RM-06

材料：塑料PE

Material: Plastic PE

长度/Length: 1400mm

高度/Height: 900mm

上宽/Width top: 200mm

下宽/Width bottom:400mm

重量/Weight: 13kg±1kg



型号(model):LZL-RM-03

材料：塑料PE

Material: Plastic PE


长度/Length: 1500mm

高度/Height: 900mm

上宽/Width top: 150mm

下宽/Width bottom:350mm

重量/Weight: 20kg±1kg



型号(model):LZL-RM-04

材料：塑料PE

Material: Plastic PE

长度/Length: 1500mm

高度/Height: 1030mm

上宽/Width top: 150mm

下宽/Width bottom: 460mm

重量/Weight: 16kg±1kg



型号(model):LZL-RM-07

材料：塑料PE

Material: Plastic PE

宽度/Length: 1500mm

高度/Height: 900mm

上宽/Width top: 150mm

下宽/Width bottom: 350mm

重量/Weight: 22kg



型号(model):LZL-RM-08

材料：塑料PE

Material: Plastic PE

宽度/Length: 1400mm

高度/Height: 900mm

上宽/Width top: 200mm

下宽/Width bottom: 420mm

重量/Weight: 13kg



型号(model):LZL-RM-09

材料: 塑料PE、反光膜
Material: Plastic PE
长度/Length: 1500mm
高度/Height: 800mm
上宽/Width top:250mm
下宽/Width bottom:450mm
重量/Weight: 15kg±0.5kg



型号(model):LZL-RM-10

材料: 塑料PE
Material: Plastic PE
长度/Length: 1500mm
高度/Height: 1600mm
上宽/Width top: 150mm
下宽/Width bottom: 500mm
重量/Weight: 20kg±1kg



型号(model):LZL-RM-11

材料: 塑料PE、反光膜
Material: Plastic PE
长度/Length: 1000mm
高度/Height: 800mm
上宽/Width top: 200mm
下宽/Width bottom: 560mm
重量/Weight: 12kg±0.5kg



型号(model):LZL-RM-12

材料: PE	Material: PE
长: 1600mm	Length: 1600mm
宽: 300mm	Width: 300mm
高: 275mm	Height: 275mm
重量: 7.3KG	Weight: 7.3KG



这种水马设计主要用于机场环境,用以警告危险施工区域的飞行员来确保旅客安全。此外也适用于在各类道路施工中的安全警示隔离功能。
This water barrier is designed for airport environment to warn pilots of hazardous construction zones and ensure traveler safety. It is also suitable for safety warning isolation in all types of road construction.



长1600mm, 宽300mm, 高265mm

防撞桶 Anti-bump Barrel

型号(model):LZL-FZT-01

主要用于高速公路出口及各级公路十字路口,收费站,加油站,对驾驶者有明显警示作用,能降低肇事时人车伤亡的程度,形成更安全,更有效的保护。
材料: 塑料PE、反光膜
高度: 820mm
直径: 580mm

Warning marking barrel
Mainly used to the exit of highway, road intersection, the charge station, the gas station. It is a clear warning for the drivers, and reduce the harm in the traffic accident, more safety and effective.
Material: PLASTIC PE reflective sheeting
Height:820mm
Dia.:580mm



型号(model):LZL-FZT-02

主要用于高速公路出口及各级公路十字路口,收费站,加油站,对驾驶者有明显警示作用,能降低肇事时人车伤亡的程度,形成更安全,更有效的保护。
材料: 塑料PE、反光膜
高度: 820mm
直径: 580mm

Warning marking barrel
Mainly used to the exit of highway, road intersection, the charge station, the gas station. It is a clear warning for the drivers, and reduce the harm in the traffic accident, more safety and effective.
Material: PLASTIC PE reflective sheeting
Height:820mm
Dia.:580mm



型号(model):LZL-FZT-03

主要用于高速公路出口及各级公路十字路口,收费站,加油站,对驾驶者有明显警示作用,能降低肇事时人车伤亡的程度,形成更安全,更有效的保护。
材料: 塑料PE、反光膜
高度: 920mm
直径: 900mm

Warning marking barrel
Mainly used to the exit of highway, road intersection, the charge station, the gas station. It is a clear warning for the drivers, and reduce the harm in the traffic accident, more safety and effective.
Material: PLASTIC PE reflective sheeting
Height:920mm
Dia.:900mm



型号(model):LZL-FZT-04

材料: 塑料PE、反光膜
长度: 900mm
宽度: 900mm
高度: 450mm

Material: PLASTIC PE reflective sheeting
Length:900mm
Width :900mm
Height: 450mm



路锥用于道路分流管制等方面，具有防晒，不怕风吹雨打，耐热，耐寒，不裂等特点，同时反光效果好，附着力强。

路锥 Traffic cone

Traffic cone is mainly used for road diversion. With the characteristic of not afraid sun, wind, heat, cold, cracking.



型号(model):LZL-LZ-01

材料: 塑料PE、橡胶、反光膜
高度: 600mm
宽度: 420mm
Material: Plastic PE
Height: 600mm
Width :420mm



型号(model):LZL-LZ-02

材料: 塑料PE、反光膜
高度: 750mm
宽度: 400mm
Material: Plastic PE
Height: 750mm
Width :400mm



型号(model):LZL-LZ-03

材料: 塑料PE、反光膜
高度: 750mm
宽度: 400mm
Material: Plastic PE
Height: 750mm
Width :400mm



型号(model):LZL-LZ-02-A

材料: 塑料PE、反光膜
高度: 750mm
宽度: 400mm
Material: Plastic PE
Height: 750mm
Width :400mm



型号(model):LZL-LZ-02-B

材料: 塑料PE、反光膜
高度: 750mm
宽度: 400mm
Material: Plastic PE
Height: 750mm
Width :400mm

伸缩路锥 Traffic cone

型号(model):LZL-LZ-04
Telescopic Cone

Traffic Cone	LZ-04-01
Height	700mm
Bottom	400mm
Weight	4.5kgs



材料(material): 塑料PP(Plastic Pp)
防水荧光布(Water-resistant cloth),反光带(Reflective band)



LZL-LZ-05	LZL-LZ-06	LZL-LZ-07
Height:700mm	Height:550mm	Height:450mm
Bottom:320mm	Bottom:300mm	Bottom:250mm



LZL-LZ-07
Material:PP



LZL-LZ-08
Material:PP



LZL-LZ-09
Material:RUBBER



LZL-LZ-10
Material:PU


Traffic Cone	LZL-LZ-08	LZL-LZ-08-A	LZL-LZ-09	LZL-LZ-10
Height	300mm	500mm	700mm	1000mm
Bottom	200mm	280mm	400mm	370mm
Weight	0.27kgs	0.6kgs	2kgs	5kgs

◦ **PVC路锥** *PVC Traffic cone*

路锥用于道路分流管制等方面，具有防晒，不怕风吹雨打，耐热，耐寒，不裂等特点，同时反光效果好，附着力强。Traffic cone is mainly used for road diversion. With the characteristic of not afraid sun, wind, heat, cold, cracking.

型号(model):

PVC Cone -01	PVC Cone -02	PVC Cone -03	PVC Cone -04
Height:900mm	Height:700mm	Height:450mm	Height:300mm
Bottom:360mm	Bottom:360mm	Bottom:270mm	Bottom:210mm
Weight:4.2kgs	Weight:3.2kgs	Weight:1.5kgs	Weight:1.1kgs




型号(model):

PVC Cone-05	PVC Cone-06	PVC Cone-07	PVC Cone-08
Height:900mm	Height:700mm	Height:450mm	Height:300mm
Bottom:360mm	Bottom:360mm	Bottom:280mm	Bottom:210mm
Weight:4.2kgs	Weight:2.4kgs/1.8kgs	Weight:1.1kgs	Weight:0.6kgs

◦ **TPE路锥** *TPE Traffic cone*

型号(model):

TPE Cone-01	TPE Cone-02	TPE Cone-03	TPE Cone-04
Height:900mm	Height:700mm	Height:450mm	Height:300mm
Bottom:360mm	Bottom:360mm	Bottom:280mm	Bottom:210mm
Weight:3.2kgs	Weight:1.5kgs	Weight:0.6kgs	Weight:0.45kgs



LZL-LZ-11

Model	Material	Size	Weight
LZ-11-01	Plastic PE, rubber, reflective sheeting	1000x480mm	5/6/7KG
LZ-11-02		750x380mm	3.5/4/4.5KG
LZ-11-03		500x280mm	1.5/2KG

LZL-LZ-12

Model	Material	Size	Weight
LZ-12-01	Plastic PE, rubber, reflective sheeting	1000x480mm	5KG
LZ-12-02		750x380mm	2.5KG
LZ-12-03		500x280mm	1.5KG



◦ 诱导柱 Guide post



YDZ	
Height	1130mm
Dia.	100mm
Weight	6KGS/8KGS

LZL-YDZ-01 LZL-YDZ-02 LZL-YDZ-03 LZL-YDZ-04

用于高速公路收费口，人行道口。起临时性分隔道路，分隔危险或禁止区域。用在交通护栏两端，可于一次性警示带，塑料警示链条，外挂式警示灯配合使用。

Used at the charge station of highway, the intersection of road and the sidewalk.
Used for separating road, danger or prohibited zone. Using at the both sides of parapet with the disposable warning band, plastic warning chain and warning lamps.




LZL-YDZ-PJ

LZL-YDZ-05 LZL-YDZ-06 LZL-YDZ-07 LZL-YDZ-08

◦ 诱导柱 Guide post

型号(model): LZL-YDZ-09



Model	Dia.	Height	Reflective Tape
LZL-TXZ-01	10cm	50cm	15cm
LZL-TXZ-02	10cm	80cm	30cm
LZL-TXZ-03	10cm	120cm	45cm

材料(material): 塑料PE(PLASTIC PE)
反光膜(rubber, reflective sheeting)
尺寸(size): 1160 × 200 × 100mm



LZL-YDZ-10
Height: 950mm
Post Dia: 100mm
Base Dia: 380mm
weight: 6.5kg




LZL-YDZ-11
Height: 950mm
Post Dia: 100mm
Base Dia: 380mm
weight: 6kg

◦ 警示柱 Warning post



型号(model):LZL-JSZ-01
材料: PE
高: 850mm
杆子直径: 40mm
底座宽: 285mm
重量: 0.5KG

Material: PE
Height: 850mm
Pole diameter: 40mm
Base width: 285mm
Weight: 0.5KG



型号(model):LZL-JSZ-02
材料: PE
高: 850mm
杆子直径: 50mm
底座宽: 300mm
重量: 0.5KG

Material: PE
Height: 850mm
Pole diameter: 50mm
Base width: 300mm
Weight: 0.5KG

◦ TPE post

型号(model):LZL-PE-01



型号(model):LZL-PE-02



MATERIAL	PE-01	PE-02
Height	750mm	450mm
Dia	80mm	80mm
weight	0.65kg	0.45kg

◦ TPU post

型号(model):LZL-TPU-01



型号(model):LZL-TPU-02



MATERIAL	TPU-01	TPU-02
Height	750mm	450mm
Dia	200mm	200mm
Top	80mm	80mm
weight	1.3kg	0.7kg



LZL-JSZ-PJ-02



◦ 警示板 Flexible guide pannel



型号(model):LZL-J5B-01

材料(material): 橡胶 PE(Plastic PE)
尺寸(size):1100×310mm
重量 (Weight) :13KGS



型号(model):LZL-J5B-02

材料(material): 橡胶 PE(Plastic PE)
尺寸(size):1100×290mm
重量 (Weight) :25KGS
底座(Base): 20kgs



标志部分尺寸: 240X745mm
反光膜尺寸: 200X480
标志部分材料: 高密度聚乙烯 (防晒度达八级)
标志部分重量: 2公斤
底座材料: 橡塑
底座重量: 12公斤
产品能在-30° C至50° C温度下使用
Delineator:240*745mm(H*W)
Sheeting:200*480mm(H*W)
Panle Matrial:High Density Polythene
(snning resistant can meet eight-grade)
Panel Wright:2kgs
Base:680*310*40mm(L*W*T)
Base Material:Rubber
Base Weight:12kgs
Operation in the surrounding through
-30° C to 50° C



型号(model):LZL-J5B-03







型号(model):LZL-J5B-04

材料(material): TPU
尺寸(size):200×134x270mm
重量 (Weight) :0.55kg

◦ A字折叠板



型号(model):LZL-AB-01

材料(material): PE(Plastic PE)
尺寸(size):1060×645x80mm
重量 (Weight) :9KGS±0.5KGS



型号(model):LZL-AB-02

材料(material): PE(Plastic PE)
尺寸(size):1000×450X60mm
重量 (Weight) :6KGS±0.5KGS



型号(model):LZL-AB-03

材料(material): pp
尺寸(size):630X210X630mm



型号(model):LZL-AB-04

材料(material): Plastic
尺寸(size):950X280X280mm
重量 (Weight) :1.2kg

隔离墩



型号 (model) : LZL-GLD-01
材料 (material) : 塑料ABS (Plastic ABS)
PC反光片 (PC reflector)
尺寸 (size) : 800×360mm



◦安全踏板 Trench Cover

人行道安全施工的理想备最高负重: 1000KGS/SQ/M


- 1.标准色为绿色, 蓝色, 黄色 (其他颜色也可以提供)
- 2.斜面设计有助于减缓交通以提高安全性
- 3.可配置修边
- 4.对行人无害
- 5.背面有钢板支撑
- 6.每块坑板两边都带有公母连接设计, 可以方便安全的连接起来
- 7.在空白的部分可以带上客户的LOGO, 但是有数量限制。

Ideal for safe working on wide pavement excavations

Maximum loading weight:5000KGS/SQ/M


- 1.standard color green(other colors available, and MOQ for each color is 400pcs)
- 2.Ramp design helps slowing down traffic for increased safety
- 3.Ending accessory available
- 4.No trip hazard for pedestrians
- 5.Each cover is fitted with steel on the backside
- 6.Each Trench Cover has female and male linking bracket system in both side connect easily and securely together
- 7.The insert part can be replaced with logo as client request, but subject to minimum order

型号(model):LZL-AQTB-01




Material:PE
Size:1400x800mm
Weight:20kg
Packing:450pcs/20' container
MOQ:450PCS

型号(model):LZL-AQTB-02



Material:PE
Size:1400x800mm weight:20kg
Packing:35pcs per pallet,450pcs/20' container
MOQ:450PCS

型号(model):LZL-AQTB-03



Trench Safety Cover
2000x600mm

型号(model):LZL-AQTB-04



Colour coded product option
(Subject to minium order)


◦安全踏板 Trench Cover



Pedestrian bridge is suited by plastic cover galvanized iron barriers. With the smart joint system, utilized in roadside work. It's durable and it won't rust. Perfect for outdoor activities. Available in yellow, green, blue color for trench covers, blank area in cover can stamp the logo.

人行桥由塑料踏板和镀锌铁栅栏组合而成, 是人行道安全施工的理想产品。塑料踏板有多种颜色供选择, 如: 绿色、黄色、蓝色。不锈钢耐腐蚀, 具备耐用, 轻巧, 环保安全等优点。独特的设计, 便于搬运, 安装和使用。

型号(model):LZL-AQTB-06




Material:PE
Size:2000x600mm
Weight:33kg
Packing:650pcs/20' container
MOQ:650PCS

LZL-AQTB-05



型号(model):LZL-AQTB-07



ENDING PART
Size:2000x200mm
Weight:45.7kg

型号(model):LZL-AQTB-08



ENDINGPART
Size:1400x200mm
Weight:32kg/couple

◦ 路障警示灯 Warning lamps

Battery lamp



型号(model):LZL-J50-01



型号(model):LZL-J50-02



型号(model):LZL-J50-03



型号(model):LZL-J50-04



型号(model):LZL-J50-05



LZL-J50-06



LZL-J50-07



LZL-J50-08



LZL-J50-09



LZL-J50-10



ZL-J50-11



LZL-J50-12

◦ 路障警示灯 Warning lamps

Solar lamp



LZL-J50-13



LZL-J50-14



LZL-J50-15



LZL-J50-16



LZL-J50-17



LZL-J50-18



LZL-J50-19



180X120MM
LZL-J50-20



LZL-J50-21



LZL-J50-22



LZL-J50-23



LZL-J50-24



LZL-J50-25

◦路障警示灯 Warning lamps

SOLAR SIGN



Size:300X300X130mm
型号(model):LZL-SL-01



Size:300X300X130mm
型号(model):LZL-SL-02



Size:300X300X130mm
型号(model):LZL-SL-03



Size:350X250mm
型号(model):LZL-SL-04



Size:600X250X270mm
型号(model):LZL-SL-05



太阳能爆闪灯600×350×270
型号(model):LZL-SL-06



太阳能爆闪灯600×200
型号(model):LZL-SL-07



Size:300X150X120mm
型号(model):LZL-SL-08



短排警灯600×350×270
型号(model):LZL-SL-09

◦路障警示灯 Warning lamps

SOLAR SIGN




Size:600X350X270mm
型号(model):LZL-SL-10



250X150X100mm
型号(model):LZL-SL-11



Size:750X250X130mm
型号(model):LZL-SL-12



Size:800X252X270mm
型号(model):LZL-SL-13



Size:550X150X130mm
型号(model):LZL-SL-14



Size:1000X300X130mm
型号(model):LZL-SL-15



Size:550X150X130mm
型号(model):LZL-SL-16



Size: 500X150X130mm
型号(model):LZL-SL-17



太阳能爆闪灯800×200
型号(model):LZL-SL-18

◦路障警示灯 Warning lamps



太阳能工程指示车 (大车) 超亮
指示屏尺寸: 1600×800
灯筒尺寸: φ100



太阳能工程指示车 (小车)
指示屏尺寸: 1200×600
1400×600
灯筒尺寸: φ175



太阳能施工标志



太阳能线型诱导标志
1400×400
(可变左右导向)



太阳能简易式导向牌
1400×600
(特点方便实惠)



太阳能导向灯
1200×400



300X300mm 300X300mm 300X300mm



200X200mm



300X300mm



300X300MM

◦路障警示灯 Warning lamps



Size: 300X300mm/
400X400mm



Size: 740X380X130mm



Size: 1060X350X130mm/
1410X480X140mm



Size: 1060X350X130mm/
1410X480X140mm



Size: 1060X150X130mm/
1410X480X140mm



1410X480X140mm



Size: 1000mm/ 800mm/600mm



Size: 1000mm/800mm/600mm



Size: 1400X800mm



Size: 1200X600mm



Size: 800X600mm



Size: 900mm/ 700mm



Length: 1200mm



Length: 1200mm



Length: 1200mm



Length: 1200mm



Length: 1200mm



120X750X80MM



120x750x80MM



Size: 680X860mm



太阳能旋转灯 (Rotating lamp)
Size: 550 X 170mm



Size: Height: 1.8m




Size: Height: 2.1m



Size: Height: 1.6m

◦塑料减速带 *Plastic Speed humps*



LZL-PSH-01
Middle Size: 250x350x50mm
End Cap Size: 170X350X50mm
weight: 5.4kg



LZL-PSH-02
Middle Size: 500x320x40mm
End Cap Size: 170X320X40mm
weight:2.5kg



LZL-PSH-03
Middle Size:500X350X40mm
End Cap Size:170X350X40mm
weight: 4.6kg



Size: 500X160X100 mm weight: 1.6kg



LZL-PSH-04
Length: 3000mm
width: 220mm
height: 5mm
weight: 15KG

◦塑料护角器



material :plastic
size : 800X90X5mm
weight: 0.45kg

TPU Post
Height:750mm
Dia: 200mm
top :80mm
weight: 1.3kg

PE Post
Height:750mm
Dia:200mm
top:80mm
weight: 0.6kg

◦减速带 *Speed humps*



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-05	500X350X50mm	250x350x50mm
LZL-SH-06	250X350X50mm	250x350x50mm

Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-07	1000X300X45mm	250x300x45mm
LZL-SH-08	1000X330X50mm	250x330x50mm
LZL-SH-09	1000X380X50mm	250x380x50mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-10	1000X350X50mm	250x350x50mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-11	500X250X35mm	250x250x35mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-12	1000X300X45mm	250x300x45mm
LZL-SH-13	1000X300X45mm	250x300x45mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-14	250X350X50mm	250x350x50mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-15	1000X450X60mm	250x450x60mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-16	1000X300X45mm	250x300x45mm

◦ 减速带 Speed humps



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-01	500X600X32mm	200x600x32mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-02	500X900X50mm	200x900x50mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-03	500X1000X75mm	250x1000x50mm



Model	Middle Size	End Cap Size
型号	中段尺寸	端头尺寸
LZL-SH-04	500X550X75mm	250x550x75mm

◦ 人行安全岛 Safety Island



人行安全岛: L1000xW700xH300mm 70kg/pc
Island End
行人停踏板: L1000xW700xH60mm 35kg/pc
Pedestrian stand
红白双色警示注: H:1100mm 0.8kg/pc
Red-white Warning Post
整组重量Total Weight: 280kg/set

◦ 停车场设施 Parking solution



Model 型号:LZL-DWQ-01
Sizen 尺寸:50x15x10cm



Model 型号:LZL-DWQ-02
Sizen 尺寸:50x17x13cm



Model 型号:LZL-DWQ-03
Sizen 尺寸:60x14x11cm



Model 型号:LZL-DWQ-04
Sizen 尺寸:90x15x11cm



Model 型号:LZL-DWQ-05
Sizen 尺寸:165x14x10cm



Model 型号:LZL-DWQ-06
Sizen 尺寸:160x14x10cm




Model 型号:LZL-DWQ-07
Sizen 尺寸:183x15x11cm



Model 型号	Sizen 尺寸	Color 颜色
	200x100x150mm	Black or Yellow 黑色/黄色
	270x120x180mm	

Material:rubber 材质:橡胶



Model 型号:LZL-DWQ-08
Sizen 尺寸:190x105x125mm
Material:plastic 材质:塑料



Model 型号:LZL-HJ-01
Height 高度:800mm/1000mm
Thickness 厚度:35mm





Model 型号:LZL-HJ-02
Height 高度:800mm/1000mm
Thickness 厚度:10mm




Model 型号:LZL-HJ-03
Height 高度:1000mm
Thickness 厚度:10mm


◦ 塑料线槽 Cable protector



Model (型号)	Channel (孔数)	Channel size (孔直径)	Length (长)	Width (宽)	Height (高)	Weight (重量)
LZL-CX-01	5	φ 42mmx5mm	900mm	500mm	55mm	16kg
LZL-CX-02	5	□ φ 42mmx5mm	310mm	500mm	55mm	4kg



Model (型号)	Channel (孔数)	Channel size (孔直径)	Length (长)	Width (宽)	Height (高)	Weight (重量)
LZL-CX-03	2	φ 30mmx2mm	1000mm	250mm	45mm	7.5kg
LZL-CX-04	2	□ φ 30mmx2mm	400mm	250mm	45mm	2.5kg



Model	Width	Height	Dia. of Middle hole	Length/roll
型号	宽度	高度	孔径	长度/卷
LZL-CX-05	70mm	16mm	17.5x9mm	10m
LZL-CX-06	120mm	26mm	23x18mm	10m

◦ 广角镜 Traffic mirror



型号(Model): LZL-GJJ-01
indoor: φ 30/45/60cm




型号(Model): LZL-GJJ-02
outdoor: φ 30/45/60/80/100cm



型号(Model): LZL-GJJ-03
360° 1/2球面镜




型号(Model): LZL-GJJ-04
360° 1/4球面镜



型号(Model): LZL-GJJ-05
360° 1/8球面镜

◦ 伸缩杆



型号(Model):LZL-GLG-01



◦ 道钉 Road Studs




型号(model):LZL-DD-01
材料(material):塑料(plastic);
PC反光片(PCreflective sheeting)
规格(specification):单面(single-side)
反光(reflective)
尺寸(size):100×100×20mm



型号(model):LZL-DD-02
材料(material):塑料(plastic);
PC反光片(PCreflective sheeting)
规格(specification):双面(double-side)
反光(reflective)
尺寸(size):100×100×20mm



型号(model):LZL-DD-03
材料(material):塑料(plastic);
PC反光片(PCreflective sheeting)
规格(specification):单面或双面反光
(single or double-side)
尺寸(size):100×100×20mm



型号(model):LZL-DD-04
材料(material):
全铝(complete aluminium);
PC反光片(PCreflective sheeting)
规格(specification):单面或双面反光
(single or double-side)
尺寸(size):100×100×20mm

◦ 反光线绳 Reflector Line



型号(Model):LZL-RL-01




型号(model):LZL-DD-05
材料(material):铝(aluminium);
太阳能电池(solar battery)
尺寸(size):148×122×32mm



型号(model):LZL-DD-06
材料(material):铝(aluminium);
太阳能电池(solar battery)
尺寸(size):130x118MM



型号(model):LZL-DD-07
材料(material):铝(aluminium);
太阳能电池(solar battery)
尺寸(size):110×95×23mm



型号(model):LZL-DD-08
材料(material):铝(aluminium);
太阳能电池(solar battery)
尺寸(size):112MM



型号(model):LZL-DD-09
材料(material):塑料(plastic);
PC反光片(PCreflective sheeting)
规格(specification):单面(single-side)
反光(reflective)
尺寸(size):114X114X20mm



型号(model):LZL-DD-10
材料(material):塑料(plastic);
PC反光片(PCreflective sheeting)
规格(specification):双面(double-side)
反光(reflective)
尺寸(size):110X95X23mm

◦ **轮廓标 Post delineator**


型号(model):LZL-LKB-01

材料(material):
钢支架或者塑料支架
(Steel or plastic bracket);
PC反光片(PC reflector)
规格(specification):
单支单面
(single bracket single-side),
尺寸(size): 120 × 70 × 50mm



型号(model):LZL-LKB-02

材料(material):
钢支架或者塑料支架
(Steel or plastic bracket);
PC反光片(PC reflector)
规格(specification):
双支单面(double bracket single-side)
尺寸(size): 120 × 70 × 50mm



型号(model):LZL-LKB-03

材料(material):
钢支架或者塑料支架
(Steel or plastic bracket);
PC反光片(PC reflector)
规格(specification):
双支单面(double bracket single-side)
尺寸(size): 120 × 70 × 50mm



型号(model):LZL-LKB-04


材料(material):
塑料支架(Plastic bracket);
PC反光片(PC reflector)
规格(specification):
双面(double-side)
尺寸(size): 180 × 40mm



Model No	Material	Height
LZL-LKB-01	PVC	110cm
LZL-LKB-02	PVC	120cm
LZL-LKB-03	PVC	125cm
LZL-LKB-04	PVC	125cm
LZL-LKB-05	PVC	125cm

◦ **塑料安全网 Plastic Fence**

LZL-AQW-01



LZL-JSL-01

Plastic chain

塑料链条有多种规格, 多种颜色, 可生产任意长度, 其主要用于公路防护, 酒店, 商场, 运动场所及公共场所的通道隔离。



Plastic chains have many different specifications, various colors and could be produced in any length, which is mainly used in highway protection and channel isolation of hotels, shopping malls, sport fields and public places!



◦ 警示带 *Warning Tape/safety tape*

Wluminum foil detectuble warning tape,
Detectible warning tape

Warning tape,caution tape,
barricade tape



◦ 车身贴

LZL-CST-01



◦ 防眩板 *Anti-dazzle pannel*



LZL-FXB-01



LZL-FXB-02



LZL-FXB-03



LZL-FXB-04



LZL-FXB-05

材料(material): 橡胶PE(Plastic PE)
尺寸(size):900×220×45mm




LZL-FXB-06



LZL-FXB-07

材料(material): 玻璃钢
(glass reinforced plastics)
尺寸(size):850×240×35mm

◦ 隔离带 *Isolation belt*



型号 (model) : LZL-GLD-01
产品尺寸: 100×220mm
主题颜色: 橙色/红色/绿色
拉带长度: 5米

Size: φ 100×220mm
Color: Orange/Red/Green
Tape length: 5m




型号 (model) : LZL-GLD-02
产品尺寸: 130×230mm
主题颜色: 橙色/红色/绿色
拉带长度: 10米

Size: φ 130×230mm
Color: Orange/Red/Green
Tape length: 10m



塑料安全盖 Safety Cover



φ 10~ φ 20钢筋套



φ 20~ φ 40钢筋套



脚手架带环钢管保护套



脚手架带环连接件螺丝保护套



脚手架连接件保护套



脚手架钢管保护套



安全服装 Reflective Vests



型号(model):LZL-YF-01
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-02
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-03
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-04
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-05
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-06
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-04
材料(material):全涤纶, 反光带
(Polyester reflective belt)




型号(model):LZL-YF-05
材料(material):全涤纶, 反光带
(Polyester reflective belt)



型号(model):LZL-YF-06
材料(material):全涤纶, 反光带
(Polyester reflective belt)

◦安全头盔 Safety helmet

LZL-TK-01



Model	DA-4-6
Weight	410g
Size	55-65
Length	262mm
Width	230mm
Height	157mm
Material	ABS

LZL-TK-02



Model	DA-4-6
Weight	370g
Size	54-64
Length	270mm
Width	235mm
Height	175mm
Material	ABS

LZL-TK-03



Model	DA-4-6
Weight	356g
Size	55-65
Length	295mm
Width	220mm
Height	146mm
Material	PP/PE

LZL-TK-04



Model	DA-4-6
Weight	380g
Size	55-65
Length	262mm
Width	230mm
Height	157mm
Material	ABS

LZL-TK-05



Model	DA-4-6
Weight	356g
Size	55-65
Length	295mm
Width	220mm
Height	146mm
Material	PP/PE

LZL-TK-06



Model	DA-4-6
Weight	380g
Size	55-65
Length	262mm
Width	230mm
Height	157mm
Material	ABS


◦指挥棒 Reflective baton

LZL-ZHB-01



Model	Size	Function	Batteries
ZHB-01	(L)52 × (DIA)3	Flash-Steady-White Light-Closed	Two C Batteries

临时路标



◦ 三角警示牌 *Warning triangle*



型号 (model) : LZL-JSP-01

尺寸(size):边长 (length) 55mm
材料(material):塑料PC镜面反光片,
铁架 (Plastic PC reflective sheeting,
steel bracket)



型号 (model) : LZL-JSP-02

尺寸(size):边长 (length) 55mm
材料(material):塑料PC镜面反光片,
铁架 (Plastic PC reflective sheeting,
steel bracket)

◦ 车位锁 *Parking Lock*



型号:LZL-CWS-01

尺寸(size):600×200×65mm
600×180×55mm
材料(material):优质钢材 (high quality steel)
手动的 (manual)



型号:LZL-CWS-02

尺寸(size):500×700×50mm
500×600×50mm
材料(material):优质钢材 (high quality steel)
手动的 (manual)



型号:LZL-CWS-03

尺寸(size):400×470×80mm
材料(material):优质钢材 (high quality steel)
遥控的 (remote controlled)



型号:LZL-CWS-04

尺寸(size):400×470×80mm
材料(material):优质钢材 (high quality steel)
遥控的 (remote controlled)

◦ 香烟桶 *Cigarette Bucket*



型号 (model) :LZL-XYT-01

材料: PE
高: 970mm
直径: 385mm
重量: 2.7KG

Material: PE
Height: 970mm
Diameter: 385mm
Weight: 2.7KG

◦ 救生板 *Life Board*



型号 (model) :LZL-JSB-01

材料: PE
长: 1800mm
宽: 445mm
重量: 6.8KG

Material: PE
Length: 1800mm
Width: 445mm
Weight: 6.8KG

◦ 临时路牌 *Cone Sign*



型号(model):LZL-LP-02
plastic sign



LZL-LP-03
metal sign



◦ 反光膜 *Reflective Sheeting*



LZL-8200
Plat Grade Reflective Sheeting



LZL-3200
PET Advertisement Grade Reflective Sheeting



LZL-3100
Acrylic Advertisement Grade Reflective Sheeting



LZL-5200
PET Engineering Grade Reflective Sheeting



LZL-7200
Acrylic Engineering Grade Reflective Sheeting



LZL-1200
High Intensity Reflective Sheeting

超高级3-5年膜



LZL-3000




LZL-3001



LZL-3002



LZL-2000




LZL-2001




LZL-2002

◦ 吹塑划艇 *Blow Rowboat*

儿童划艇
Childrens Rowboat
尺寸:1700X590mm




成人划艇 *Rowboat*
尺寸:2300X1140mm



◦ 浮桶 Floating barrels

Various design floating barrels, sea leisure products.



◦ 井盖 Manhole cover



材料Material: plastic PVC
可永久使用Can be used permanently.
尺寸size:

size		Weight (KG)	size		Weight (KG)
Inner Diameter	Thickness		Inner Diameter	Thickness	
280	10	0.9	605	100	18.3
320	15	1.7	605	150	26.3
320	30	3.8	605	200	33.6
320	50	5.9	800	15	4.6
320	100	12	800	30	8
435	30	4.7	800	50	12.5
435	50	7.3	800	100	24.8
435	100	15.4	425	(Base)	22
605	15	3.3	425	(Cover)	13.8
605	30	5.9	315	(Base)	16
605	50	9.4	315	(Cover)	8.5

◦ **塑料托盘 Plastic pallet**

吹塑托盘 Blow molding pallet

尺寸Size 40X48(in) 32X48(in)
重量weight: 10KG 8kg





注塑托盘 Injection molding Pallet

尺寸: 1200X1000X150mm
1100X1000X150mm
(Can be customized size)



压塑托盘 Compression molding Pallet



可为客户加工,定制各类大型产品

For customers processing, custom all kinds of large products

