

skyVac[®]
UNRIVALLED
POWER

INNOVATION FOR A FASTER, **SAFER FUTURE**

skyVac[®] product brochure



About skyVac®

INNOVATION, PRECISION AND PERFORMANCE

For over 20 years, skyVac has been redefining professional cleaning with cutting-edge solutions designed for efficiency, safety, and superior results.

Trusted by businesses worldwide, our advanced systems, from high-powered gutter vacuums to ATEX-certified solutions, help professionals tackle even the toughest cleaning challenges.

With partners in over 40 countries, we combine industry expertise, a commitment to innovation and award-winning customer services. That's why retailers and wholesalers across the world choose skyVac—to offer their customers innovative, high-performance cleaning solutions that deliver real results.



CONTENT

ABOUT SKYVAC®	2
GUTTER VACUUMS, POLES, END TOOLS AND ACCESSORIES	
MIGHTY ATOM	4
ATOM SONIC	5
TRADESMAN	6
COMMERCIAL PLUS	7
INDUSTRIAL 85	8
NITRO	9
INTERCEPTOR	10
STANDARD 44MM PUSH FIT POLES	11
ELEVATE 44MM CLAMPED POLES	12
PREMIUM 50MM CLAMPED POLES	13
ELITE CLAMPED POLES	14
ELITE VAC RELEASE POLE	15
ELITE HALF POLE (75cm)	16
PUSH FIT POLE	17
TAPERED RIGID POLE	18
END TOOL PACKAGES	19
PUSH FIT & ELEVATE TOOLS	20
ELITE & 50MM CLAMPED TOOLS	21
EXTERNAL ACCESSORIES & PARTS	22-23
GENERATORS	24
ROOF CLEANING SYSTEMS AND ACCESSORIES	
SKYWASH®	25
SOFT WASH RANGE	26-27
SKYSCRAPER® HEAD PACKAGES	28-29
SKYSCRAPER® TELESCOPIC POLE	30
ROOF ACCESSORIES & PARTS	31

INSPECTION SYSTEMS	32
CAMERA ACCESSORIES & PARTS	33
SKYPOLE HIGH REACH POLE	34
SURVEYCAM® INSPECTION POLE	35
INTERNAL CLEANING VACUUMS, POLES, END TOOLS AND ACCESSORIES	
INTERNAL 27	36
INTERNAL 30	37
INTERNAL 78	38
INTERNAL 150	39
BACUUM	40
HYGENIE	41
TELESCOPIC INTERNAL POLE...	42-43
SKYVAC HARNESS	43
STANDARD 44MM PUSH FIT POLES	44
ELEVATE 44MM CLAMPED POLES	45
INTERNAL ACCESSORIES & PARTS	46-47
INTERNAL END TOOL SETS	48-49
ATEX VACUUMS, POLES, END TOOLS AND ACCESSORIES	
ATEX A37	50
ATEX A37G	51
ATEX TELESCOPIC POLE	52
ATEX SUCTION POLE SET	53
ATEX CARBON FIBRE POLE	54
ATEX ACCESSORIES & PARTS	55
ATEX EXSIGHT CAMERA INSPECTION	56
ATEX EXSIGHT INSPECTION POLE	57
SPECIALISTS VACUUM	
FLOODVAC	58

MIGHTY ATOM[®]

Supercharged

**SITE-FRIENDLY
110V VERSION
ALSO
AVAILABLE**
(Specifications may differ)

**1400
WATTS**

**112"
WATER
LIFT**

**4650
LPM
AIRFLOW**



Compact, Wet & Dry Gutter Vacuum

Machine specification:

Motor Wattage:	1400W (Single motor)
Water Lift:	112"
Airflow Movement:	4650 LPM
Cyclonic Entry Port:	50mm
Container:	35 litre
Weight:	8kg
Decibel Level:	70 dB
Mains Connection:	240v
Dimensions (cm):	37(l) x 40(w) x 79(h)

INCLUDED AS STANDARD:

4, 6 or 8 Poles (number and pole type depending on package selected)
1 x 5m Wire Reinforced Suction Hose - 2 x Vac Cuffs - 1 x Pole & Accessory bag
- 1 x Hose Bag - 1 x Floor Tool Kit

Package options:

- ✓ **Standard 44mm Push Fit Package**
1 x Vac Release Conversion Cuff*
1 x 135° Silicone Neck Tool Holder
1 x 180° Silicone Neck Tool Holder
3 x End Tools, 1 x Round Brush and
1 x Adaptor
- ✓ **Elevate 44mm Clamped Package**
1 x Vac Release Conversion Cuff*
1 x 135° Silicone Neck Tool Holder
1 x 180° Silicone Neck Tool Holder
3 x End Tools, 1 x Round Brush and
1 x Adaptor
- ✓ **Premium 50mm Clamped Package**
1 x Vac Release Pole**
1 x 135° Hairpin Neck Tool Holder†
5 x Elite End Tools

See pages 11-13 for the pole specifications

*Vac Release Conversion Cuff Patent GB2567135. **Vac Release Pole Patent GB2567135. †EU Design Registration: 008458913




2800
WATTS

110"
WATER
LIFT

7166
LPM
AIRFLOW




MULTI DIRECTIONAL CASTORS



BLOW FUNCTION



DRAIN HOSE



STEEL FILTER PROTECTION PLATE

Compact, Wet & Dry Gutter Vacuum

Machine specification:

Motor Wattage:	2800W (2x 1400 motors)
Water Lift:	110"
Airflow Movement:	7166 LPM
Cyclonic Entry Port:	50mm
Container:	45 litre
Weight:	17.2kg
Decibel Level:	74 dB
Mains Connection:	240v
Dimensions (cm):	48(l) x 48(w) x 78(h)

Package includes:

- ✓ **Premium 50mm Clamped Package**
(Choose between 4, 6 or 8 poles)
- Includes:**
- 1 x skyVac Vac Release Pole*
- 1 x 5m Wire Reinforced Vacuum Hose
- 2 x Vac Cuffs
- 1 x 135° Hairpin Neck Tool Holder**
- 1 x Dual End Tool
- 1 x Soft Long End Tool
- 1 x Dirt Breaker End Tool
- 1 x Reducer End Tool
- 1 x Crevice End Tool
- 1 x Pole & Accessory Bag
- 1 x Hose Bag
- 1 x Floor Tool Kit

See page 13 for the pole specifications


*Vac Release Pole Patent GB2567135. **EU Design Registration: 008458913

TRADESMAN

2800
WATTS

110"
WATER
LIFT

7666
LPM
AIRFLOW



Wet & Dry Industrial Gutter Vacuum

Machine specification:

Motor Wattage:	2800W (2x 1400 motors)
Water Lift:	110"
Airflow Movement:	7666 LPM
Cyclonic Entry Port:	50mm
Container:	78 litre
Weight:	25.8kg
Decibel Level:	74 dB
Mains Connection:	240v
Dimensions (cm):	54(l) x 70(w) x 107(h)

Package includes:

- ✓ **Premium 50mm Clamped Package**
(Choose between 4, 6 or 8 poles)
- Includes:**
 - 1 x skyVac Vac Release Pole*
 - 1 x 7.5m Wire Reinforced Vacuum Hose
 - 2 x Vac Cuffs
 - 1 x 135° Hairpin Neck Tool Holder**
 - 1 x Dual End Tool
 - 1 x Viper End Tool
 - 1 x Reducer End Tool
 - 1 x Half Moon Crevice End Tool
 - 1 x Pole & Accessory Bag
 - 1 x Backpack
 - 1 x Hose Bag
 - 1 x Floor Caution Sign
 - 1 x Hi-Vis Jacket

See page 13 for the pole specifications

*Vac Release Pole Patent GB2567135. **EU Design Registration: 008458913

COMMERCIAL PLUS

Supercharged


3300
WATTS

100"
WATER
LIFT

11,750
LPM
AIRFLOW



ALL TERRAIN WHEELS



3 POWERFUL MOTORS



TILTING CHASSIS



STEEL FILTER PROTECTION PLATE

Wet & Dry Industrial Gutter Vacuum

Machine specification:

Motor Wattage:	3300W (3 x 1100 motors)
Water Lift:	100"
Airflow Movement:	11,750 LPM
Cyclonic Entry Port:	50mm
Container:	72 litre
Weight:	24kg
Decibel Level:	76 dB
Mains Connection:	240v
Dimensions (cm):	59(l) x 64(w) x 105(h)

Package includes:

- ✓ skyVac Elite Package
(Choose between 4, 6 or 8 poles)
- Includes:**
- 1 x skyVac Vac Release Pole*
- 1 x 7.5m Wire Reinforced Vacuum Hose
- 2 x Vac Cuffs
- 1 x 135° Hairpin Neck Tool Holder**
- 1 x Dual End Tool
- 1 x Soft Long End Tool
- 1 x Dirt Breaker End Tool
- 1 x Reducer End Tool
- 1 x Crevice End Tool
- 1 x Pole & Accessory Bag
- 1 x Hose Bag

See page 14 for the pole specifications

*Vac Release Pole Patent GB2567135. **EU Design Registration: 008458913

**SITE-FRIENDLY
110V VERSION
ALSO
AVAILABLE**
(Specifications may differ)

INDUSTRIAL 85

Supercharged

**3300
WATTS**

**145"
WATER
LIFT**

**12,000
LPM
AIRFLOW**



Wet & Dry Industrial Gutter Vacuum

Machine specification:

Motor Wattage:	3300W (3 x 1100 Motors)
Water Lift:	145"
Airflow Movement*:	12,000 LPM
Cyclonic Entry Port:	50mm
Container:	78 litre
Weight:	36kg
Decibel Level:	72 dB (110v) / 76 dB (240v)
Mains Connection:	240v @ 13amp / 110v @ 32amp
Dimensions (cm):	60(l) x 64(w) x 114(h)

Package includes:

- skyVac Elite Package**
(Choose between 4,6 or 8 poles)
- Includes:**
- 1 x Elite Vac Release Pole**
- 1 x 7.5m Wire Reinforced Vacuum Hose
- 2 x Vac Cuffs
- 1 x Sieve Basket
- 1 x 135° Hairpin Neck Tool Holder†
- 1 x Dual End Tool
- 1 x Soft Long End Tool
- 1 x Dirt Breaker End Tool
- 1 x Reducer End Tool
- 1 x Crevice End Tool
- 1 x Pole & Accessory Bag
- 1 x Hose Bag

See page 14 for the pole specifications

*Unique patented "Power Mix" adapts the Air Flow and Inch Water Lift to suit cleaning conditions.

**Vac Release Pole Patent GB2567135. †EU Design Registration: 008458913

3 POWERFUL MOTORS



2 X LOCKABLE CASTORS



TILTING CHASSIS



BASKET TO HOLD END TOOLS



3600
WATTS

112"
WATER
LIFT

13,900
LPM
AIRFLOW



Wet & Dry Industrial Gutter Vacuum

Machine specification:

Motor Wattage:	3600W (3 x 1200w motors)
Water Lift:	112"
Airflow Movement:	13,900 LPM
Cyclonic Entry Port:	50mm
Container:	78 litre
Weight:	41kg
Decibel Level:	77 dB
Mains Connection:	240v
Dimensions (cm):	80(l) x 60(w) x 100(h)

Package includes:

- ✓ skyVac Elite Package
(Choose between 4,6 or 8 poles)
- Includes:**
- 1 x Elite Vac Release Pole*
- 1 x Elite Half Pole
- 1 x 7.5m Wire Reinforced Vacuum Hose
- 2 x Vac Cuffs
- 1 x 135° Hairpin Neck Tool Holder**
- 1 x 180° Hairpin Neck Tool Holder
- 1 x Dual End Tool
- 1 x Soft Long End Tool
- 1 x Dirt Breaker End Tool
- 1 x Reducer End Tool
- 1 x Crevice End Tool
- 1 x Pole & Accessory Bag
- 1 x Hose Bag

See page 14 for the pole specifications

*Vac Release Pole Patent GB2567135. **EU Design Registration: 008458913

skyVac
INTERCEPTOR®

3600
WATTS

155"
WATER
LIFT

8000
LPM
AIRFLOW



Mobile Wet & Dry Industrial Gutter Vacuum

Machine specification:

Motor Wattage:	3600W Max (5.5HP Honda Petrol Engine)
Water Lift:	155"
Airflow Movement:	8000 LPM
Cyclonic Entry Port:	50mm
Container:	90 litre
Weight:	78kg Pull Start / 87kg Key Start
Decibel Level:	107 dB
Dimensions (cm):	140(l) x 63(w) x 104.5(h)

Package includes:

✓ skyVac Elite Package

(Choose between 4, 6 or 8 poles)

Includes:

- 1 x Elite Vac Release Pole*
- 1 x 7.5m Wire Reinforced Vacuum Hose
- 2 x Vac Cuffs
- 1 x 135° Hairpin Neck Tool Holder**
- 1 x Dual End Tool
- 1 x Soft Long End Tool
- 1 x Dirt Breaker End Tool
- 1 x Reducer End Tool
- 1 x Crevice End Tool
- 1 x Pole & Accessory Bag
- 1 x Hose Bag

See page 14 for the pole specifications

*Vac Release Pole Patent GB2567135. **EU Design Registration: 008458913

skyVac® Standard 44mm Push Fit Poles



Key features:

- ▶ These suction pole sets are compatible with our skyVac® Mighty Atom vacuum and most other vacuum systems
- ▶ Reach heights of up to 12m/40ft 4 storeys high, all from the safety of the ground
- ▶ With specialist tools AND a carry bag for easy transportation, this set has everything you need when on the job
- ▶ Includes a skyVac favourite, our patented Vac Release Conversion Cuff. Excellent for complete suction control

4 POLE PACKAGE

REACH
6m/20ft



STOREYS

6 POLE PACKAGE

REACH
9m/30ft



STOREYS

8 POLE PACKAGE

REACH
12m/40ft



STOREYS

Pole package includes:



Compatible with our Mighty Atoms and most other gutter vacuums

Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	310g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- ✓ **4 poles** (1 x orange band and 3 blue band)
- ✓ **6 poles** (1 x orange band and 5 blue band)
- ✓ **8 poles** (1 x orange band and 7 blue band)

skyVac® Elevate 44mm Clamped Poles

Key features:

- ▶ Ideal for upgrading from your push fit pole system to a clamped pole system, with everything included for you to switch
- ▶ These carbon fibre hybrid suction poles are incredibly sturdy and light, ideal for gutter cleaning projects
- ▶ Includes a selection of end tools, accessories and our patented Vac Release Conversion Cuff, for total control of your vacuum's suction power
- ▶ This package builds up to your required height in seconds, for a quick and easy set-up at the start of every project



4 POLE PACKAGE

REACH
6m/20ft



STOREYS

6 POLE PACKAGE

REACH
9m/30ft



STOREYS

8 POLE PACKAGE

REACH
12m/40ft



STOREYS

Pole package includes:



Compatible with our Mighty Atoms and most other gutter vacuums

Pole specification:

Material (Clamped pole):	Carbon fibre hybrid
Weight per pole:	330g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- ✔ **4 poles** (1 x Push Fit and 3 Elevate Clamped)
- ✔ **6 poles** (1 x Push Fit and 5 Elevate Clamped)
- ✔ **8 poles** (1 x Push Fit and 7 Elevate Clamped)

skyVac® Premium 50mm Clamped Poles

Key features:

- ▶ Available in 3 height options, for a reach of up to 40ft
- ▶ Weighing in at 350g per 1.5m, our 50mm diameter clamped poles are a great upgrade for your gutter vacuum
- ▶ Comes with our patented Vac Release Pole: Ideal for complete suction control, from the ground



4 POLE PACKAGE

REACH
6m/20ft



STOREYS

6 POLE PACKAGE

REACH
9m/30ft



STOREYS

8 POLE PACKAGE

REACH
12m/40ft



STOREYS

Pole package includes:



Compatible with our Mighty Atoms and most other gutter vacuums

Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	350g
Length per pole:	1.5m
Diameter:	50mm

Package options:

- ✓ **4 poles** (1 x Vac Release Pole and 3 x 50mm Premium Clamped)
- ✓ **6 poles** (1 x Vac Release Pole and 5 x 50mm Premium Clamped)
- ✓ **8 poles** (1 x Vac Release Pole and 7 x 50mm Premium Clamped)

skyVac® Elite 2.0 Clamped Poles

Key features:

- ▶ The skyVac® ELITE 2.0 pole sets are a highly customisable, high-access gutter cleaning accessory
- ▶ Lightweight at just 316g per 1.5m and made of high-grade carbon fibre, these poles are strong and make light work of stubborn gutter debris
- ▶ Comes with our patented Vac Release Pole: Ideal for complete suction control, from the ground



4 POLE PACKAGE

REACH
6m/20ft



STOREYS

6 POLE PACKAGE

REACH
9m/30ft



STOREYS

8 POLE PACKAGE

REACH
12m/40ft



STOREYS

Pole package includes:



Elite half pole (75cm)

Compatible with our gutter vacuums

Pole specification:

Material (Clamped pole):	High-grade carbon fibre
Weight per pole:	316g
Length per pole:	1.5m
Diameter:	50mm

Package options:

- ✓ **4 poles** (1 x Vac Release Pole and 3 x ELITE 2.0 Clamped poles)
- ✓ **6 poles** (1 x Vac Release Pole and 5 x ELITE 2.0 Clamped poles)
- ✓ **8 poles** (1 x Vac Release Pole and 7 x ELITE 2.0 Clamped poles)

skyVac® Elite Vac Release Pole

The skyVac Elite Poles have the lightest weight to size ratio on the gutter cleaning market.

At skyVac, we understand the importance of getting the job done with precision and ease, which is why we designed the Elite Vac Release Pole. This patented*, innovative design is the ideal addition to your existing kit. Clean up to 50% faster than other systems on the market!

Key features:

- ▶ Patented and designed exclusively for skyVac, the Elite Vac Release Pole enables you to clean with complete freedom and ease
- ▶ Control suction with a simple twist of the cuff, with this Vac Release Pole
- ▶ This lightweight carbon fibre pole enables the operator to safely and efficiently release gutter debris, without having to lower poles or cut power



Compatible with our Elite 2.0 clamped poles

Pole specification:

Material:	High-grade carbon fibre
Weight per pole:	488g
Length per pole:	1.5m
Diameter:	50mm

Package options:

- Buy individually

* skyVac Elite Vac Release Pole Patented Technology: Patent GB2567135

skyVac® Elite Half Pole (75cm)

The skyVac Elite Half Pole is a useful tool for when a full-length pole is too much for your needs.

This half pole gives you extra length that may be required with certain buildings or properties.

Made from the same carbon fibre as our full-length poles, this half pole is incredibly lightweight at just 167g, yet can still hold a significant amount of weight.



Compatible with our Elite 2.0 clamped poles

Pole specification:

Material:	High-grade carbon fibre
Weight per pole:	167g
Length per pole:	75cm
Diameter:	50mm

Package options:

Buy individually

skyVac® Push Fit Pole (1.5m)

When you need extra height for your high level cleaning, our skyVac suction poles are available to purchase individually to create your ideal height.

These poles are made from carbon fibre materials, so they are very lightweight but incredibly strong, they can even handle heavy-duty jobs.

Key features:

- ▶ Compatible with other 44mm skyVac poles
- ▶ Lightweight but strong material



Compatible with our 44mm skyVac poles

Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	310g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- Buy individually

skyVac® Tapered Rigid Pole

This unique pole has been designed to allow your standard push fit poles to be used along side our skyVac Elite necks and end tools and even the skyScraper® roof cleaning system, so you can offer many more services.

The 44mm end of the pole simply slots into your push fit pole, while the 51mm end of the pole can be used to insert the specialist necks and tools.



Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	372g
Length per pole:	1.5m

Package options:

- Buy individually



DANGER: Beware of overhead electric cables when using poles. These poles are carbon fibre and conduct electricity. Always risk assess when using near overhead electric cables and use a safe method of working



End Tool Packages

ELITE END TOOL PACKAGE

This complete Elite End Tool Kit is ideal for 50mm pole owners looking to replace / add some new tools to their existing equipment.



1 x Hairpin 135° Tool Holder
EU Registered Design
No: 008458913



1 x Dual End Tool



1 x Soft Long End Tool



1 x Crevice End Tool



1 x Long Tool



1 x Reducer End Tool

STANDARD END TOOL PACKAGE

This complete End Tool Package is ideal for anyone looking to upgrade their current end tools or that may want to add more tools to their existing equipment.



1 x Daily End Tool



1 x Dirt Breaker End Tool



1 x Crevice End Tool Adaptor



1 x Crevice End Tool



1 x Round Brush



1 x Flexi Neck 135°



1 x Flexi Neck 180°

skyVac® Push Fit Tools



VAC RELEASE
CONVERSION
CUFF

Patented Technology:
Patent GB2567135



FLEXI NECK
135°



FLEXI NECK
180°



FLEXI NECK
90°



CREVICE END
TOOL



HALF MOON
CREVICE END
TOOL



DAILY END
TOOL



DIRT BREAKER
END TOOL



CREVICE
END TOOL
ADAPTOR



ROUND
BRUSH



FLOOR TOOL
CUFF

THESE CAN BE USED WITH PUSH FIT AND ELITE TOOLS



POLE CARRY BAG



HOSE BAG



WIRE
REINFORCED
HOSE



HOSE CUFFS



LONG TOOL



REDUCER
END TOOL



GUTTER FORK



SWIVEL CUFF
Two sizes available



HOSE BUNG SET
Two sizes available

skyVac® Elite Tools



STRAIGHT TOOL HOLDER



90° TOOL HOLDER



180° TOOL HOLDER



HAIRPIN 135° TOOL HOLDER

EU Registered Design
No: 008458913



VIPER END TOOL



SOFT LONG END TOOL



SPIGOT ADAPTER



DUAL END TOOL



INTERNAL CONVERSION



HI-FLOW END TOOL



ELITE REDUCER END TOOL



CREVICE END TOOL



HALF MOON CREVICE END TOOL



UP & OVER TOOL



PINE NEEDLE REMOVAL TOOL



MULTI CONNECTOR



ELITE PLASTIC REDUCER



DUAL UNBLOCKING TOOL

Gutter Cleaning Accessories & Parts



INDUSTRIAL 85
TRANSFORMER
(110V)



INDUSTRIAL
85 & NITRO
VACUUM PORT



TELESCOPIC
RAMPS



HINGE
BRACKET



ATOM SONIC
LOCKABLE
CASTOR



INTERCEPTOR
SIEVE BASKET



INDUSTRIAL 85
SIEVE BASKET



REPLACEMENT
HANDLE



MIGHTY ATOM
REPLACEMENT
TOP LID



REPLACEMENT
CARTRIDGE
FILTER



MIGHTY ATOM
FILTER



ATOM FILTER



ATOM FILTER
KIT WITH VALVE



MIGHTY ATOM
REPLACEMENT
CABLE



REPLACEMENT
CABLE



COMMERCIAL
PLUS TROLLEY



SUPERFLEX
HOSE
CONNECTOR



ELITE POLE
REPLACEMENT
CLAMP



REPLACEMENT
DEFLECTOR
PLATE



MIGHTY ATOM
REPLACEMENT
HANDLE



REPLACEMENT
THREE SWITCH
GREY COVER



REPLACEMENT
LIGHT BLUE
COVER



REPLACEMENT
TROLLEY



ATOM
REPLACEMENT
MOTOR



COMMERCIAL
PLUS
REPLACEMENT
MOTOR



INDUSTRIAL 85
REPLACEMENT
MOTOR



NITRO
REPLACEMENT
MOTOR



MIGHTY ATOM
REPLACEMENT
HEAD



ATOM SONIC
REPLACEMENT
HEAD



COMMERCIAL
PLUS
REPLACEMENT
HEAD



INDUSTRIAL 85
REPLACEMENT
HEAD



NITRO
REPLACEMENT
HEAD

**EXTERNAL
TO INTERNAL
CONVERSION KIT**

Transform your skyVac Industrial 85 or skyVac Nitro into an internal high-level vacuuming system with the skyVac Conversion Kit.



RIGID NECK
ACCESSORY KIT



POLE CLEANING
BRUSH

FLOOR KIT

This kit works to tackle dirt, debris, spills and standing water across a range of hard surfaces and carpets

skyVac® 2200W Generator



Key features:

- ▶ The world's lightest generator at 17.9kg
- ▶ Compact and portable
- ▶ Features a fuel-saving Economy Mode



skyVac® 3600W Inverter

Key features:

- ▶ Quieter, smaller AND lighter than traditional generators
- ▶ Compatible with our skyVac Mighty Atom, Atom Sonic, Commercial Plus, Tradesman and Industrial 85 (240v)

skyVac® 5kVa Petrol Generator



Key features:

- ▶ This generator is compatible with the skyVac Mighty Atom, Atom Sonic, Commercial Plus, Industrial 85, Tradesman and the Nitro. For the ultimate cleaning experience.

Generator compatibility chart

	2200W Generator	3600W Inverter	5kVa Petrol Generator
Mighty Atom:	✓ (240v only)	✓	✓
Atom Sonic:	✗	✓	✓
Tradesman:	✗	✓	✓
Commercial Plus:	✗	✓	✓
Industrial 85:	✗	✓ (240v only)	✓
Nitro:	✗	✗	✓

skyWash® Roof Cleaning System

A fast and effective roof surface cleaner, skyWash® includes a lightweight but durable Water Fed Telescopic Pole and a 12" stainless steel cleaning head.

Key features:

- ▶ Inline variable hover control, so the operator can easily regulate water pressure and the hover function for delicate cleans and tough grime
- ▶ Premium Suttner Trigger Gun that can be customised to perfectly suit the operators stance
- ▶ Anti-splash bristle skirt, to contain dirt and debris
- ▶ Quick release connections – easy to attach and detach



Compatible with most pressure washers (minimum of 15 LPM)

Machine specification:

Height pole options:	28ft / 38ft (dependent on package chosen)
Weight system:	28ft pole: 7.9kg/ 38ft pole: 8.75kg
Cleaning surface area:	12"
Pressure requirement:	15 LPM min
Material:	28ft pole: Carbon fibre hybrid 38ft pole: 100% Carbon fibre
Flat surface cleaner:	Non-corrosive stainless steel

* Temperature up to 70°

Package includes:

- ✓ 1 x Telescopic Pole
(Choose between 28ft or 38ft)
- ✓ 1 x 12" Flat Surface Cleaner
- ✓ 1 x Premium Suttner Trigger Gun
- ✓ 1 x Fitted Inline Variable Control
- ✓ 2 x Hoses
(Internal hose & external hose)

skyVac® Soft Wash Pump Box

Our heavy-duty pump box features a deep-cycle battery and chemical-resistant pump for a premium cleaning setup as well as the option to upgrade to our innovative dual pump system – two operators, one pump box.

Key features:

- ▶ Flow speed regulator
- ▶ Battery level indicator
- ▶ Pump is chemical resistant and has an operating pressure of 4.8 Bar



Compatible with skyVac Soft Wash Applicator

Machine specification:

Dimensions (cm):	44 (l) x 33.2(w) x 30.15(h)
Weight:	22kg
Battery Voltage:	12v
Operating Pressure:	4.8 bar
Self Priming up to:	2.4m
Single pump flow rate:	8.3 LPM
Twin pump flow rate:	4.15 LPM

Package includes:

- ✓ 1 x Heavy-duty Box with a Water Drainage System
- ✓ 1 x Ventilation System
- ✓ 1 x Chemical and Bleach Resistant Pump
- ✓ 1 x Deep Cycle Battery with Battery Level Indicator
- ✓ 1 x Charger

skyScraper® Soft Wash Applicator

Ideal for all kinds of low-pressure roof and render cleaning jobs, the Soft Wash Applicator can also be combined with our robust skyScraper Head system to provide two cleaning services in one.

Key features:

- ▶ 30ft water fed telescopic pole – ideal for most roof heights
- ▶ A convenient univalve for Stop/Start control
- ▶ Comes with a selection of nozzles for varying spray coverage
- ▶ One telescopic pole, two applications: Soft Wash and skyScraper!



Compatible with skyVac Pump Box

skyScraper Telescopic Pole:

Collapsed length:	6ft (1.84m)
Extended length:	30ft (9.14m)
Weight:	2kg
Material:	Carbon fibre hybrid

Fly Lead:

Length:	20m
Weight:	810g
Weight with connector:	842g

Aluminium Angle Adaptor:

Length:	136mm
Weight:	184g
Material:	Aluminium
Thread:	EU threaded

Package includes:


- ✓ 1 x 30ft skyScraper Pole
- ✓ 1 x 20m Fly Lead with Univalve Fitting
- ✓ 1 x Aluminium Angle Adaptor
- ✓ 1 x Main Cone Nozzle
- ✓ 3 x End Nozzles

skyScraper® Head Package

A safe and effective way to quickly and effectively remove moss from roofs. This package enables you to choose from a Double / Single Head, Blades or Speedi Brushes and additional adaptors / connectors.

Key features:

- ▶ Moss removal from the safety of the ground
- ▶ Our Double Head allows you to connect two tools at once
- ▶ Choose your preferred package: With a variety of options to choose from, build your ideal skyScraper package to suit your needs.



Compatible with skyScraper Telescopic pole

skyScraper Single Head:

Weight:	334g
Dimensions (cm):	14.5(l) x 12(w) x 4.5(h)
Material:	Aluminium

skyScraper Double Head:

Weight:	392g
Dimensions (cm):	14(l) x 12(w) x 5.5(h)
Material:	Aluminium

Bundle options:

✔ **A choice of the skyScraper® Single or Double Head**

✔ **If chosen:**
 11 x skyScraper blades for a variety of roof tile profiles
 1 x skyScraper Wire Brush
 1 x Angle Adaptor
 1 x skyScraper Bag
 1 x skySweeper

✔ **OR:**
 10 x skyScraper Speedi Brushes
 1 x skyScraper Bag

See page 29 for the bundle options

skyScraper® Blades bundle package



1 x skyScraper Wire Brush



1 x Angle Adaptor



1 x skySweeper Brush



1 x skyScraper Bag



11 x skyScraper Blades for a variety of roof tile profiles

skyScraper® Speedi Brushes bundle package



1 x skyScraper Bag



1 x Angle Adaptor



10x skyScraper Speedi Brushes for a variety of roof tile profiles

skyScraper® Telescopic Pole Package

There are three choices of Telescopic Pole heights in this package; 24ft, 30ft, and 34ft! The telescopic poles collapse down to just a fraction of their extended height.

Key features:

- ▶ Moss removal from the safety of the ground
- ▶ Provide the perfect finish
- ▶ Customisable cleaning height



Compatible with skyScraper Head package

skyScraper Telescopic Pole 24ft:

Height:	24ft
Collapsed Height:	5.7ft
Weight:	1.7kg
Material:	Carbon fibre hybrid

skyScraper Telescopic Pole 30ft:

Height:	30ft
Collapsed Height:	5.8ft
Weight:	2kg
Material:	Carbon fibre hybrid

skyScraper Telescopic Pole 34ft:


Height:	34ft
Collapsed Height:	6.6ft
Weight:	2.4kg
Material:	Carbon fibre hybrid

Package options:

- ✔ **1 x Telescopic Pole**
(Choose between 24ft, 30ft or 34ft)
- ✔ **Blades package**
(Choose between skyScraper Single or Double Head)
- ✔ **Speedi Brush package**
(Choose between skyScraper Single or Double Head)

See pages 28-29 for the Blades & Speedi Brushes packages

Roof Cleaning Accessories & Parts



SKYSCRAPER
REPLACEMENT
BLADES



SKYSCRAPER
BLADES
(PACK OF 11)



SKYSCRAPER
REPLACEMENT
SPEEDI BRUSHES



SKYSCRAPER
SPEEDI BRUSHES
(PACK OF 10)



SKYSCRAPER
WIRE BRUSH
(30MM OR 45MM)



SKYSWEEPER
BRUSH
(STEEL OR HYBRID)



WATER FED
POLE INSERT



EU THREADED
ANGLE
ADAPTOR



ALUMINIUM
ANGLE
ADAPTOR



SKYSCRAPER
BAG



ELITE MULTI
CONNECTOR



DOUBLE
TURBO NOZZLE



SOFT WASH
BRUSH



SKYSCRAPER
SPARE SCREWS



SCAFFOLD
HOSE SUPPORT



ELITE
POLE END
PROTECTOR



12.5M
PRESSURE
HOSE

Camera Inspection Systems

Our Inspection Cameras are an ideal way of getting a birds-eye view, from the safety of the ground. Perfect for pre-site surveys, monitoring gutter clearance progress, or for the reassurance of a job well done.

skyVac® Real Time Gutter Inspection System



4.3 inch HD Monitor & Antenna



Camera



Protective Camera Bag



Plug Adaptor



In-car Adaptor



1 x Monitor Spring Clip



1 x Mounting Clip



1 x Sunshade for Monitor



2 x USB Charging Cables



Silicone Camera Cover

SurveyCam® Recordable Inspection System



5 inch HD Monitor & Antenna



Camera



1 x Sunshade for Monitor



Protective Camera Case



Plug Adaptor



1 x 8GB TF card



Camera Mount



Multifunctional TF Card Reader



1 x Wide Base Bracket



1 x Monitor Spring Clip



In-car Adaptor



2 x USB Charging Cables

Camera Accessories & Parts



MOUNTING
CLIP



CAMERA
MOUNT



NEW CAMERA
MOUNT



DETACHABLE
SUN VISOR




SILICONE
CAMERA COVER



REPLACEMENT
CAMERA
ANTENNA

skyPole: Professional High Reach



Key features:

- ▶ Instant access and clear visibility on high-level projects up to 44ft, all from the safety of the ground
- ▶ Compatible with our inspection camera systems
- ▶ The telescopic pole is easy to store and can be feathered up to the required height in an instant
- ▶ Lightweight yet rigid carbon fibre hybrid construction, ideal for roof cleaning

Compatible with skyVac Camera Inspection System

skyPole Blue Pole 24ft:

Height:	24ft
Collapsed Height:	165cm
Weight:	1.6kg
Material:	Carbon fibre hybrid
Sections:	5

skyPole Black Pole 34ft:

Height:	34ft
Collapsed Height:	200cm
Weight:	2.4kg
Material:	Carbon fibre hybrid
Sections:	6

skyPole Black Pole 44ft:

Height:	44ft
Collapsed Height:	223cm
Weight:	3.2kg
Material:	Carbon fibre hybrid
Sections:	7

Package includes:

- ✔ 1 x Telescopic Pole
(Choose between 24ft, 34ft or 44ft)
- ✔ 1 x EU Adaptor End
- ✔ 1 x Camera Mount
(Camera sold separately)

See page 32 for the skyVac Camera Inspection System

SurveyCam® Inspection Pole

Constructed from high modulus carbon fibre, our lightweight telescopic poles are available in 32ft and 50ft.

Key features:

- ▶ This high-modulus carbon fibre system is easily transported and can be assembled within minutes
- ▶ Use in a variety of industries: Including gutter cleaning settings, security/law enforcement, warehouse goods, roofing, pest control, estate agents and more

32ft
extendable
inspection
pole

50ft
extendable
inspection
pole



Compatible with SurveyCam Inspection System

SurveyCam Telescopic Pole 32ft:

Height:	32ft
Collapsed Height:	6ft
Weight:	1.6kg
Material:	Premium high modulus carbon fibre

SurveyCam Telescopic Pole 50ft:

Height:	50ft
Collapsed Height:	6ft
Weight:	2.7kg
Material:	Premium high modulus carbon fibre

Package includes:

- ✓ 1 x Telescopic Pole
(Choose between 32ft or 50ft)
- ✓ 1 x Branded Carry Bag

See page 32 for the SurveyCam Inspection System

skyVac® Internal 27

1000
WATTS

3800
LPM
AIRFLOW



Internal High Reach Vacuum System

Machine specification:

Motor Wattage:	1000W
Airflow Movement:	3800 LPM
Entry port:	38mm
Container:	27 litre
Weight:	7.8kg
Decibel Level:	60 dB
Mains Connection:	240v
Dimensions (cm):	37(l) x 38(w) x 66(h)

Package options:

- ✓ **Telescopic Suction Pole Packages**
 Choose between:
 - 4m/13.1ft
 - 5.5m/18.1ft
 - 7m/23ft
 - 8.5m/28ft
- ✓ **Standard 44mm Push Fit Poles Package**
- ✓ **Elevate 44mm Clamped Poles Package**

See pages 42-45 for pole specifications

skyVac® Internal 30

SITE-FRIENDLY
110V VERSION
ALSO
AVAILABLE
(Specifications
may differ)

1000
WATTS

3800
LPM
AIRFLOW



Internal High Reach Vacuum System

Machine specification:

Motor Wattage:	1000W
Airflow Movement:	3800 LPM
Entry port:	38mm
Container:	37 litre
Weight:	14kg
Decibel Level:	60 dB
Mains Connection:	240v @ 13 amp
Dimensions (cm):	55(l) x 44(w) x 90(h) including trolley

Package options:

- Telescopic Suction Pole Packages**
 Choose between:
 - 4m/13.1ft
 - 5.5m/18.1ft
 - 7m/23ft
 - 8.5m/28ft
- Standard 44mm Push Fit Poles Package**
- Elevate 44mm Clamped Poles Package**

See pages 42-45 for pole specifications

skyVac® Internal 78

2600
WATTS

7166
LPM
AIRFLOW



Internal High Reach Vacuum System

Machine specification:

Motor Wattage:	2600W (two motors)
Airflow Movement:	7166 LPM
Entry port:	38mm-50mm
Container:	78 litre
Weight:	36kg
Decibel Level:	72 dB
Mains Connection:	240v
Dimensions (cm):	60(l) x 64(w) x 114(h)

Package options:

- Telescopic Suction Pole Packages**
 Choose between:
 - 4m/13.1ft
 - 5.5m/18.1ft
 - 7m/23ft
 - 8.5m/28ft
- Standard 44mm Push Fit Poles Package**
- Elevate 44mm Clamped Poles Package**

See pages 42-45 for pole specifications

skyVac® Internal 150

3300
WATTS

10,000
LPM
AIRFLOW



THREE POWERFUL MOTORS

ADJUSTABLE POLE HEIGHTS



EASY ACCESS TO DIFFICULT ANGLES



MANUAL FILTER SHAKER



Internal High Reach Vacuum System

Machine specification:

Motor Wattage:	3300W (3 x 2 stage motors)
Airflow Movement:	10,000 LPM
Entry port:	38mm
Container:	50 litre
Weight:	68kg
Decibel Level:	76 dB
Mains Connection:	240v
Dimensions (cm):	58(l) x 70(w) x 115(h)

Package options:

- Telescopic Suction Pole Packages**
Choose between:
 - 4m/13.1ft
 - 5.5m/18.1ft
 - 7m/23ft
 - 8.5m/28ft
- Standard 44mm Push Fit Poles Package**
- Elevate 44mm Clamped Poles Package**

See pages 42-45 for pole specifications

skyVac® Bacuum



Internal High Reach Vacuum System

Machine specification:

	MAINS	BATTERY
Motor Wattage:	890W	300W
Airflow Movement:	3408 LPM	1830 LPM
Water lift:	98"	67"
Hose length:	1.3m	1.3m
Entry port:	32mm	32mm
Filter Bag:	5 litre	5 litre
Weight:	5.4kg	6.6kg
Decibel Level:	71 dB	67 dB
Voltage:	220-240v / 50 Hz	36v, 5Ah Li-ion battery
Dimensions (cm):	49.6(l) x 26(w) x 21.6(h)	49.6(l) x 26(w) x 21.6(h)

Package options:

- ✓ **4m Telescopic Suction Pole Package**
- ✓ **5.5m Telescopic Suction Pole Package**
- ✓ **7m Telescopic Suction Pole Package**
- ✓ **8.5m Telescopic Suction Pole Package**

See pages 42-45 for pole specifications

Battery run time: 42 minutes. Charging time: 60 minutes.

skyVac® HyGenie



LIGHTWEIGHT AND PORTABLE

ANTI-BACTERIAL INLET CAP



HEPA FILTRATION SYSTEM



ANTI-BACTERIAL PLASTIC



Internal High Reach Vacuum System

Machine specification:

Motor Wattage:	1300W (Single motor)
Airflow Movement:	3500 LPM
Entry port:	50mm
Container:	33 litre
Weight:	12kg
Decibel Level:	64 dB
Mains Connection:	240v
Dimensions (cm):	38(l) x 38(w) x 65(h)

Package options:

- ✓ 4m Telescopic Suction Pole Package
- ✓ 5.5m Telescopic Suction Pole Package
- ✓ 7m Telescopic Suction Pole Package
- ✓ 8.5m Telescopic Suction Pole Package

See pages 42-45 for pole specifications

Telescopic Internal Vacuum Pole



Key features:

- ▶ Constructed from lightweight carbon fibre, our suction poles can access high-level dusting projects up to 8.5m (28ft)



POLE PACKAGE

REACH

4m/13ft



POLE PACKAGE

REACH

5.5m/18ft



POLE PACKAGE

REACH

7m/23ft



POLE PACKAGE

REACH

8.5m/28ft



Transform your existing internal vacuum

4m/13ft Pole specification:

Material:	High modulus carbon fibre
Weight per pole:	824g
Collapsed height:	5.7ft
Diameter:	44mm

7m/23ft Pole specification:

Material:	High modulus carbon fibre
Weight per pole:	1.2kg
Collapsed height:	5.7ft
Diameter:	44mm

Package options:

- ✓ **Reach 4m/13ft**
1 x 4m/13ft Telescopic Pole
- ✓ **Reach 5.5m/18ft**
1 x 4m/13ft Telescopic Pole
1 x 1.5m Suction Pole
- ✓ **Reach 7m/23ft**
1 x 7m/23ft Telescopic Pole
- ✓ **Reach 8.5m/28ft**
1 x 7m/23ft Telescopic Pole
1 x 1.5m Suction Pole

See end tools included in these packages on page 43

Included as standard with all Telescopic Internal Vacuum Poles



Vac Hose Connector



1 x 65° Carbon Fibre Tool Holder



1 x 155° Carbon Fibre Tool Holder



1 x Soft Round Brush



1 x Large Black Pivot Brush



1 x Small Sidewinder/Flexi Neck Tool



1 x Large White Straight Brush



1 x Radiator Brush



1 x Small Half Round Vac Brush



Pole & accessories bag



skyVac® Harness

An innovative solution for providing unparalleled back support during high-reach cleaning tasks.

Key features:

- ▶ Reduce fatigue by altering the weight distribution to sit across your back and hips
- ▶ Ergonomic design, adjust the height of the harness and angle of the pulley, as well as the adjustable padded straps, for a secure fit
- ▶ Versatile, can be used for roof cleaning, gutter cleaning and high level internal cleaning

Standard 44mm Push Fit Pole Package



Made for both external and internal high-level cleaning projects. This lightweight Carbon Fibre Hybrid Suction Pole is compatible with our 44mm diameter poles and makes a great addition to your cleaning system.

Key features:

- ▶ Compatible with other 44mm skyVac poles
- ▶ For customisable length for cleaning at a height
- ▶ Lightweight but strong

4 POLE PACKAGE

REACH
6m/20ft



6 POLE PACKAGE

REACH
9m/30ft



8 POLE PACKAGE

REACH
12m/40ft



Pole package includes:



Compatible with both external and internal high-level cleaning projects

Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	305g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- ✔ **4 poles** (4 x 1.5m suction poles)
- ✔ **6 poles** (6 x 1.5m suction poles)
- ✔ **8 poles** (8 x 1.5m suction poles)

skyVac® Elevate 44mm Clamped Pole Package



These ultralight poles are made from a carbon fibre hybrid, weighing just 330g per pole. This package builds up to your required height in seconds, meaning a quick and easy set-up at the start of every project.

Key features:

- ▶ Secure clamping mechanism- top clamps lock rigid poles in place
- ▶ Strong and lightweight carbon fibre suction poles
- ▶ A range of accessories are included


4 POLE PACKAGE

REACH
6m/20ft



6 POLE PACKAGE

REACH
9m/30ft



8 POLE PACKAGE

REACH
12m/40ft



Pole package includes:



Internal suction poles

Pole specification:

Material:	Carbon fibre hybrid
Weight per pole:	330g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- ✓ **4 poles** (4 x Elevate clamped poles)
- ✓ **6 poles** (6 x Elevate clamped poles)
- ✓ **8 poles** (8 x Elevate clamped poles)

Internal Cleaning Accessories & Parts



REPLACEMENT
MOTOR
(INTERNAL 27/30)



REPLACEMENT
MOTOR
(INTERNAL 78)



INTERNAL
27/30
REPLACEMENT
HEAD



INTERNAL 78
REPLACEMENT
HEAD



CURVED
DUCTING
BRUSH



INTERNAL
FLEXI NECK
BRUSHES



CURVED
BRUSHES



INTERNAL
TOOL HOLDER



6M FLEXI HOSE



UNIVERSAL
CONNECTOR



REPLACEMENT
ANTI-SPLASH
SWITCH
(INTERNAL 78/150)



REPLACEMENT
ANTI-SPLASH
SWITCH
(INTERNAL 27/30)



HEPA FILTER



CARTRIDGE
FILTER
(INTERNAL 27/30)



INTERNAL
VACUUM FILTER
BAG



REPLACEMENT
TROLLEY
(INTERNAL 27)



POLE CLEANING
BRUSH



REPLACEMENT
HANDLE
(INTERNAL 78)



SWIVEL CUFF



SQUEEGEE

Internal Cleaning Tool Sets

ELITE INTERNAL TOOL SET



1 x 65° Carbon Fibre Tool Holder



1 x 155° Carbon Fibre Tool Holder



1 x Small Sidewinder



1 x Soft Round Brush



1 x Pivot Black Brush



1 x Small Half Round Vac Brush



1 x Large White Straight Brush



1 x Radiator Brush



1 x Elite Pole Connector

INTERNAL TOOL SET



1 x 65° Carbon Fibre Tool Holder



1 x 155° Carbon Fibre Tool Holder



1 x Large White Straight Brush



1 x Radiator Brush



1 x Soft Round Brush



1 x Pivot Black Brush

INTERNAL BRUSH SET



1 x Radiator Brush



1 x Crevice Nozzle Tool



1 x Large White Straight Brush



1 x Soft Round Brush



1 x Pivot Black Brush



1 x Universal Connector

FILTER HOUSING KIT



skyVac® ATEX A37 Vacuum System

1400
WATTS

3200
LPM
AIRFLOW



PUSH & CLEAN FILTER SYSTEM



BUILT-IN FLOW SENSOR



COMPACT AND LIGHTWEIGHT





REMOVES DENSE DUST

For use within ATEX 22 Explosive Dust Zones

Machine specification:

Motor Wattage:	1400W
Airflow Movement:	3200 LPM
Container:	37 litre
Weight:	13kg
Decibel Level:	60 dB
Mains Connection:	240v
Dimensions (cm):	45(l) x 44(w) x 75(h)
Filter type:	PET (Polyethylene Terephthalate)

Package options:

-  **Telescopic Vacuum Pole**
 (Choose between 6m reach, 7.5m reach or 9m reach poles)
-  **Safety Locking Suction Pole**
 (Choose between 4, 6 or 8 poles)

See pages 52-53 for pole specifications

SITE-FRIENDLY
110V VERSION
ALSO
AVAILABLE
(Specifications
may differ)

skyVac® ATEX A37G Vacuum System

1100
WATTS

3600
LPM
AIRFLOW



For use within ATEX 22 Explosive Dust Zones

Machine specification:

Motor Wattage:	1100W
Airflow Movement:	3600 LPM
Container:	37 litre
Weight:	42kg
Decibel Level:	73 dB
Mains Connection:	240v or 110v
Dimensions (cm):	56(l) x 57(w) x 124(h)
Filter type:	Anti-Static Star Filter L-Class

Package options:

- ✓ **Telescopic Vacuum Pole**
(Choose between 6m reach, 7.5m reach or 9m reach poles)
- ✓ **Safety Locking Suction Pole**
(Choose between 4, 6 or 8 poles)

See pages 52-53 for pole specifications

ATEX Telescopic Vacuum Pole Package



Lock/release clamps to allow easy extraction & retraction

Key features:

- ▶ For use in Zone 22 environments
- ▶ With a collapsed height of 1.93m, these poles are easy to store and quick to assemble



1 POLE PACKAGE

REACH
6m/20ft



2 POLE PACKAGE

REACH
7.5m/24ft



3 POLE PACKAGE

REACH
9m/30ft



Pole package includes:



For use within ATEX 22 Explosive Dust Zones

6m Telescopic Vacuum Pole:

Material:	Carbon fibre
Weight per pole:	1.3kg
Collapsed height:	1.93m
Diameter:	44mm

ATEX Safety Locking 1.5m Suction Pole:

Material:	Carbon fibre
Weight per pole:	282g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- ✓ **1 pole**
(1 x 6m Telescopic Vacuum Pole)
- ✓ **2 poles** (1 x 6m Telescopic Vacuum Pole & 1 x Safety Locking 1.5m Suction Pole)
- ✓ **3 poles** (1 x 6m Telescopic Vacuum Pole & 2 x Safety Locking 1.5m Suction Pole)

ATEX Suction Pole Package

Designed specifically for use with ATEX Zone 22 approved vacuum cleaning systems.
This ATEX certified pole set is compatible with all ATEX-certified vacuums.

Key features:

- ▶ For use in Zone 22 environments
- ▶ With this ATEX Suction Pole Set, you can reach up to 12m (40ft) all from the safety of the ground



Safety locking system




4 POLE PACKAGE

REACH
6m/20ft



6 POLE PACKAGE

REACH
9m/30ft



8 POLE PACKAGE

REACH
12m/40ft



Pole package includes:



For use within ATEX 22 Explosive Dust Zones

Pole specification:

Material:	Carbon fibre
Weight per pole:	282g
Length per pole:	1.5m
Diameter:	44mm

Package options:


- ✓ **4 poles** (4 x 1.5m ATEX Suction Poles)
- ✓ **6 poles** (6 x 1.5m ATEX Suction Poles)
- ✓ **8 poles** (8 x 1.5m ATEX Suction Poles)

ATEX 1.5m Carbon Fibre Pole with safety locking system

Developed specifically for Zone 22 environments. Add this pole to your kit to increase your reach.

Key features:

- ▶ To achieve the perfect height in Zone 22 environments. Add to your existing 1.5m Carbon Fibre Poles.



Made exclusively for Zone 22 environments

Pole specification:

Material:	Carbon fibre
Weight per pole:	232g
Length per pole:	1.5m
Diameter:	44mm

Package options:

- Buy individually

ATEX Cleaning Accessories & Parts



ATEX END TOOLS PACKAGE
WITH SAFETY LOCKING SYSTEM



ATEX END TOOLS PACKAGE



ATEX 155° CARBON FIBRE END TOOL
SVX2



ATEX 65° CARBON FIBRE END TOOL
SVX3



ATEX POLE TO HOSE CONNECTOR
36mm SVX4
38/40mm SVX5



ATEX CREVICE END TOOL



ATEX HALF ROUND BRUSH
Small SVX10
Large SVX11



ATEX STRAIGHT FLAT BRUSH



ATEX CURVED PIVOT BRUSH



ATEX DRY WALL END TOOL



ATEX ROUND END BRUSH
SVX8 / SVX9



ATEX 155° CARBON FIBRE END TOOL
WITH SAFETY LOCKING SYSTEM



ATEX 65° CARBON FIBRE END TOOL
WITH SAFETY LOCKING SYSTEM



ATEX POLE TO HOSE CONNECTOR
WITH SAFETY LOCKING SYSTEM
SVX5



ATEX CREVICE END TOOL
WITH SAFETY LOCKING SYSTEM



ATEX HALF ROUND END BRUSH
WITH SAFETY LOCKING SYSTEM
Small SVX10-4
Large SVX11-4



ATEX DRY WALL END TOOL
WITH SAFETY LOCKING SYSTEM



ATEX ROUND END BRUSH
WITH SAFETY LOCKING SYSTEM
SVX9-4 / SVX8-4



ATEX POLE CARRY BAG
SVX6



ATEX TOOL BAG

skyVac® ATEX ExSight Inspection Camera



The ATEX ExSight Camera has been specifically engineered to be used in ATEX ZONE 22 environments, providing safe and efficient cleaning at height in potentially explosives areas. Providing reliable and secure transmission, this recordable camera is ideal for the inspection of high-reach internal areas. Providing instant images up to a range of 100m.

For use within ATEX ZONE 22 Explosive Dust Zones

Monitor specification:

Screen Size:	5" TFT LCD
Display Resolution:	1280 x 720
Zoom:	3 levels
Power Supply:	5V (VDC)
Battery:	2500mAh
Working Time:	3 hours
Memory:	T-Flash Card
Memory Size:	64GB
Picture Format:	JPEG
Video Format:	1280 x 720HD - MP4
Weight:	255g
Weather Proof Rating:	IP64 for light showers
Dimensions (mm):	(l)150 x (d)20 x (h)100

Camera specification:

Image Sensor:	1/4 inch JX-H62
Effective Pixels:	1280 x 720
Power Supply:	5V VDC
Battery:	1200mAh
Working Time:	2.5 hours LED OFF / 2 hours (LED ON)
Weight:	65g
Weather Proof Rating:	IP64 for light showers
Dimensions (mm):	(l)60 x (d)40 x (h)40

Important note: Charging of the camera and monitor must always be done outside of ATEX zones. Not all items will be certified for use in ATEX Zones.

ATEX ExSight 34ft Telescopic Inspection Pole

Constructed from high modulus carbon fibre, our lightweight telescopic pole offers a 34ft reach.

The ATEX ExSight Inspection Pole is incredibly lightweight and rigid, thanks to its high modulus carbon fibre construction.

With a collapsed height of just 202cm, the pole's rigid construction ensures maximum control at full height, making it ideal for ATEX environments where precision is crucial. Featuring up to five retractable segments, it can be quickly and easily extended to the required height—simply extend each section and lock the clamps securely in place.



Key features:

- ▶ For use in Zone 22 environments
- ▶ Compact, rigid, lightweight, and can be easily transported and assembled within minutes

For use within ATEX ZONE 22 Explosive Dust Zones

Pole specification:

Material:	High Modulus Carbon Fibre
Weight per pole:	2.2kg
Pole Height:	34ft
Retracted Height:	202cm
Section:	5

FLOODVAC®

Removes both deep and standing water - goes anywhere thanks to its onboard engine.

1400
WATTS

100"
WATER
LIFT

4200
LPM
AIRFLOW



Basket for water pump, rope & hose

All terrain wheels with brakes



Universal dual-pump water extraction system

Machine specification:

Motor Wattage:	1400W (4.3kW Honda petrol engine)
Water lift:	100"
Airflow Movement:	4200 LPM
Container:	78 litre
Weight:	With pump: 131kg Without pump: 106kg
Decibel Level:	107 dB
Cyclonic entry port:	50mm
Dimensions (cm):	With basket: 130(l) x 130(w) x 62(h) Without basket: 100(l) x 130(w) x 62(h)

Package includes:

- ✓ 1 x 38mm 3m Flexi Hose
- ✓ 1 x 38mm 8m Flexi Hose
- ✓ 1 x 25m Flat Hose & Reel
- ✓ 1 x Vac & Pole Cuffs
- ✓ 1 x Floor Tool Kit

Optional extras:

- ✓ 1 x Submersible Pump
- ✓ 1 x Basket



www.skyvac.com

Unit 33, Cornwell Business Park, Salhouse Road, Brackmills,
Northampton, NN4 7EX. United Kingdom. Company No. 04506121

+44 (0)1604 968700 | info@skyvac.com

PLEASE NOTE: All details and specifications accurate at time of print.

INNOVATION FOR A FASTER, SAFER FUTURE