


Lexpure®

BOOSTER PUMP



A Product From the house of
India's 
Largest Pump Manufacturer

Certified by :



THE
BEST WATER PUMP
AWARDED BY
WATER DIGEST
IN ASSOCIATION WITH
UNESCO & ASSOCHAM



2015 - 2016



2016 - 2017

3/8 Thread
Fitting

Bypass
Available

- ➡ Can run dry with out damage
- ➡ Solid Diaphragm & bypass Design
- ➡ Quiet Operation
- ➡ Flow rates from 75 to 150 GPD



MODEL	VOLTAGE (V)	AMP.(A)	OUTPUT FLOW (LPM)	WORKING PRESSURE (PSI)	MAXIMUM PRESSURE (PSI)	SUCTION HEIGHT (M)
SILVER- 75	24	0.80±0.05	1.3	60-80	135 ± 10	1.0
SILVER- 100	24	1±0.1	1.8	70-90	140 ± 10	1.5
SILVER-150	24	1.5±0.1	2.5	70-90	145 ± 10	2.0



3/8 Thread
Fitting

Bypass
Available

MODEL	VOLTAGE (V)	AMP.(A)	OUTPUT FLOW (LPM)	WORKING PRESSURE (PSI)	MAXIMUM PRESSURE (PSI)	SUCTION HEIGHT (M)
ECO - 75	24	0.80±0.05	1.3	60-80	135 ± 10	1.0
ECO - 100	24	1±0.1	1.8	70-90	140 ± 10	1.5

- ➡ Solid Diaphragm & bypass Design
- ➡ Quiet Operation
- ➡ Flow rates from 75 to 100 GPD



BOOSTER PUMP DURABLE



3/8 Thread
Fitting

Bypass
Available

- ➡ Can run dry with out damage
- ➡ Solid Diaphragm
- ➡ Quiet Operation
- ➡ Flow rates from 75 to 300 GPD

MODEL	VOLTAGE (V)	AMP(A)	OUTPUT FLOW (LPM)	WORKING PRESSURE (PSI)	MAXIMUM PRESSURE (PSI)	SUCTION HEIGHT (M)
DURABLE -75	24	0.85±0.05	1.7	65-85	135 ± 10	1.5
DURABLE -100	24	1±0.1	2.0	75-95	150 ± 10	2.0
DURABLE -150	24	1.5±0.1	2.8	75-105	150 ± 10	3.0
DURABLE -300	24	2±0.2	4.0	90-120	150 ± 10	4.0