

>> CONTACT US

HEFEI GIBELER ENVIRONMENTAL PROTECTION TECHNOLOGY CO., LTD

☎ +86 157 5518 3022

✉ info@gibelerclean.com

🌐 www.gibelerclean.com

📍 Zone DE, Innovation Industrial Park, Shushan District, Hefei City, China

NO101126



HEFEI GIBELER ENVIRONMENTAL PROTECTION TECHNOLOGY CO., LTD



## COMPANY PROFILE

Company Profile: Founded in 2023 and located in Shushan District, Hefei, Anhui Province, Hefei GIBELER Environmental Protection Technology Co., Ltd. is a company integrating R&D, production, and sales of intelligent cleaning equipment. GIBELER holds independent import and export rights and has over 80 strategic partners at home and abroad. Adhering to the philosophy of "Broadly observing and selectively selecting, outlining a beautiful future for cleaning," the company humbly learns from leading domestic and international companies, meeting customer needs with superior products, reliable quality, and efficient service, striving to become a pioneer in upgrading the quality of cleaning equipment manufacturing.

The company has a comprehensive production system and implements lean production. Its GBL series of floor scrubbers have been widely acclaimed since their launch, quickly establishing a firm foothold and market position. GIBELER floor scrubbers are currently successfully used in major hospitals in Hefei, Airport, subway stations, universities, and other enterprises and institutions.

GIBELER provides professional cleaning solutions for various commercial and industrial sectors. Its main products include floor scrubbers and sweepers. These products are exported to countries and regions such as North America, the Middle East, Europe, and Southeast Asia, earning a strong customer base. With its due mission and responsibility, GIBELER leads a new round of development trend in the industry and contributes JBOL solutions to the development of the industry.





MADE BY GIBELER  
WITH THE SPIRIT OF THE CRAFTSMAN

Independent R&D    Rotational moulding    Machining    Whole machine assembly



— OUR MAIN PARTNER —



# GIBELER G15

Walk-behind Floor Scrubber



**Commercial use**

Scrubbing, washing, suck dry three-in-one

## PRODUCT DETAILS



LDPE material housing for increased durability.



180° adjustable handles accommodate users of varying heights.



Fully integrated control panel.



High-performance motor for superior cleaning results.



Standard 400W suction motor for stronger suction.



Solenoid valve controls water flow for safety and reliability.



Flexible design allows for pivoting, making it suitable for various applications.



Compact design eliminates corners for cleaning.

## TECHNICAL PARAMETERS

G15			
Cleaning Width	330mm	Squeegee Width	430mm
Solution Tank	13L	Recovery tank	15L
Battery	24V/32AH or customization	Work efficiency	1320m <sup>2</sup> /h
Brush Motor	400W	Vacuum Motor	360W
Charging Time	6-7h	Continuous Working Hours	1.5-2h
Weight	63KG	Dimension(L*W*H)	700*460*1050mm
Brush	13inch*1		



# GIBELER G35

Walk-behind Floor Scrubber




**Commercial use**

Scrubbing, washing, suck dry three-in-one

## PRODUCT DETAILS



LDPE material housing for increased durability.



180° adjustable handles accommodate users of different heights.



Fully integrated control panel for easy operation.



High-performance motor, superior cleaning effect.



Standard 500W suction motor for stronger suction.



Anti-collision wheels on the brush cover, protect the brush plate and cover effectively.



Solenoid valve controls water flow for safety and reliability.



Flexible design allows for on-the-spot turning, suitable for various applications.

## TECHNICAL PARAMETERS

G35			
Cleaning Width	380mm	Squeegee Width	550mm
Solution Tank	30L	Recovery tank	35L
Battery	24V/45.5AH or customization	Work efficiency	1520 m <sup>2</sup> /h
Brush Motor	380W	Vacuum Motor	500W
Charging Time	8-10H	Continuous Working Hours	2-3h
Weight	76kg	Dimension(L*W*H)	800*580*785mm
Brush	15inch*1		



# GIBELER G65

Walk-behind Floor Scrubber



**Commercial use**

Scrubbing, washing, suck dry three-in-one

## PRODUCT DETAILS



The extra-large 65L water tank reduces refilling and draining times, more higher cleaning efficiency.



Standard front headlights adapt to dark environments.



The sewage tank is equipped with a water ingress prevention device for the suction motor, extending the motor's service time.



The sewage tank is equipped with a sewage filter basket to reduce the chance of sewage pipe blockage.



Equipped with AMETEK vacuum motor, provides stronger vacuum power and lower noise.



Equipped with Hengye Brush motor.



The squeegee bracket is made of 304 stainless steel for high strength and corrosion resistance.



Mechanical operation panel, provides convenient after-sales service.

## TECHNICAL PARAMETERS

G65			
Cleaning Width	530mm	Squeegee Width	830mm
Solution Tank	60L	Recovery tank	65L
Battery	24V/100AH or customization	Work efficiency	2180m <sup>2</sup> /h
Brush Motor	550W	Vacuum Motor	500W
Charging Time	7-8H	Continuous Working Hours	3-4H
Weight	146kg	Dimension(L*W*H)	1245*830*1090mm
Brush	19inch*1		



# GIBELER G65Z

Walk-behind Floor Scrubber



**Commercial use**

Scrubbing, washing, suck dry three-in-one

## PRODUCT DETAILS



The extra-large 65L water tank reduces refilling and draining times, more higher cleaning efficiency.



Standard front headlights adapt to dark environments.



The sewage tank is equipped with a water ingress prevention device for the suction motor, extending the motor's service time.



The sewage tank is equipped with a sewage filter basket to reduce the chance of sewage pipe blockage.



Equipped with AMETEK vacuum motor, provides stronger vacuum power and lower noise.



Equipped with Hengye Brush motor.



The squeegee bracket is made of 304 stainless steel for high strength and corrosion resistance.



Electric drive model, save labor cost.

## TECHNICAL PARAMETERS

G65Z(Traction Type)			
Cleaning Width	530mm	Squeegee Width	830mm
Solution Tank	60L	Recovery tank	65L
Battery	24V/100AH or customization	Work efficiency	2880m <sup>2</sup> /h
Brush Motor	550W	Vacuum Motor	500W
Charging Time	7-8H	Continuous Working Hours	3-4H
Weight	146kg	Dimension(L*W*H)	1245*830*1090mm
Brush	19inch*1	Driving Motor	300W



# GIBELER G95

RIDE-ON  
FLOOR SCRUBBER



Commercial use

Enhance The Cleanliness And Image Of Application Scenarios.

## PRODUCT DETAILS



1.Extra-large 95L sewage tank reduces draining times.



Standard HENGYE high-power rear-wheel driving motor , enhance climbing ability.



Standard AMETEK water suction motor for stronger suction and lower noise.



Standard HENGYE brush motor for superior performance .



Front headlights make it easy to operate in dim places.



The sewage tank is equipped with a water ingress prevention device for the suction motor, extending motor life.



Water tank filter basket is standard on the sewage tank to reduce the chance of sewage pipe blockage.



The squeegee bracket is made of 304 stainless steel for high strength and corrosion resistance.

## TECHNICAL PARAMETERS

G95			
Cleaning Width	580mm	Squeegee Width	920mm
Solution Tank	90L	Recovery tank	95L
Battery	24V/100AH or customization	Work efficiency	4660m <sup>2</sup> /h
Brush Motor	550W	Vacuum Motor	500W
Charging Time	7-8h	Continuous Working Hours	3-4h
Weight	226kg	Dimension(L*W*H)	1360*920*1290mm
Brush	21inch*1	Driving Motor	500W



# GIBELER G95S

RIDE-ON  
FLOOR SCRUBBER



Commercial use

Enhance The Cleanliness And Image Of Application Scenarios.

## PRODUCT DETAILS



Extra-large 95L sewage tank reduces draining times.



Standard HENGYE high-power rear-wheel driving motor, enhance climbing ability.



Standard AMETEK water suction motor for stronger suction and lower noise.



Standard HENGYE brush motor for superior performance.



Front headlights make it easy to operate in dim places.



The sewage tank is equipped with a water ingress prevention device for the suction motor, extending motor life.



Water tank filter basket is standard on the sewage tank to reduce the chance of sewage pipe blockage.



The squeegee bracket is made of 304 stainless steel for high strength and corrosion resistance.

## TECHNICAL PARAMETERS

G95S(Double brush Type)			
Cleaning Width	700mm	Squeegee Width	920mm
Solution Tank	90L	Recovery tank	95L
Battery	24V/120AH or customization	Work efficiency	6200m <sup>2</sup> /h
Brush Motor	300W*2	Vacuum Motor	500W
Charging Time	7-8h	Continuous Working Hours	3-4h
Weight	235kg	Dimension(L*W*H)	1350*920*1290mm
Brush	13inch*2	Driving Motor	500W



# GIBELER G150

RIDE-ON  
FLOOR SCRUBBER



Commercial use

Enhance The Cleanliness And Image Of Application Scenarios.

## PRODUCT DETAILS



Extra-large 150L sewage tank reduces draining times and improves cleaning efficiency.



Standard HENGYE 1000W rear-wheel driving motor for stable quality and enhanced grade ability.



Standard AMETEK water suction motor for stronger suction and lower noise.



Standard HENGYE brush motor for superior performance and guaranteed quality.



Front headlights make it easy to operate in dim places.



The sewage tank is equipped with a water ingress prevention device for the suction motor, extending motor life.



Standard sewage tank with sewage filter basket to reduce the chance of sewage pipe blockage.



The squeegee bracket is made of 304 stainless steel for high strength and corrosion resistance.

## TECHNICAL PARAMETERS

G150			
Cleaning Width	860mm	Squeegee Width	1200mm
Solution Tank	140L	Recovery tank	150L
Battery	24V/200AHor customization	Work efficiency	7500m <sup>2</sup> /h
Brush Motor	550W*2	Vacuum Motor	600W
Charging Time	7-8h	Continuous Working Hours	3-4h
Weight	416kg	Dimension(L*W*H)	1620*1200*1400mm
Brush	17inch*2	Driving Motor	1000W



# GIBELER G1250

Driving sweeper



**Commercial use**

It is widely applied in outdoor squares, properties, factories, schools, hospitals, etc.  
A multi-functional sweeping vehicle with powerful cleaning capabilities, integrating sweeping, vacuuming and watering functions.

## PRODUCT DETAILS



Convertible design, 360° visibility.



Three-in-one sweeping, vacuuming, and dust suppression, with a cleaning width of up to 1250mm.



Dual LED headlights, enabling operation even in dark place.



Purely mechanical operation panel, convenient after-sales service.



Pure copper vacuum motor, powerful suction, and energy-efficient.



Front anti-collision bumper effectively protects the machine.



Front dust spray system effectively reduces dust dispersion.



80L trash bin eliminates frequent emptying and improves cleaning efficiency.

## TECHNICAL PARAMETERS

G1250			
Battery	48V or customization	Cleaning Width	1250mm
Rolling Brush Motor	700W	Vacuum Motor	240W
Side Brush Motor	140W*2	Diving Motor	1000W
Garbage Tank	80L	Water tank	30L
Rolling Brush Diameter	490mm	Side Brush Diameter	450mm*2
Work Efficiency	10000m <sup>2</sup> /h	Continuous Working Hours	2-3h
Driving Speed	0-10km/h	Noise	≤70Db
Weight	300kg	Dimension(L*W*H)	1600*1250*1300mm



# GIBELER G1350

Driving sweeper



### Commercial use

It is widely applied in outdoor squares, properties, factories, schools, hospitals, etc.  
A multi-functional sweeping vehicle with powerful cleaning capabilities, integrating sweeping, vacuuming and watering functions.

## PRODUCT DETAILS



Convertible design, 360° visibility.



Three-in-one sweeping, vacuuming, and dust suppression, with a cleaning width of up to 1350mm.



Dual LED headlights, enabling operation even in dark place.



Purely mechanical operation panel, convenient after-sales service.



Pure copper vacuum motor, powerful suction, and energy-efficient.



Front anti-collision bumper effectively protects the machine.



Front spray dust suppression system, effectively reducing the spread of dust.



120L trash bin, eliminating frequent emptying and improving cleaning efficiency.

## TECHNICAL PARAMETERS

G1350			
Battery	48V or customization	Cleaning Width	1350mm
Rolling Brush Motor	700W	Vacuum Motor	360W
Side Brush Motor	140W*2	Diving Motor	1000W
Garbage Tank	120L	Water tank	50L *2
Rolling Brush Diameter	590mm	Side Brush Diameter	500mm*2
Work Efficiency	10800m <sup>2</sup> /h	Continuous Working Hours	2-3h
Driving Speed	0-10km/h	Noise	≤70Db
Weight	371kg	Dimension(L*W*H)	1650*1350*1200mm



# GIBELER G2000

Driving sweeper



**Commercial use**

It is widely applied in outdoor squares, properties, factories, schools, hospitals, etc.  
A multi-functional sweeping vehicle with powerful cleaning capabilities, integrating sweeping, vacuuming and watering functions.

## PRODUCT DETAILS



Fully enclosed design, with optional high-pressure mist cannon and water gun for versatile functionality.



Three-in-one sweeping, vacuuming, and dust suppression, with a cleaning width of up to 2000mm.



Dual LED headlights, enabling operation even in dark place.



Purely mechanical operation panel, convenient after-sales service.



Pure copper vacuum motor, powerful suction, and energy-efficient.



A protective cover has been added to the side brush motor to prevent damage.



A front-mounted spray dust suppression system effectively reduces the spread of floating dust.



A 180L trash bin eliminates the need for frequent emptying, improving cleaning efficiency.

## TECHNICAL PARAMETERS

G2000			
Battery	48V or customization	Cleaning Width	2000mm
Rolling Brush Motor	1000W	Vacuum Motor	360W
Side Brush Motor	140W*4	Diving Motor	1500W
Garbage Tank	180L	Water tank	125L
Rolling Brush Diameter	690mm	Side Brush Diameter	500mm*4
Work Efficiency	15600m <sup>3</sup> /h	Continuous Working Hours	2-3H
Driving Speed	0-10km/h	Noise	≤70Db
Weight	803kg	Dimension(L*W*H)	2000*1950*2300mm



Rubber Strip



Description	Size(MM)
Front Squeegee Blade Rubber	3*50*855
Front Squeegee Blade Rubber	3*50*1040
Front Squeegee Blade Rubber	4*50*1188
Rear Squeegee Blade Rubber	4*51*910
Rear Squeegee Blade Rubber	4*51*1095
Rear Squeegee Blade Rubber	5*51*1231

Supply All Brand Squeegee Blade ,Our HOT SELL SPARE PARTS

Charger



Model	Dimension	Max Current	Nominal Voltage	Battery
G65	171*104*60mm,2.1kg	15A	24V	100AH/120AH
G95S	200*120*70mm,2.6kg	20A	24V	120AH/150AH
G150	200*120*70mm,2.6kg	25A	24V	200AH

Brush / Pad Holder



Description	SIZE(INCH)
BRUSH	13
BRUSH	15
BRUSH	17
BRUSH	19
BRUSH	21
PAD HOLDER	13
PAD HOLDER	15
PAD HOLDER	17
PAD HOLDER	19
PAD HOLDER	21