JUDO BIOQUELL®-Collection

BIOQUELL®-COLLECTION

Enjoy the full range of water treatment for your home made in Germany.





JUDO Winnenden: Administration



JULIUS DOPSLAFF Campus Winnenden: Training Center



JUDO Waldrems: Development and Production

Quality made in Germany



Product concept, engineering, testing, production and quality control, all made at our facilities in the south west of Germany. JUDO products comply with the stringent German standards' requirements and are supported by a range of international approvals from North America, across Europe to Australia.

Our location. At work and at home.

JUDO's name in water treatment is recognised around the world. We are at home in Winnenden, just outside of Stuttgart. Administration, Project Management and the newly opened JULIUS DOPSLAFF Campus are all located there. R&D, Engineering, Design and Production are located in which is our only production facility, conveniently close, in Backnang-Waldrems.

The JULIUS DOPSLAFF Campus houses our Training Programme, water treatment education courses and our Customer Service Department.


We value short paths for development, design and production. Therefore, we manufacture only in our central production site in the nearby Backnang-Waldrems. Production processes, quality control, systems development, all close at hand.

When it comes to distribution, however, we have a different perspective in view. JUDO has 8 regional branches in Germany and distribution centres and partners in over 50 countries including JUDO branches in Austria, Switzerland, France, Belgium, Netherlands, Luxembourg, Poland, China, Canada and Australia.

STRONG PARTNERSHIP

INNOVATIVE TECHNOLOGY SERVICE EXPERIENCE BEST MY QUALITY WATER PREMIUM Provider

WATER SUPPLY PROVIDER



JUDO BIOQUELL®-COLLECTION

Leading technology. There for you, every day.

Water is our most important food. Clean and hygienic drinking water in every tap is the basic requirement to maintain good health and well-being.

Water is, however, more than that: it is our heaters' heat transfer medium and it flows through house installations and air conditioners. It cools machines, it keeps production processes going and it cleans and disinfects. Water quality requirements are varied and depend on the application.

JUDO is a solutions provider. Water treatment products and systems, engineered for optimal results. In accordance with the latest relevant standards and guidelines. Geared to the specific requirements of our clients and, most important of all, governed by our own stringent quality standards. Our daily bread for more than 85 years!

JUDO BIOQUELL®-FILT BP

Backwash protective sediment filter with pressure regulation

- Quality assured made in Germany
- Reliable protection against particle inflow
- Economical: no expensive and complicated cartridge changes
- Uncomplicated easy backwashing
- Effective backwash thanks to ceramic disk technology
- Practical: no interruption to the water supply during backwash
- Low impact: no waste cartridges and low water consumption thanks to an effective backwash
- Clean: UV protective cover cap ³/₄" 1¹/₄"



JUDO BIOQUELL®-FILT B

Backwash protective sediment filter

- Quality assured made in Germany
- Reliable protection against particle inflow
- Economical: no expensive and complicated cartridge changes
- Uncomplicated ease of backwashing
- Effective backwash thanks to ceramic disk technology
- Practical: no interruption to the water supply during backwash
- Low impact: no waste cartridges and low water consumption thanks to an effective backwash
- Clean: UV protective cover cap ³/₄" 1¹/₄"



JUDO BIOQUELL®-CLEAR

The home water purifier

- High flow rate Point of Entry system
- High grade activated carbon
- Removes offending odours and tastes
- KDF Effective against chlorine, sulphides, dissolved heavy metals and microorganisms
- Automatic, time controlled backwash (adjustable)



JUDO BIOQUELL®-SOFT

Fully automatic water softening unit

Reduces annoying scale build up

- Automatic, flow controlled regeneration
- Large opening for filling salt
- Low salt consumption
- SOFT models 15 40 fit under kitchen counter





JUDO BIOQUELL®-PURE

Undersink reverse osmosis

- Compact undersink RO system, slim design
- Hygienic, stagnation free operation
- Quick lock for easy filter replacement
- Eliminates unpleasant water smell and taste
- Cleans without chemical additives
- Quick and easy assembly, installation under the sink or basin





Type Bioquell®-FILT BP 3/4" - 11/4"



Type Bioquell®-FILT B 3/4" - 11/4"



Type FILT-A (Automatic upgrade kit)

- Compact upgrade kit
- Also suitable
- for retrofitting

 Easy installation

JUDO Bioquell®-FILT BP 3/4" - 2"

Backwash protective sediment filter with pressure regulation

Туре	Bioquell®- FILT BP				
Pipe connection	3/4"	1"	11/4"	11/2" *	2" *
Flow rate m³/h **	2.3	3.6	5.8	9.1	14.0
Installation length mm	180	195	230	301	335
Filtration rate micron	100	100	100	100	100
Dimensions W x D x H mm	130 x 155 x 428	130 x 155 x 428	130 x 160 x 428	108 x 212 x 537	108 x 220 x 537
Order number	8170325	8170326	8170327	8170328	8170329

JUDO Bioquell®-FILT B 3/4" - 2"

Backwash protective sediment filter

Туре	Bioquell®- FILT B				
Pipe connection	3/4"	1"	1¼"	11/2"	2"
Flow rate m³/h *	6.1	7.1	7.3	12.2	15.1
Installation length mm	180	195	230	252	280
Filtration rate micron	100	100	100	100	100
Dimensions W x D x H mm	180 x 115 x 386	195 x 115 x 386	230 x 115 x 386	252 x 114 x 369	280 x 114 x 384
Order number	8070710	8070711	8070712	8070713	8070714

JUDO FILT-A Automatic upgrade unit

For the upgrade of manual Bioquell®-FILT BP water stations to automatic backwashing units, with patented safety module and pot.-free contact for external reporting.

Order number

2170666

JUDO Bioquell®-CLEAR

The whole house purifier

Туре	Bioquell®- CLEAR 75	Bioquell®- CLEAR 120	Bioquell®- CLEAR 150	Bioquell®- CLEAR 250
Pipe connection Inch	3⁄4"	3/4"	3⁄4"	1"
Flow rate m³/h	0.75	1.2	1.5	2.5
Active carbon quantity I	8	12	20	30
Operating pressure bar	1.5 - 8	1.5 - 8	1.5 - 8	1.5 - 8
Max. water temperature °C	40	40	40	40
Dimensions W x D x H mm	245 x 270 x 575	275 x 295 x 575	400 x 387 x 1.200	400 x 387 x 1.200
Order number	8200385	8200386	8200387	8200388



Type Bioquell®-CLEAR 250

JUDO Bioquell®-SOFT 15 - 100

Fully automatic water softening unit

Туре	Bioquell®- SOFT 15	Bioquell®- SOFT 40	Bioquell®- SOFT 65	Bioquell®- SOFT 100
Pipe connection Inch	3/4"	3/4"	1"	1"
Flow rate m ³ /h	0.75	1.5	2	2.5
Capacity at optimal operation gram	270	710	1.157	1.780
Salt consumption per regeneration at optimal operation kg	0.6	1.9	3.2	4.8
Capacity in economy mode gram CaCO ₃	180	500	801	1.246
Salt consumption per regeneration in economy mode kg	0.3	1.0	1.6	2.4
Salt storage capacity kg	14	22	-	-
Operating pressure bar	1.5 - 8	1.5 - 8	1.5 - 8	1.5 - 8
Max. water temperature °C	40	40	40	40
Dimensions W x D x H mm	287 x 444 x 545	404 x 452 x 600	404 x 453 x 1.200	404 x 453 x 1.200
Order number	8200375	8200377	8200378	8200379



Type Bioquell®-SOFT 40

JUDO Bioquell®-PURE

Undersink reverse osmosis

Туре	Bioquell®-PURE
Pipe connection Inch	3/4 ¹¹
Flow rate l/h	1 - 75 **
Total cartridge capacity litres	4.000 *
Average cartridge exchange time, months	6 - 24 *
Salt rejection	> 95% **
Feed pressure min. / max. bar	1/4
Max. water temperature °C	40
Power supply V/Hz	100-230 V / 50/60 Hz
Dimensions W x D x H mm	142 x 375 x 439
Order number	8200390



Type Bioquell®-PURE

JUDO WATER TREATMENT. A NAME YOU CAN TRUST. SINCE 1936.



JUDO Wasseraufbereitung GmbH P.O. Box 380 · D-71351 Winnenden Germany phone +49 (0)7195 692 - 0 fax +49 (0)7195 692 - 110 e-mail: info@judo.eu · www.judo.eu