


Counter Top RO Water Purifier
台上式免安装净饮机

AW-RF02R-75



Counter Top RO Water Purifier / 台上式免安装净饮机



Features / 产品特点

- Installation-free design for different situations
- Integrated water manifold module with no water leakage
- Nano thick film instant heating technology
- Three water temperature selection(45°C/85°C/95°C)
- Two water volume options(150ml/300ml)
- Child lock function
- 免安装设计 满足多场合使用
- 集成水路技术 杜绝漏水隐患
- 纳米厚膜加热 即开即用
- 三档水温
- 两档水量选择
- 童锁功能 呵护安全



AW-RF03R-75




AW-RF05R-75



AW-RF06R-75

Specification / 产品参数	
RO Flow Available / 通量	75GPD
Power / 功率	2150W
Voltage / 电压	220V
Purified Water Flow Rate / 纯水流速	11.7L/H
Hot Water Flow Rate / 热水流速	24L/H
Filter / Service Life / 滤芯	Composite filter cartridge (PP+CTO+RO) / 12 months
Feed Water Tank / 原水箱	4.0L
Pure Water Tank / 纯水箱	0.8L
Inlet Water Temperature / 进水温度	5~38°C
Ambient Temperature / 环境温度	4~40°C
Product Size / 产品尺寸	375*209*338 (mm)
Carton Size / 包装尺寸	535*265*415 (mm)

Counter Top RO Water Purifier / 台上式净饮水壶机



Features / 产品特点

- Installation-free design for different situations
- Integrated water manifold module with no water leakage
- Nano thick film instant heating technology
- Multiple water temperature and volume options
- Child lock function
- Portable pure water pitcher, can be stored in the refrigerator for chilled water.
- 免安装设计满足多场合使用
- 集成水路技术 杜绝漏水隐患
- 纳米厚膜加热 即开即用
- 多种水温/多种水量可选
- 童锁功能 呵护安全
- 外置水壶 自由移动供应净水 可放置冰箱获取冰水



AW-RH02R-75



AW-RH05R-75




AW-RH08R-75

Specification / 产品参数	
RO Flow Available / 通量	75GPD
Power / 功率	2150W
Voltage / 电压	220V
Purified Water Flow Rate / 纯水流速	11.7L/H
Hot Water Flow Rate / 热水流速	24L/H
Filter / Service Life / 滤芯	Composite filter cartridge (PP+CTO+RO+Anti-scale+Post Carbon) / 12 months
Feed Water Tank / 原水箱	5.0L
Pure Water Tank / 纯水箱	1.4L
Inlet Water Temperature / 进水温度	5~38℃
Ambient Temperature / 环境温度	4~40℃
Product Size / 产品尺寸	402*203*396 (mm)
Carton Size / 包装尺寸	560*285*485 (mm)
The standard configuration of this series is the heating model, no-heating model is optional. / 本系列标准配置为加热款, 可根据需要定制常温款。	

2325 Series / 系列

Features / 产品特点

- Integrated waterway Board
- Built-in UV Pure Water Tank
- Portable pure water pitcher
- Electric Kettle with Keep-Warm, Health Brewing & Cooled Boiled Water Functions
- Night Mode with Soft Lighting
- 高度集成水路设计
- 内置UV纯水箱
- 外置水壶, 满足多点净水需求
- 电热水壶 (保温壶 / 养生壶 / 凉白开功能)
- 夜间模式 (取水柔光照明)




Specification / 产品参数	
RO Flow Available / 通量	75GPD
Power / 功率	2150W
Heating Power/制热功率	2100W
Hot Water Dispensing Flow/连续制热水能力	≥20L/H
Feed Water Tank / 原水箱	5L
Pure Water Tank / 纯水箱	0.6L
Heating Kettle/加热壶	0.8L
Filter / Service Life / 滤芯	Composite filter cartridge (ACF+RO+C) / 12-18 months
Product Size / 产品尺寸	408*240*420 (mm)

2501 Series / 系列

- 5-in-1 Integrated Design: Purification / Heating / Cooling / Ice Making / Ambient Water
- Compressor Cooling System with Water Temperature to 5°C
- 10G Crystal-Clear Bullet Ice with Slower Melting Performance
- Multi-Point UV Sterilization for the Ice Bin, Cold Water Tank, Nozzle & Pure Water Pitcher
- Multiple Water Temperature and Volume Options
- External Pure Water Pitcher

- 五合一集成设计: 净化 / 加热 / 制冷 / 制冰 / 常温出水
- 压缩机制冷系统, 冰水最低可达5°C
- 10g透明大颗粒子弹冰, 更紧实, 耐融化, 更剔透, 口感佳
- 冰仓、冰胆、出水嘴及纯水壶多重UV杀菌
- 多种水温/多种水量可选
- 外置纯水壶设计, 满足多场景用水需求



Specification / 产品参数


RO Flow Available / 通量	75GPD
Power / 功率	2200W
Ice-making Capacity/制冰能力	≥6KG/24H
Ice cubes per cycle/单次制冰数量	8pcs
Cold Water Capacity/连续制冷水能力	≥2L/H
Heating Power/制热功率	2000W
Hot Water Dispensing Flow/连续制热水能力	≥20L/H
Feed Water Tank / 原水箱	5.2L
Pure Water Tank / 纯水箱	1.3L
Filter / Service Life / 滤芯	Composite filter cartridge (ACF+RO+C) / 12-18 months
Product Size / 产品尺寸	450*290*460 (mm)

2513 Series / 系列

Features / 产品特点

- Slim body with modular structure
- Four water temperature selection and four water volume selection
- UF purifier, no drain, no noise
- Integrated water manifold module with no water leakage
- Compact countertop design for home and office use
- Easy maintenance with replaceable filter system

- 纤薄机身设计, 模块化结构布局
- 四档水温选择, 四档水量选择
- UF超滤机, 无排水, 低噪运行
- 集成式水路模块设计, 杜绝漏水风险
- 紧凑台式设计, 适用于家庭及办公场景



Specification / 产品参数


Purified Water Flow Rate / 净水流速	700ml/min
Filter/Service Life/滤芯配置	PPC+UF(6-18 months)
Input Water Pressure / 进水压力	0.1-0.4Mpa
Inlet Water Temperature / 进水温度	5~38°C
Ambient Temperature / 环境温度	4~40°C
Instant Heating/即热	Optional
Customizable Temperature/可定制温度	Optional
Customizable Water Volume/可定制杯量	230ml/300ml/500ml/1L
Flow-through UV Sterilization/过流UV杀菌	Optional

2514 Series / 系列

Features / 产品特点

- Slim body with modular structure
- Four water temperature selection and four water volume selection
- Electronic cooling, no drain, no noise
- Integrated water manifold module with no water leakage
- Compact countertop design for home and office use
- Easy maintenance with replaceable filter system

- 纤薄机身设计, 模块化结构布局
- 四档水温选择, 四档水量选择
- 电子制冷, 无废水, 低噪运行
- 集成式水路设计, 杜绝漏水风险
- 紧凑台式设计, 适用于家庭及办公场景
- 滤芯更换便捷, 维护简单



Specification / 产品参数

Purified Water Flow Rate / 净水流速	700ml/min
Filter/Service Life/滤芯配置	PPC+UF/Microfiltration(6-18 months)
Input Water Pressure / 进水压力	0.1-0.4Mpa
Inlet Water Temperature / 进水温度	5~38°C
Ambient Temperature / 环境温度	4~40°C
Instant Heating/即热	Optional
Customizable Temperature/可定制温度	Optional
Customizable Water Volume/可定制杯量	230ml、300ml、500ml、1L
Flow-through UV Sterilization/过流UV杀菌	Optional
Cold Water Tank/冷水箱	1L

1909 Series / 系列

Features / 产品特点

- Easy installation
- Integrated water manifold module with no water leakage
- High-precision filtration for direct drinking
- Automatic water filling and stop when water is full
- Filter self-cleaning for long service life
- Easy filter replacement and life reminder
- Directly connected to the tap water without changing the water

- 安装便捷 操作简单
- 集成水路技术 杜绝漏水隐患
- 高效净化 母婴直饮
- 自动注水 水满即停
- 滤芯自洁 延长寿命
- 滤芯监控 换芯提醒
- 直接连接自来水 无需换水



AW-RD02

Specification / 产品参数

Power / 功率	24W
Voltage / 电压	220V
Purified Water Flow Rate / 纯水流速	15.6L/h
First Filter / Service Life / 第一级滤芯	PPC (PP+Carbon) / 12 months
Second Filter / Service Life / 第二级滤芯	RO (Reverse Osmosis) / 24 months
Pure Water Kettle / 水壶	1.8L
Inlet Water Temperature / 进水温度	5~38°C
Ambient Temperature / 环境温度	4~40°C
Product Size / 产品尺寸	355*195*350 (mm)
Carton Size / 包装尺寸	595*275*435 (mm)

UF Water Purifier
超滤净水机



AW-UF-03

Under Sink UF Purifier / 厨下式超滤净水机

Features / 产品特点

- Slim body with modular structure
- Integrated water manifold module with no water leakage
- High-precision filtration with high quality UF membrane
- No power , no drain , no noise
- Composite filters cartridge for easy replacement
- 模块化设计 机身纤薄
- 集成水路设计 无漏水隐患
- 高品质UF膜 高精度过滤
- 不用电 无浓水 无噪音 绿色环保
- 复合滤芯 便捷换芯



AW-UF-01



AW-UF-02



AW-UF-04

Specification/产品参数	
Purified Water Flow Rate / 净水流速	1.5L/min
First Filter / Service Life / 第一级滤芯	PPC (PP+Carbon) / 12 months
Second Filter / Service Life / 第二级滤芯	UF/24months
Third Filter / Service Life / 第三级滤芯	TC (Post Carbon) / 12 months
Input Water Pressure / 进水压力	0.1-0.4Mpa
Inlet Water Temperature / 进水温度	5~38℃
Ambient Temperature / 环境温度	4~40℃
Product Size / 产品尺寸	296*99*264 (mm)
Carton Size / 包装尺寸	380*175*400 (mm)

Counter Top UF Purifier / 台上式超滤净水机

Features / 产品特点

- Modern design and exquisite structure
 - High-precision filtration with high quality UF membrane
 - Composite filters cartridge for easy replacement
 - No power , no drain , no noise
- 造型新颖 结构精致
 - 高品质UF膜 高精度过滤
 - 复合滤芯 便捷换芯
 - 不用电 无浓水 无噪音 长寿命 节能环保



AW-UF-05



AW-UF-06

Specification / 产品参数

Purified Water Flow Rate / 净水流速	1.5L/min
Composite Filter (TC+UF) / TC+UF复合滤芯	6-12 months
Input Water Pressure / 进水压力	0.1-0.4Mpa
Inlet Water Temperature / 进水温度	5~38℃
Ambient Temperature / 环境温度	4~40℃
Product Size / 产品尺寸	128*100*280 (mm)
Carton Size / 包装尺寸	165*135*360 (mm)

Smart Faucet / 智能龙头

Mechanical Faucet / 机械阀芯龙头

Mechanical Valve Core Structure 机械阀芯结构



Size/尺寸 288*60*270mm



Size/尺寸 276*61*194mm



Size/尺寸 271*63*188mm



Size/尺寸 286.5*46*188mm

Smart Faucet / 智能龙头

Hot Water Optional 可以过热水



Size/尺寸 188*46*283.5mm



Size/尺寸 184*40*289mm



Size/尺寸 185*40*285mm



Size/尺寸 184*40*289mm



Size/尺寸 182*40*270mm



Size/尺寸 185*40*295mm



Size/尺寸 215*48*300mm



Size/尺寸 188*46*269mm

Smart Faucet / 智能龙头

			
Size/尺寸 208*54*312mm	Size/尺寸 195*50*305mm	Size/尺寸 206*54*312mm	Size/尺寸 201*54*312mm
			
Size/尺寸 200*50*340mm	Size/尺寸 235*50*360mm	Size/尺寸 196*46*314mm	Size/尺寸 188*46*270mm

Customization Options / 定制说明	
Display UI/显示UI	Digital/Color film/TFT
Material Options/材质可选	Stainless Steel/Plastic/Alloy
Color/颜色	Customizable
Appearance/外观	Customizable

Stainless Steel Faucet / 不锈钢龙头

Stainless Steel Construction 不锈钢材质



Water Filters / 滤芯



Broad Applications / 产品应用领域

- Residential water purification / 家用水净化
- Commercial water purification / 商业水净化
- Industrial water purification / 工业水净化
- Liquid separation / 液体分离

Full Range Products / 产品系列

- Carbon block filter (dechlorination based)
- Carbon block filter (with anti-scaling boost)
- Carbon block filter (with anti-bacterial boost)
- Carbon block filter (with lead and cryptozoite removal)
- Carbon block filter (with defluorination boost)
- Carbon block filter (with mineralization boost)
- Granular activated carbon filter (UDF)
- Composite pleated PP carbon block filter
- Composite ceramic carbon block filter
- Post activated carbon filter
- Refrigerator water filter
- Activated carbon fiber (ACF) filter
- ACF shower head filter
- Flake ACF filter
- RO membrane element
- Pleated pool & SPA filter
- High-flow pleated filter element
- KA系列: 除氯型炭棒滤芯
- KS系列: 阻垢型炭棒滤芯
- KB系列: 抗菌型炭棒滤芯
- KH系列: 除铅&孢囊型炭棒滤芯
- KF系列: 除氟型炭棒滤芯
- KM系列: 矿化型炭棒滤芯
- KG系列: 颗粒活性炭滤芯 (UDF)
- CPC系列: 复合折叠PP炭棒滤芯
- CCC系列: 复合陶瓷炭棒滤芯
- KT系列: 后置活性炭滤芯
- KR系列: 冰箱专用滤芯
- FA系列: 活性炭纤维 (ACF) 滤芯
- FS系列: 活性炭纤维 (ACF) 花洒滤芯
- FF系列: 活性炭纤维 (ACF) 异型滤芯/片
- ARO系列: 反渗透膜及组件
- PS系列: 折叠型泳池滤芯
- PH系列: 大通量折叠滤芯