

Dry Vapor

Technical Datasheet

Concentrated liquid odor neutralizer for use with dry vapor nebulizing machines.

Main Features

02

Description

The DV Substrate (Dry Vapor) allows the application of odor-neutralizing formulas through nebulizing machines.

The product is applied directly by filling the tank of the nebulization machine and programming the operating intervals.



Areas of Application

Dry Vapor is the most concentrated form of our products. It is especially recommended for treating large volumes of air or particularly intense bad odors, such as:

- Large bathrooms
- Common areas (particularly in nursing homes)
- Hotel receptions
- Garbage rooms
- In general, enclosed spaces of large dimensions. Baños de grandes dimensiones



Usage Guidelines

The product is applied using a nebulizing machine.

To ensure proper air treatment, it is recommended to place the product outlet in the direction of the air flow.

To treat large volumes of air, it is advisable to connect the outlet of the nebulizing machine to the central air conditioning system.




Storage Conditions

- One year in its original sealed packaging, protected from light, and at a temperature below 25°C.
- Six months under usage conditions.

Tip: Download this document as a PDF and refer to all the details of this solution whenever you need.

Let's talk



hola@scenttechnologies.com | [+34 935 14 19 04](tel:+34935141904) | www.scenttechnologies.com