



PMSdock marine
Floating Dock Systems & Platform


pms.com.tr

"The modular floating docks with the widest product range in the world."



www.pms.com.tr
www.dockmarine.com.tr



SUNNYDOCK

FLOATING PLATFORM SYSTEMS



Dolphin
Therapy
Center



Swimming
Pool




Sunnydock can be installed in all areas including protected and exposed sites with frequent waves and wind conditions due to flexibility of cubes. The Cubes are adapted to adverse weather conditions due to its flexibility against the waves. They are available in 3 different sizes, which are 50x50x40 cm, 50x100x40cm 100x 50x 25 cm. Sunnydock modular dock system can be integrated into an existing dock; it can be EASILY and QUICKLY installed and reformed. In addition, the configuration layout can be easily modified. Due to its unique design, clients can easily install, configure or disassemble in short period of time.

Two persons can easily assemble 50 cubes in one hour, without requiring any special knowledge. Sunnydock allows installation to be carried out on the water without complicating the installation.

SunnyDock

Product Code	Product Description	Floatation Capacity (kg / ad.)	Length (cm)	Width (cm)	Height (cm)	Weight (cm)
SDS-01010	SD SunnyDock	SD SunnyDock	50	50	40	6,5
SDS-01040	SD Çiftli SunnyDock	SD Çiftli SunnyDock	100	50	40	11
SDS-01050	SD Yarım Çiftli SunnyDock	SD Yarım Çiftli SunnyDock	100	50	25	9,5

Colours



Aksesuarlar

SDS 04400



SD LADDER;
Mono-block ladder is designed for maximum safety.

SDS 08200



PE ADAPTER SET;
It is used for connecting Sunnydock to the Rotodock and Rotoport.

SDS 04600



SD CLEAT PE;
It is used for mooring of light boats

SDS 07400



COUPLING PIN;
Sleeve set is designed to connect to each other the flanges outside of the cubes.

SDS 07000



CONNECTING PIN;
Polyethylene short medium apparatus is designed to mount the cubes to each other.

SDS 07110



SDS LONG MOORING SET;
It is designed for connection of the dock elements by using chain and vaults.

SDS 04340



SD FENDER (BUMPER) SET, PE;
It is designed to prevent damage to the dock parts and to the boat.

CDS 01801



SD GANGWAY ROLLER;
It is used for the adjustment of the dock parts according to the changing water levels.

CDS 01701



SD PART FOR CONNECTING GANGWAY TO THE COAST;
It is used for connecting the Gangway to the coastal structure.

CDY 01120



SD GANGWAY PE BODY;
It provides passage between the coast and the dock. Gangways are available in different lengths.




ROTODOCK

FLOATING JETTY & PLATFORMS

Rotodock can respond to all applications on water. With its modular design and ease of use, Rotodock offers installation possibilities ranging from personal use to commercial applications, depending on the needs and the environmental conditions. Rotodock, which is produced by rotation technology, has established itself as a preferred product; thanks to its modern appearance and environmentally friendly features. Each part of the Rotodock is self-floating and can be easily installed with a connector unit called coupler. You can create your own design with the Rotodock. Four different sizes are available.

“PMS readily adapted to its customers’ requirements by filling Rotodock parts with polystyrene, therefore bringing innovations into the product and the market.”

MAIN COMPONENTS



RotoDock					
Product Code	Product Description	Length (cm)	Width (cm)	Height (cm)	Weight (kg)
RDS-01041 (A)	RD 2x3 m	300	200	38	180
RDS-01031 (B)	RD 1,5x3 m	300	150	38	130
RDS-01021 (C)	RD 1x3 m	300	100	38	90
RDS-01010 (D)	RD 1x1,5 m	150	100	38	45
COLOURS					
<input type="checkbox"/> Beige					

Our dock units are manufactured within $\pm 2\%$ dimensional tolerance.

Connectors

RDS 07000



COUPLER SET;

It is designed to connect the dock elements to each other.

RDS 17200



COUPLER TIE UP NUT;

It is the key used for fixing the rubber set.

RDS 07012



HARDWARE CONNECTOR;

It is the connector part used for connecting the accessories the dock.

RDS 07301



RD INSTALLATION KEY;

It is used for the placement of the rubber to the system.

FIXING ELEMENTS

RDS 07100



RD PIPE BRACKET SET;

The pipe brackets are used in places which are exposed to tides and concrete coastal structures. By allowing the movement of the dock according to the change in water fluctuations, it provides solutions that are appropriate for the installation. The gap in the middle of the product allows use in areas where a 3" pile will be utilized.

RDS 07101



RD KEDGE BRACKET SET WITH CAP;

In order to secure the docks in deep water, a kedge addition part is placed between the pipe brackets. In this way, it is secured both to the concrete coastline and to the sea bed by the support of the kedge.

RDS 07110



SMALL PIPE BRACKET SET;

The pipe bracket is used in moderate weather conditions and for small docks.

RDS 07400



ADAPTOR HINGE SET;

It is especially designed for the easy transportation of concrete. It is hand-portable; it can be filled with 50 kg of concrete.

RDS 07410



BAĞLANTI ADAPTÖRÜ (ZİNCİR GEÇİŞLİ SET);

Tonoz ve zincir ile sabitleme yapılacak yerlerde kullanılır.

RDS 07500



STIFF ARM SET;

It is used for the systems which are to be installed at a certain distance from the shore.

Accessories

RDS 04500



BANK SET PE;

It is an accessory which will ensure comfort throughout the system. There is a place for putting glasses.

RDS 04200



LADDER SET PE;

Mono-block polyethylene ladder is designed for maximum safety.

RDS 04600



CLEAT SET PE;

Allows mooring of the boats.

RDS 04601



RDS 05090



HANDRAILS PE;

It is likely to occur to prevent accidents. Preferred for accessory.

MARINE DOCK

PMS started offering the Marine Dock aluminum pontoon systems to the world in the year 2010. Marine Dock floating dock systems apply to all kinds of industrial marine productions, from boats up to mega yachts and passenger ferries.

With its product range, it responds to the needs of the following:

- Specialty Contractors (marina and private property marina)
- Navy, customs and coast guards (docks for the patrol and landing craft)
- Professional (pontoons for ferries, trawling, aquaculture facilities)
- Sports and recreation facilities (rowing pontoons and swimming platforms)

Description Pontoon	
Standard Length : 6,00 - 12,00 m (Projects can be done in different lengths by request.)	Side Fender: Polythene
Applicable Width : 1,50,1,75,2,00,2,25,2,50 ve 3 m	Height above sea level 0,55m +/- 3 cm
Lifting capacity : 150Kg/m ²	Composite or wood veneer



ROTOPORT

JET-SKI PLATFORM



ROTOPORT responds according to the changes in water level and therefore it protects the product against wind and waves; which makes it possible for you to create your own custom spaces in the seas, lakes, rivers. In addition, the design allows the water to drain the surface. Installation can be customized due to easy installation process by using available accessories such as kedge, metal parts, pipe-bracket, etc and with the use of the dock hinge set, the Rotoport can be connected to the Sunndock Systems. A number of connecting units are available which can connect to the Sunnydock, Rotodock and Marinedock products.



BOATLIFT

BOAT PLATFORM



Due to the boatlift platform, your boat can be easily docked on the water. Optionally, electric or manual crane winches with roller system can be installed to the Boatlift product.

The product is designed to fully protect your boat or yacht from marine growth by lifting the entire craft out of the water. Thus, reduces maintenance costs.

This System can be produced for boats from 4 meters to 10 meters. It can also accommodate Jetskis.

The Boatlift has easy access on both sides which can be extended if desired.

The Boatlift systems platforms are compatible with the Rotodock and Sunnydock systems.

The boats engine power can assist in launching likewise with the use of electrical winch system.





PMSmaterial handling



PMScustom molding



PMSfurniture

PMS

PMS POLİETİLEN MAM. SAN. TİC. A.Ş.

Kemalpaşa O.S.B Mahallesi Kazım Karabekir Cad. No:78,
35170 Kemalpaşa İZMİR / TURKEY
T: +90 232 877 05 80 F: +90 232 877 05 81
info@pms.com.tr



DOCK MARINE EUROPE

A-3435 Neusiedl,Hauptstraße 13
T: +43 (0)2272 72929
Mobil : +43 (0)664 1003869
info@dockmarine.at - www.dockmarine.at
"MARINE DOCK SYSTEMS is the trademark of
PMS POLİETİLEN MAM. SAN. TİC. AŞ."



www.pms.com.tr
www.dockmarine.com.tr