



Battery Track 200 24V



Via Cento 42/d, Vigarano Mainarda 44049 (FE)
Tel. 0532 737013 - Fax 0532 739189
E-mail: info@sprayteam.it - PEC: sprayteamsrl@cert.cna.it
www.sprayteam.it

Features

Unit for Urban pest control BATTERY TRACK 200 24V

Pump:

Piston pump 14lt./min.

Engine:

24 Volt electric.

Frame:

dipped hot galvanized steel sections.
Engine-pump support on silent blocks.
Insert for the forklift for a speedy load and unload of the equipment.

Main tank:

Integrated in the machine unit. In polyethylene, 200 litres capacity, with inside smooth walls and bottom with central convergence for a complete draining, green anti weed.
Electronic level gauge by led visible from the central rear-view mirror of the vehicle.
Screw hatch cap and sieve filter.

Circuit washing tank:

Circuit washing system dependent on the main tank, but external to it.

Hand washing tank:

Integrated in the circuit washing tank, but independent of it. In polyethylene, 10 liters capacity.

Engine-pump case:

More aerodynamic shape to improve rear visibility. Made of fiberglass reinforced resin and thermoformed ventilation grilles.

Ventilating unit:

Axial propeller, diffuser cone with n. 6 nozzles out of current, with anti-drip device and closed position to exclude the unnecessary nozzle. Internal gaskets in VITON.

Actual range: 15 – 18 m.

New remote-control unit:

includes the following functions:

1. Engine starting-stopping and acceleration.
2. Horizontal and vertical orientation of the flexible terminal part with sensor of end-runs both in vertical and in horizontal.
3. Opening and closing of the delivery valve.
4. Warning lights.

Automatism of movement:

- vertical: adjustment of the angle of work with one hand in 2 second;
- horizontal: adjustment of the angle of work changing the position of the sensor of end run.

Safety function:

- Revolving head light for night-work;
- Push-bottom of emergency stop;
- Tools box;
- hours counter (working);
- Certification of compliance with EEC regulation;
- Manual for use and maintenance.



Dimension and weights

(without accessories)

Total width

cm. 110

Length

cm. 170

Height

cm. 140

Net weight

Kg. 540

Professional **wireless remote control** for remote management (100 meters).



Tracks equipped with 1200 Watt self-braking gearmotors for safety when climbing and descending steep slopes.



Adjustable **headlight** for night work.



Spray Team srl

Via Cento 42/d - Vigarano Mainarda 44049 (FE) • Italy
Tel. 0532 737013 - Fax +39 0532 739189 • E-mail: info@sprayteam.it
www.sprayteam.it