

Z I S

THE MOST COMPLETE & EFFECTIVE RANGE OF PADS FOR FLOOR RESTORATION & MAINTENANCE



Offered in several types and grit sizes for different applications from restoration and deep cleaning to gloss upgrade and daily maintenance.

Available in all popular sizes from 5" to 28" diameter. Also available in rectangular shapes.



No special equipment needed – compatible with most low-speed and high-speed floor machines (buffers, auto scrubbers, burnishers, etc). Use with velcro pad holder for best results.

No chemicals required - use with water.

Simple and easy process to save you time and money.

FAST RESULTS WITH MINIMUM EFFORT



CAN BE USED ANYWHERE IN THE WORLD

REDUCED **PERIODIC** MAINTENANCE



IMPROVED BOTTOM LINE FOR FLOOR OWNERS



BETTER CLEANING & GLOSS RESULTS

NO CHEMICALS NEEDED



MINIMUM ENVIRONMENTAL **IMPACT**

FLOOR APPEAL TO USERS




SUPRASHINE MAINTENANCE PADS



400 GRIT | 800 GRIT | 1800 GRIT | 3500 GRIT | 8000 GRIT

Professional range of pads with flexible material to deep clean, upgrade and maintain all types of coated and uncoated, hard and resilient floors.



VERSATILE & EFFICIENT Use with low-speed and high-speed floor machines with water only.


SUPRASHINE HIGH PERFORMANCE PADS



2x

800 GRIT | 1800 GRIT | 3500 GRIT

A dedicated range of HIGH PERFORMANCE pads with flexible material for daily maintenance of HIGH TRAFFIC floors.



ONE PAD SOLUTION

Upgrade any floor during daily cleaning, no matter weather & traffic conditions.





SUPRASHINE HEAVY DUTY PADS



220 GRIT | 400 GRIT



SupraShine HD tough material is meant for surface preparation and to remove extreme dirt - a real problem solver in difficult cases where more cleaning power is needed.

SUPRASHINE HYBRIDS



50 GRIT | 100 GRIT | 200 GRIT | 400 GRIT

RESTORATION MADE SIMPLE

Attach the 5" hybrids to a standard pad. Use with low-speed machines and water only.







A complete range of tools from 50 to 400 grit designed to restore surfaces – eliminate stains, scratches and orange peel, and achieve a smooth surface. Suitable for concrete, terrazzo and natural stone.