

SUITABLE SURFACES



Wood



ABOUT POLYGRIP DECKING STRIPS

GripFactory PolyGrip Decking Strips are made of polyester, reinforced with fiberglass fibers (GRP) with an aluminum grain on top. Due to the use of these high-quality materials, GripFactory PolyGrip Decking Strips are not only very strong, but also very light and easy to process. GripFactory PolyGrip Decking Strips are available in 14 colors (including black, yellow, beige and brown). You get no less than 10 years warranty! Samples are available upon request.



TECHNICAL DATA


Topic	Result
Width (mm)	50 or 90
Length (mm)	Maximum 2400. Standard lengths: 600, 800, 1000, 1200, 1400, 1600, 1800, 2000 and 2400. Other lengths on request.
Thickness (mm)	Nominal 4
Service temperatures (°C)	-20°C to +80°C
Fire resistance	Class 1 - Flame Spread (spark free)
Technical life (years)	10 - 15 depending on use





PENDULUM TEST RESULTS

Reference	Test Value	
	Dry	Wet
PolyGrip Decking Strips	80	75

Potential for slip	Pendulum Test Value
High	<24 (0.24)
Moderate	25 - 35 (0.25 - 0.35)
Low	>36 (0.36)



DIMENSIONS



COLOURS

RAL 1001 Beige	RAL 9005 Black	RAL 5015 Blue
RAL 8025 Brown	RAL 8028 Dark Brown	RAL 7015 Dark Grey
RAL 4010 Fuchsia	RAL 6001 Green	RAL 7004 Grey
RAL 7035 Light Grey	RAL 1020 Olive Yellow	RAL 2009 Orange
RAL 3001 Red	RAL 9003 White	RAL 1023 Yellow

GRIFFACTORY

INNOVATIVE ANTI-SLIP PRODUCTS FOR EVERY SURFACE



www.gripfactoryantislip.com