



2024 PRODUCT RANGE

INFLATABLE BIMINIS - INFLATABLE PLATFORMS
ISUP BOARDS - GLASS BOTTOM DINGHYS





SAFE, EASY AND FUN!

*That is how life on board should be,
that is how our products are.*





SIZE XXS  **RIBS & MOTORBOATS:** From 2.5m to 5m length.

SIZE XS  **SAILBOATS:** From 7m to 10m length.
 **RIBS & MOTORBOATS:** From 5m to 7.5m length.



- F** Front: 1.00 - 1.85 mts.
- B** Back: 1.00 - 1.85 mts.
- L** Length: 1.80 mts.
- FH** Front Height: 1.30 mts.
- BH** Back Height: 1.30 mts.



- F** Front: 1.50 - 1.90 mts.
- B** Back: 1.95 - 2.40 mts.
- L** Length: 2.10 mts.
- FH** Front Height: 1.30 mts.
- BH** Back Height: 1.40 mts.

SIZE S  **SAILBOATS:** From 10m to 15m length.
 **RIBS & MOTORBOATS:** From 7.5m to 11m length.

SIZE S+  **SAILBOATS:** From 14m to 18m length.
 **MOTORBOATS:** From 10m to 13m length.



- F** Front: 1.95 - 2.30 mts.
- B** Back: 2.45 - 2.85 mts.
- L** Length: 2.30 mts.
- FH** Front Height: 1.40 mts.
- BH** Back Height: 1.50 mts.



- F** Front: 2.15 - 2.55 mts.
- B** Back: 2.80 - 3.20 mts.
- L** Length: 2.50 mts.
- FH** Front Height: 1.70 mts
- BH** Back Height: 1.55 mts




SIZE M

 **SAILBOATS:** From 14m to 18m length.
 **MOTORBOATS:** From 10m to 13m length.

SIZE L

 **SAILBOATS:** From 16m to 25m length.
 **MOTORBOATS:** From 13m to 25m length.



F Front: 1.85 - 2.50 mts.
B Back: 2.80 - 3.40 mts.
L Length: 2.50 mts.
FH Front Height: 2.00 mts.
BH Back Height: 2.25 mts.



F Front: 2.35 - 3.20 mts.
B Back: 3.35 - 4.00 mts.
L Length: 3.00 mts.
FH Front Height: 2 mts.
BH Back Height: 2.25 mts.

SIZE CHART



RIBS



MOTORBOATS



SAILBOATS

XXS



From 2.5m to 5m length.

From 2.5m to 5m length.

XS



From 5m to 7.5m length.

From 5m to 7.5m length.

From 7m to 10m length.

S



From 7.5m to 11m length.

From 7.5m to 11m length.

From 10m to 15m length.

S+



From 11m to 15m length.

From 11m to 17m length.
 From 18m to 25m length.*
 *Covering the bow sunbed

From 14m to 18m length.

M



From 10m to 13m length.

From 14m to 18m length.

L




From 13m to 25m length.

From 16m to 25m length.



TECHNICAL ASPECTS



1 - STRUCTURE:
 DACRON 600D OUTER FABRIC
 THERMO-RETARDANT PE INNER FABRIC
 0.25MM TPU INNER CHAMBER
 2 - FIXING SYSTEM BY ADJUSTABLE STRAPS
 3 - BASES WITH EXTRA DACRON 400D
 4 - TWO OVERPRESSURE SAFETY VALVES

5 - FIVE LOOPS FOR SAFETY ROPES FIXATION.
 6 - ZIPPERS FOR COMPLETE DISMANTLING
 7 - LATERAL ANTI-FRICTION PROTECTION
 8 - DACRON 300D TENT WITH UV PROTECTION
 9 - 4X UNIVERSAL INFLATION VALVES
 10 - 3X EXTRA DEFLATION VALVES



First time
Setup



Can I sail
with it?



How to attach
to the boat?



Decktent.com



INFLATABLE PLATFORMS

PLATFORM



TECHNICAL ASPECTS

PLATFORM 300 X 200 AND 250 X 150

Drop stitch 2,3mm.
UV resistant 0,9mm PVC.
Inflation pressure: 5 PSI.
20cm double layer.
8 Soft handles.
4 Stainless steel "D rings".
4 Ballast bags.
2 Inflation/deflation valves.
1 Soft ladder.
Anti slip EVA deck.
Edge colours: White.
Electric pump.
Belt.
Repair kit.

SUPPLATFORM



SUP PLATFORM 200 X 100

Drop stitch 2,3mm.
UV resistant 0,9mm PVC.
Inflation pressure: 5 PSI.
20cm double layer.
1 Soft ladder.
Anti slip EVA deck.
5 Stainless steel "D Rings".
Edge colour: White.
3 pieces paddle.
Hand pump.
2 x 1.5m fastening straps.
Belt.
Repair kit.

DOG RAMP



DOG RAMP 150 X 100

Drop stitch 2,3mm.
UV resistant 0,9mm PVC.
Inflation pressure: 7 PSI.
1 Mesh ladder.
Anti slip EVA deck.
4 Stainless steel "D Rings".
Hand pump.
2 x 1.5m fastening straps.
Suitable for all breeds up to 50 kg.



WATER LOUNGE

CIRCULAR



SQUARE



TECHNICAL ASPECTS

CIRCULAR WATER LOUNGE

Foldable circular lounge with mesh center.
Diameter: 250cm.

CONSTRUCTION:

UV resistant 0,9mm PVC.
2.3mm drop stitch inner construction.
2 reinforced grab Handles.
2 Stainless Steel D-rings.

INCLUDED ACCESSORIES:

Hand pump, carrying bag, repair kit and ropes.

SQUARE WATER LOUNGE

Foldable square lounge with mesh center
250cm x 250 cm

CONSTRUCTION:

DWF UV resistant PVC + EVA teak
Drop stitch inner construction
8 Grab Handles
4 drink holders
Stainless Steel D-rings

INCLUDED ACCESSORIES:

Electric pump, carrying bag, repair kit and ropes



INFLATABLE SUP BOARDS

SIZE 10' 6" X 32" X 6"

SIZE 9' 6" X 32" X 6"



INCLUDED: Bag - Hand pump - Leash - 3 pieces paddle - Fins - Belt - Repair kit.

MATERIALS: DOUBLE WALL FABRIC



TECHNICAL ASPECTS

- 2.3mm Double layer Reinforced drop stitch.
- 1,2mm double layer heavy duty UV resistant PVC tarpaulin.
- TPU totally hand made for drop stitching material.
- 304 Stainless steel 2.5 cm and 6cm big D ring system.
- High pressure halkey roberts bravo valve.
- Special for anti corrosion made handle.
- Soft handle same material as car safty belt.
- Multi-color screen printing.
- Advanced UV printing technology.
- Inflation pressure 11 PSI





GLASS BOTTOM DINGHY “FORMENTERA”




MODEL	Length (cm)	With (cm)	Diameter (cm)	Chamber	Max.Power (HP)	Max. Capacity (person)	Max. Load (kg)
FORMENTERA - 230 PC	230	134	37	3	4	👤👤	350
FORMENTERA - 270 PC	270	154	42	3	8	👤👤👤	480
FORMENTERA - 330 PC	330	156	42	3	15	👤👤👤👤	540


CONSTRUCTION:
3 chambers high quality UV resistant 0,9mm PVC.
5 mm extra resistant polycarbonate.
Stainless steel D ring structure.

STANDARD EQUIPMENT INCLUDED:
Two Piece Aluminum Oars, one Marine Grade Plywood Seat,
1 Foot Pump, 1 Repair Kit.





REMIGO ELECTRIC MOTOR



TECHNICAL ASPECTS

STANDARD PACKAGE:

1000W RemigoOne Electric Outboard Motor.

Mounting bracket (transom + tiller bracket).

Standard AC RemigoOne charger (5A).

2x RemigoOne Magnetic Key.

Set of tools for height/shaft length adjustment + 1x spare propeller pin.

User manual.

Warranty certificate.

PERFORMANCE

	speed in knots (km/h)	NM range (km)
eco	2.0 (3.7)	30.0 (55.0)
cruise	3.0 (5.5)	14.0 (25.6)
full speed	5.0 (9.2)	4.9 (9.1)





FINALLY STAYING COOL ON BOARD

CONTACT:



facebook.com/decktent



instagram.com/decktent



www.decktent.com



enjoy@decktent.com