


venet

Ventilation and air-conditioning duct cleaning and extraction equipment




ELECTRIC
For ducts of
50 to 400 mm
Hose length
10 m

Compact equipment that integrates a cleaning and suction system in the same machine. Cleaning is carried out by means of a mechanical brush with a rotating flexible shaft that allows it to clean small-section ducts.

TC3120631 | 110V - 50/60Hz

INCLUDED ACCESSORIES ▼




VACUUM HOSE.
Ø160 mm
3,33 m of length
AC3101319



ADAPTER HOSE DUCT. Ø160 mm
AC3101404




FLEXIBLE SHAFT WITH BAG. 10 m
Ø50-250 mm
AC3303614



F7 AND H13 FILTERS.
400 x 400 x 21 mm - 1 unit
400 x 400 x 46 mm - 1 unit



REMOTE CONTROL.
AC3303605



NYLON BRUSH.
Ø250 mm
CP4000250

OPTIONAL ACCESSORIES ▼



PACK FINE NYLON BRUSHES.
Ø300 | 350 | 400 mm
CP2103040




PACK NYLON SQUARE DUCT BRUSHES.
Ø300 | 350 | 400 mm
CP2104055



FLEXIBLE SHAFT.
15 m.
Ø300 | 400 mm
AC3303615


CONSUMABLES ▼



F7 AND H13 FILTERS.
400 x 400 x 21 mm - 1 unit
AC1300007
400 X 400 X 46 mm - 1 unit
AC1300013



G4 PREFILTER.
380 x 380 x 96 mm - 1 unit
AC1300004



NYLON BRUSH.
Ø250 mm
CP4000250

TECHNICAL FEATURES

venet

| | |
|---------------------------|--|
| Maximum power equipment | 230V-110V 50 - 60Hz 0,7 kW - 0,94 HP |
| Maximum power consumption | 3 A |
| Suction power | 0,27 kW |
| Maximum suction flow rate | 1600 m ³ /h |
| Maximum depression | 600 Pa |
| Operating point | 1000m ³ /h a 450 Pa |
| Filtration level 1 | F7 |
| Filtration level 2 | H13 |
| Degree of separation | >99 % |
| Aspiration hose | Ø160 mm 3 m - 9,84 ft |
| Brushing power | 0,25kW |
| Brushing speed | Adjustable 0 - 1000 r.p.m. |
| Direction of rotation | Right Left |
| Control system | Electric |
| Control panel | Membrane keyboard |
| Brushing shaft | Ø10 mm 10 m - 32,8 ft |
| Noise level | 72 dB |
| Main materials | Painted steel and HDPE |
| Dimensions [L x W x H] | 530 x 481 x 926 mm 20,87 x 18,94 x 36,46 in |
| Weight | 50 kg 110,2 lb |