



# **OUR PRODUCTS**



### YOUR PREMIER SOURCE FOR SUSTAINABLE TEAK

Are you in search of premium-quality teak that not only meets the highest standards of sustainability but also good enough to replace traditional Burmese teak? Look no further than Ecotopia Teak - the leading teak producing company certified by FSC SGSCH-FM/COC-002838 since 2006.

At Ecotopia Teak, we pride ourselves on providing a alternative to Burmese teak while adhering to the strict guidelines of the European Union Timber Regulation (EUTR) and the European Union Deforestation Regulation (EUDR).

Our sprawling 1200 hectares of FSC-certified teak plantations in Panama boast ideal climatic conditions, ensuring that our teak at aged 25 years is good enough to replace the Burmese counterpart. The proof lies in the numerous yachts constructed using our teak, with really good feedback.

But our commitment to excellence doesn't stop there. We've recently inaugurated our state-of-the-art sawmill, also FSC ™chain of custody SGSCH-COC-800055 to cater to the discerning needs of our premium clientele. With our sawmill meeting the stringent requirements of luxury customers, you can trust Ecotopia Teak to deliver nothing but the finest.

Expanding our reach beyond Panama, Ecotopia Teak is actively establishing a network of distributors across the world. Currently, our teak is stocked in warehouses in Denmark, Finland, Sweden, Germany, and Cyprus. Our vision is to extend our distribution network to all regions where there's a demand for top-notch certified plantation teak.

Our product range is comprehensive, catering to various industries and applications. From yacht builders to outdoor furniture manufacturers, we offer plantation teak sawn in six different qualities, ensuring that we meet the precise specifications of our diverse clientele. Additionally, we provide terrace decking in four qualities, with plans underway to launch a production line for countertops soon.


Choose Ecotopia Teak for sustainable, premium-quality teak solutions that exceed expectations. Join us in our mission to revolutionize the teak industry while preserving our planet's precious resources for generations to come.





| FEQ                             |                |              |                    |                |             |  |                |                            |  |
|---------------------------------|----------------|--------------|--------------------|----------------|-------------|--|----------------|----------------------------|--|
| General<br>description          | Cutting        | Dead<br>knot | Fresh<br>knots     | Cracks         | Sapwood     | Other<br>defects   | Repair         | Color                      |  |
| Smooth no<br>defects<br>allowed | Mixed<br>grain |              | Not<br>allowed     | Not<br>allowed | Not allowed | Small defect<br>that will go<br>away in the<br>plainer is<br>allowed | Not<br>allowed | Uniform<br>medium<br>color |  |
| Dimensions                      |                |              |                    |                |             |  |                |                            |  |
|                                 | hickness       |              | With               |                |             | Length   |                |                            |  |
| 26 mm 40 mm 52 mm               |                |              | From 40mm to 330mm |                |             | From 90mm to 3000mm  |                |                            |  |





| CARIBBEAN          |             |           |         |          |         |                   |           |         |  |  |
|--------------------|-------------|-----------|---------|----------|---------|-------------------|-----------|---------|--|--|
| General            | Cutting     | Fresh     | Dead    | Cracks   | Sapwood | Other defects     | Repair    | Color   |  |  |
| description        |             | knots     | knots   |          |         |                   |           |         |  |  |
|                    |             |           |         | First fa | ice     |                   |           |         |  |  |
| Nice boards        | Mixed       | 2 knot up | Not     | Not      | Not     | Small defect that | Not       | Uniform |  |  |
|                    | grain       | to 30 mm  | allowed | allowed  | allowed | will go away in   | allowed   | medium  |  |  |
|                    |             | per meter |         |          |         | the plainer is    |           | color   |  |  |
|                    |             |           |         |          |         | allowed           |           |         |  |  |
|                    | Second Face |           |         |          |         |                   |           |         |  |  |
| Nice boards        | Mixed       | 2 knot up | Not     | Not      | 4%      | Small defect that | Not       | Uniform |  |  |
|                    | grain       | to 30 mm  | allowed | allowed  |         | will go away in   | allowed   | medium  |  |  |
|                    |             | per meter |         |          |         | the plainer is    |           | color   |  |  |
|                    |             |           |         | . ,      |         | allowed           |           |         |  |  |
|                    | 3 18        |           |         | Side     | S       | c.                |           |         |  |  |
| Nice boards        | Mixed       | 2 knot up | Not     | Not      | 1%      | Small defect that | Not       | Uniform |  |  |
|                    | grain       | to 30 mm  | allowed | allowed  |         | will go away in   | allowed   | medium  |  |  |
|                    |             | per meter |         |          |         | the plainer is    |           | color   |  |  |
|                    |             |           |         |          |         | allowed           |           |         |  |  |
| Dimensions         |             |           |         |          |         |                   |           |         |  |  |
| Thickness          |             |           | With    |          |         | Length            |           |         |  |  |
| 26mm 40mm 52mm Fro |             |           | From    | 40mm to  | 330mm   | From 90mr         | n to 3000 | )mm     |  |  |






| DENMARK                |           |   |  |                               |            |                |                               |            |  |  |
|------------------------|-----------|---|--|-------------------------------|------------|----------------|-------------------------------|------------|--|--|
| General<br>description | Cutting   | Fresh<br>knots                            | Dead<br>knots                          | Cracks                        | Sapwood    | Other defects  | Repair                        | Color      |  |  |
| First face             |           |   |  |                               |            |                |                               |            |  |  |
| Like FEQ               | Mixed     | Not allowed                               | Not                                    | Not                           | Not        | Small defect   | Not                           | Uniform    |  |  |
|                        | grain     |   | allowed                                | allowed                       | allowed    | that will go   | allowed                       | medium     |  |  |
|                        |           |   |  |                               |            | away in the    |                               | color      |  |  |
|                        |           |   |  |                               |            | plainer is     |                               |            |  |  |
|                        |           |   |  |                               |            | allowed        |                               |            |  |  |
|                        | ir.       |   | Se                                     | econd Fa                      | се         |                |                               |            |  |  |
| Defect                 | Mixed     | fresh knots                               | Allowed                                | Not                           | Allowed up | Free amount    | Not                           | Miss       |  |  |
| allowed                | grain     | up to 50mm                                | up to max                              | allowed                       | to max     | of defects     | allowed                       | coloration |  |  |
|                        | 2/76)     | or max 50%                                | 30mm but                               |                               | covearge   | allowed in     |                               | allowed    |  |  |
|                        |           | of width /                                | not runnig                             |                               | of 50%     | worst side,    |                               |            |  |  |
|                        |           | thickness.                                | deeper                                 |                               |            | penetrating    |                               |            |  |  |
|                        |           | Max 3pcs per                              | into the                               |                               |            | max half       |                               |            |  |  |
|                        |           | meter, small                              | board                                  |                               |            | thickness.     |                               |            |  |  |
|                        |           | fresh knots in                            | thank half                             |                               |            | Minor bug      |                               |            |  |  |
|                        |           | clusters,                                 | of                                     |                               |            | defect allowed |                               |            |  |  |
|                        |           | fresh knots                               | thickness                              |                               |            | up to max      |                               |            |  |  |
|                        |           | running                                   |  |                               |            | 2mm            |                               |            |  |  |
|                        |           | through                                   |  |                               |            |                |                               |            |  |  |
|                        |           | board is                                  |  |                               |            |                |                               |            |  |  |
|                        |           | allowed                                   |  |                               |            |                |                               |            |  |  |
|                        |           |   |  | Sides                         |            |                |                               |            |  |  |
|                        | Mixed     | Not allowed                               | Not                                    | Not                           | Allowed up | Small defect   | Not                           | Uniform    |  |  |
|                        | grain     | acumo se de cresce es 100 (10 e e e 10 d) | allowed                                | allowed                       | to the     | that will go   | allowed                       | medium     |  |  |
|                        | - Comment |   |  | A. Sansani Medical Matie (187 | middle of  | away in the    | s consensation and that offer | color      |  |  |
|                        |           |   |  |                               | the board  | plainer is     |                               |            |  |  |
|                        |           |   |  |                               |            | allowed        |                               |            |  |  |
| Dimensions             |           |   |  |                               |            |                |                               |            |  |  |
| 14<br>2 <del>1</del>   | Thicknes  | 22  |  | With                          | arto es    | 1.             | ength                         |            |  |  |
| 26mm                   |           |   | From 9                                 | CONTROL S SANCO               |            |                | )Omm                          |            |  |  |
|                        | 2011111   |   | From 80mm to 150mm From 90mm to 3000mm |                               |            |                |                               |            |  |  |







## BIG

#### General description

Nice big boards, That are over all good. That have one big defect or several small defects. If the front side is perfect more things are allowed on the backside. Up to 10 % white allowed on the backside Small end cracks allowed. So it's an overall judgement. The bigger board more things are allowed compare to a small board. Length 1800 + mm Width 180 + mm.

| Dimensions |       |                     |                         |  |  |  |  |
|------------|-------|---------------------|-------------------------|--|--|--|--|
| Thic       | kness | With                | Length                  |  |  |  |  |
| 40mm       | 52mm  | From 180mm to 400mm | 1950mm, 2550mm and 3150 |  |  |  |  |





| COMMERCIAL             |                |                                    |                    |                                   |         |                                  |        |                               |  |  |
|------------------------|----------------|------------------------------------|--------------------|-----------------------------------|---------|----------------------------------|--------|-------------------------------|--|--|
| General<br>description | Cutting        | Fresh<br>knots                     | Dead<br>knots      | Cracks                            | Sapwood | Other defects                    | Repair | Color                         |  |  |
|                        | First face     |                                    |                    |                                   |         |                                  |        |                               |  |  |
| Normal<br>boards       | Mixed<br>grain | 4 knot up<br>to 50 mm<br>per meter |                    | minor<br>end<br>cracks<br>allowed | 10%     | Big defects are<br>measured away |        | Miss<br>coloration<br>allowed |  |  |
|                        |                |                                    |                    | Second                            | Face    |                                  |        | Į.                            |  |  |
| Normal<br>boards       | Mixed<br>grain | 4 knot up<br>to 50 mm<br>per meter |                    | minor<br>end<br>cracks<br>allowed | 50%     | Big defects are<br>measured away |        | Miss<br>coloration<br>allowed |  |  |
| Dimensions             |                |                                    |                    |                                   |         |                                  |        |                               |  |  |
| Thickness              |                |                                    | With               |                                   |         | Length                           |        |                               |  |  |
| 26mm 40mm 52mm         |                |                                    | From 80mm to 330mm |                                   |         | From 90mm to 3000mm              |        |                               |  |  |









## **Distributors**

#### **CYPRUS**

#### D.C.DEMETRIADES LTD.

- https://www.dcdemetriades. com.cy
- 10 Vasilissis Frederikis2409, Nicosia, Cyprus
- +357-22355004

#### DENMARK

#### **KEFLICO A/S**

- https://keflico.com
- juelstrupparken 24 9530Støvring
- +45 9813 3544

#### **FINLAND**

#### OY SKANDINAVISKA TRÄIMPORT AB

- https://www.traimport.fi/
- Laakerikatu 16 FI-15700 LAHTI
- +358 3 882 510

#### **GERMANY**

#### **ALFRED NEUMANN GMBH & CO KG**

- https://www.neumannholz. org
- Bosteler Feld 2921218 Seevetal / Germany
- +49 (0) 4105 59 29 9 50

#### **GERMANY**

## HOLZ-SCHNETTLER SOEST – IMPORT - EXPORT GMBH

- https://hss-online.de/en/
- Seidenstückerweg 259494 Soest
- (1) +49 (0)2921 705-0

#### SWEDEN

### KÄRNSUND WOOD LINK AB

- https://www.karnsund.se/
- Bangårdsvägen 6, KÅLLERED
- +46 31 778 68 50



# CONTACT

- **(**+507) 390-2130
- © @ecotopiateak
- www.ecotopiateak.com