

[M]

MORFRAC



Price List 2024^[2]



**PRICE
DROP!**



powerfurl.



m.dogbone
Titanium



powerfurl.
BUNDLES

A dark grey circular badge with the word "NEW!" in white, bold, italicized capital letters.

powerurl.[single-line]

MORFRAC


Price list 2024^[2]

morbblock._[LIGHT]





Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
morbblock._[LIGHT] 0.5 - High load	15	5	30	20	21	155	3	29.74
morbblock. _[LIGHT] 0.5 - High Performance	15	5	30	20	21	125	3	32.09
morbblock._[LIGHT] 1 - High load	20	5	30	20	21	225	6	35.60
morbblock. _[LIGHT] 1 - High load (with becket)	20	5	30	20	21	225	7	40.32
morbblock._[LIGHT] 1 - High performance	20	5	30	20	21	170	6	42.32
morbblock. _[LIGHT] 1 - High performance (with becket)	20	5	30	20	21	170	7	48.38
morbblock._[LIGHT] 2 - High load	30	6	51	30	26	450	16	48.05
morbblock. _[LIGHT] 2 - High load (with becket)	30	6	51	30	26	450	17	54.05
morbblock._[LIGHT] 2 - High performance	30	6	51	30	26	335	16	54.05
morbblock. _[LIGHT] 2 - High performance (with becket)	30	6	51	30	26	335	17	64.86
morbblock._[LIGHT] 3 - High load	40	12	70	40	35	1000	42	68.72
morbblock. _[LIGHT] 3 - High load (with becket)	40	12	70	40	35	1000	44	82.47
morbblock._[LIGHT] 3 - High performance	40	12	70	40	35	750	42	75.59
morbblock. _[LIGHT] 3 - High performance (with becket)	40	12	70	40	35	750	44	90.71
morbblock._[LIGHT] 4 - High load	50	14	88	50	48	2000	84	126.00
morbblock. _[LIGHT] 4 - High load (with becket)	50	14	88	50	48	2000	88	151.20
morbblock._[LIGHT] 4 - High performance	50	14	88	50	48	1500	84	138.60
morbblock. _[LIGHT] 4 - High performance (with becket)	50	14	88	50	48	1500	88	166.32
morbblock._[LIGHT] 5 - High load	60	16	105	60	54	2800	133	182.52
morbblock. _[LIGHT] 5 - High load (with becket)	60	16	105	60	54	2800	140	219.03
morbblock._[LIGHT] 5 - High performance	60	16	105	60	54	2100	133	200.77
morbblock. _[LIGHT] 5 - High performance (with becket)	60	16	105	60	54	2100	140	240.93
morbblock._[LIGHT] 6 - High load	70	20	125	70	66	4500	266	286.46
morbblock. _[LIGHT] 6 - High load (with becket)	70	20	125	70	66	4500	279	343.75
morbblock._[LIGHT] 6 - High performance	70	20	125	70	66	3300	266	315.11
morbblock. _[LIGHT] 6 - High performance (with becket)	70	20	125	70	66	3300	279	378.13

morbblock._[XL]




Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
morbblock._[XL] 1 XL - High load	50	12	88	50	40	1200	73	133.63
morbblock. _[XL] 1 XL - High load (with becket)	50	12	88	50	40	1200	77	160.36
morbblock._[XL] 1 XL - High performance	50	12	88	50	40	1000	73	147.00
morbblock. _[XL] 1 XL - High performance (with becket)	50	12	88	50	40	1000	77	176.40
morbblock._[XL] 2 XL - High load	60	14	105	60	44	2000	105	190.91
morbblock. _[XL] 2 XL - High load (with becket)	60	14	105	60	44	2000	110	229.09
morbblock._[XL] 2 XL - High performance	60	14	105	60	44	1500	105	210.00
morbblock. _[XL] 2 XL - High performance (with becket)	60	14	105	60	44	1500	110	252.00
morbblock._[XL] 3 XL - High load	70	14	125	70	52	3000	175	286.36
morbblock. _[XL] 3 XL - High load (with becket)	70	14	125	70	52	3000	184	343.63
morbblock._[XL] 3 XL - High performance	70	14	125	70	52	2300	175	314.99
morbblock. _[XL] 3 XL - High performance (with becket)	70	14	125	70	52	2300	184	377.99
morbblock._[XL] 5 XL - High load - Titanium sheave	80	18	145	80	67	5000	260	664.13
morbblock. _[XL] 5 XL - High load (with becket) - Titanium sheave	80	18	145	80	67	5000	273	796.95
morbblock._[XL] 8 XL - High load - Titanium sheave	90	20	165	90	70	8000	415	900.90
morbblock. _[XL] 8 XL - High load (with becket) - Titanium sheave	90	20	165	90	70	8000	436	1,081.08
morbblock._[XL] 10 XL - High load - Titanium sheave	100	24	185	100	74	10000	577	1,269.35
morbblock. _[XL] 10 XL - High load (with becket) - Titanium sheave	100	24	185	100	74	10000	606	1,523.21
morbblock._[XL] 12 XL - High load - Titanium sheave	110	26	215	110	76	12500	839	1,500.35
morbblock. _[XL] 12 XL - High load (with becket) - Titanium sheave	110	26	215	110	76	12500	880	1,800.41
morbblock._[XL] 15 XL - High load - Titanium sheave	120	28	245	120	80	15000	958	2,308.85
morbblock. _[XL] 15 XL - High load (with becket) - Titanium sheave	120	28	245	120	80	15000	1,052	2,770.61

morbblock._[WOOD]




Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
morbblock. _[WOOD] 1 W - High load	50	12	100	52	40	1200	73	167.04
morbblock. _[WOOD] 1 W - High load (with becket)	50	12	100	52	40	1200	77	200.45
morbblock. _[WOOD] 1 W - High performance	50	12	100	52	40	1000	73	183.75
morbblock. _[WOOD] 1 W - High performance (with becket)	50	12	100	52	40	1000	77	220.50
morbblock. _[WOOD] 2 W - High load	60	14	115	62	44	2000	105	238.64
morbblock. _[WOOD] 2 W - High load (with becket)	60	14	115	62	44	2000	110	286.37
morbblock. _[WOOD] 2 W - High performance	60	14	115	62	44	1500	105	262.50
morbblock. _[WOOD] 2 W - High performance (with becket)	60	14	115	62	44	1500	110	315.00
morbblock. _[WOOD] 3 W - High load	70	14	135	72	52	3000	175	357.95
morbblock. _[WOOD] 3 W - High load (with becket)	70	14	135	72	52	3000	184	429.53
morbblock. _[WOOD] 3 W - High performance	70	14	135	72	52	2300	175	393.74
morbblock. _[WOOD] 3 W - High performance (with becket)	70	14	135	72	52	2300	184	472.49
morbblock. _[WOOD] 5 W - High load - Titanium sheave	80	18	155	85	70	5000	260	830.16
morbblock. _[WOOD] 5 W - High load (with becket) - Titanium sheave	80	18	155	85	70	5000	273	996.19
morbblock. _[WOOD] 8 W - High load - Titanium sheave	90	20	175	95	74	8000	415	1,126.13
morbblock. _[WOOD] 8 W - High load (with becket) - Titanium sheave	90	20	175	95	74	8000	436	1,351.35
morbblock. _[WOOD] 10 W - High load - Titanium sheave	100	24	195	105	78	10000	577	1,586.68
morbblock. _[WOOD] 10 W - High load (with becket) - Titanium sheave	100	24	195	105	78	10000	606	1,904.02
morbblock. _[WOOD] 12 W - High load - Titanium sheave	110	26	225	115	80	12500	839	1,875.43
morbblock. _[WOOD] 12 W - High load (with becket) - Titanium sheave	110	26	225	115	80	12500	880	2,250.52
morbblock. _[WOOD] 15 W - High load - Titanium sheave	120	28	255	125	84	15000	958	2,886.06
morbblock. _[WOOD] 15 W - High load (with becket) - Titanium sheave	120	28	255	125	84	15000	1,052	3,463.27

morbblock._[SNATCH]



Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
morbblock. _[SNATCH] 1,5t	60	14	92			1500	152	279.00

mreel.



Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
mreel. _[1] - Up to 18m of ø8mm line			195	226	246		690	Price on Request
mreel. _[2] - Up to 36m of ø9mm line			210	300	321		770	Price on Request
mreel. _[3] - Up to 45m of ø12mm line			257	360	382		1175	Price on Request



powerfurl.

Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE	
	ø mm	ø mm	A	B	C	Kg	gram		€
powerfurl.[one] - 1,5t SWL furler - Drum and Swivelhead						1500	413	↓	815.00
powerfurl.[one] - 1,5t SWL furler - BUNDLE - Drum and Swivelhead + Ti D-shackles						1500	453		890.95
powerfurl.[one] - 1,5t SWL furler - Drum						1500	286		666.68
powerfurl.[one] - 1,5t SWL furler - Swivelhead						1500	127		295.89
powerfurl.[one] - 1,5t SWL furler - Top-Down Integrator						1500	260	↓	379.50
powerfurl.[one] - 1,5t SWL furler - Thimbles (2 units)						1500	15	↓	69.00
powerfurl.[one] - 1,5t SWL furler - Ti D-Shackle 6mm pin						1500	20		70.45
powerfurl.[one] - 1,5t SWL furler - Ti 2:1 Lashing						1500	56		156.45
powerfurl.[three] - 3t SWL furler - Drum and Swivelhead						3000	1183	↓	1,368.50
powerfurl.[three] - 3t SWL furler - BUNDLE 1 - Drum and Swivelhead + Ti D-Shackles						3000	1183		1,460.20
powerfurl.[three] - 3t SWL furler - BUNDLE 2 - Drum and Swivelhead + Ti D-shackle + Ti Lashing fitting						3000	1328		1,496.90
powerfurl.[three] - 3t SWL furler - BUNDLE 3 - Drum and Swivelhead + 2 Ti Lashing fittings						3000	1349		1,580.15
powerfurl.[three] - 3t SWL furler - Drum						3000	836		1,026.16
powerfurl.[three] - 3t SWL furler - Swivelhead						3000	347		427.07
powerfurl.[three] - 3t SWL furler - Top-Down Integrator						3000	407	↓	528.00
powerfurl.[three] - 3t SWL furler - Thimbles (2 units)						3000	40	↓	89.00
powerfurl.[three] - 3t SWL furler - Ti D-Shackle 8mm pin						3000	62		92.50
powerfurl.[three] - 3t SWL furler - Ti 2:1 Lashing						3000	83	↓	184.00
powerfurl.[three] - 3t SWL furler - Fork						3000	101		374.65
powerfurl.[three] - 3t SWL furler - Fork + Detachable 2:1						3000	220		539.90
powerfurl.[three] - 3t SWL furler - Fork + Detachable 3:1						3000	220		Price on Request
powerfurl.[three] - 3t SWL furler - Ti 3:1						3000	136		Price on Request
powerfurl.[three] - 3t SWL furler - 2:1 + Sheave						3000	195		Price on Request
powerfurl.[four] - 4,5t SWL furler - Drum and Swivelhead						4500	1140	↓	2,164.56
powerfurl.[four] - 4,5t SWL furler - BUNDLE 1 - Drum and Swivelhead + Ti D-Shackles						4500	1140		2,222.37
powerfurl.[four] - 4,5t SWL furler - BUNDLE 2 - Drum and Swivelhead + Ti D-shackle + Ti Lashing fitting						4500	1453		2,352.80
powerfurl.[four] - 4,5t SWL furler - BUNDLE 3 - Drum and Swivelhead + 2 Ti Lashing fittings						4500	1524		2,483.22
powerfurl.[four] - 4,5t SWL furler - Drum						4500	810		1,623.43
powerfurl.[four] - 4,5t SWL furler - Swivelhead						4500	330		578.99
powerfurl.[four] - 4,5t SWL furler - Thimbles (2 units)						4500	57	↓	159.00
powerfurl.[four] - 4,5t SWL furler - Ti D-Shackle 10mm pin						4500	121		119.30
powerfurl.[four] - 4,5t SWL furler - Ti 2:1 Lashing						6000	192	↓	260.00
powerfurl.[six] - 6t SWL furler - Drum and Swivelhead						6000	1755	↓	3,110.00
powerfurl.[six] - 6t SWL furler - BUNDLE 1 - Drum and Swivelhead + Ti D-Shackles						6000	1755		3,214.08
powerfurl.[six] - 6t SWL furler - BUNDLE 2 - Drum and Swivelhead + Ti D-shackle + Ti Lashing fitting						6000	2068		3,349.45
powerfurl.[six] - 6t SWL furler - BUNDLE 3 - Drum and Swivelhead + 2 Ti Lashing fittings						6000	2139		3,483.80
powerfurl.[six] - 6t SWL furler - Drum						6000	1222		2,176.95
powerfurl.[six] - 6t SWL furler - Swivelhead						6000	533		991.05
powerfurl.[six] - 6t SWL furler - Top-Down Integrator						6000	701	↓	870.00
powerfurl.[six] - 6t SWL furler - Thimbles (2 units)						6000	57	↓	159.00
powerfurl.[six] - 6t SWL furler - Ti D-Shackle 10mm pin						6000	121		119.30
powerfurl.[six] - 6t SWL furler - Ti 2:1 Lashing						6000	192	↓	260.00
powerfurl.[six] - 6t SWL furler - Fork						6000	230		393.30
powerfurl.[six] - 6t SWL furler - Fork + Detachable 2:1						6000	420		623.50
powerfurl.[six] - 6t SWL furler - Fork + Detachable 3:1						6000	420		Price on Request
powerfurl.[six] - 6t SWL furler - 3:1						6000	455		Price on Request
powerfurl.[six] - 6t SWL furler - 2:1 Sheave						6000	695		Price on Request
powerfurl.[eight] - 8t SWL furler - Drum and Swivelhead + lashing fittings						8000	2581	↓	4,620.50
powerfurl.[eight] - 8t SWL furler - Drum + lashing fitting						8000	1776		3,326.76
powerfurl.[eight] - 8t SWL furler - Swivelhead + lashing fitting						8000	805		1,524.77
powerfurl.[eight] - 8t SWL furler - Top-Down Integrator						8000	1243		2,395.00
powerfurl.[eight] - 8t SWL furler - Fork + Detachable 2:1						8000	925		1,013.20

↓ PRICE DROP



powerfurl.

Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
powerfurl.[ten] - 10t SWL furler - Drum and Swivelhead + lashing fittings						10000	2846	▼ 7,285.56
powerfurl.[ten] - 10t SWL furler - Drum + lashing fitting						10000	1929	5,318.46
powerfurl.[ten] - 10t SWL furler - Swivelhead + lashing fitting						10000	917	2,404.23
powerfurl.[ten] - 10t SWL furler - Top-Down Integrator						10000	1383	3,673.95
powerfurl.[ten] - 10t SWL furler - Fork + 2:1						10000	1128	1,888.95
powerfurl.[twelve] - 12t SWL furler - Drum and Swivelhead + lashing fittings						12000	4026	▼ 8,904.31
powerfurl.[twelve] - 12t SWL furler - Drum + lashing fitting						12000	2850	6,500.15
powerfurl.[twelve] - 12t SWL furler - Swivelhead + lashing fitting						12000	1176	2,938.42
powerfurl.[twelve] - 12t SWL furler - Top-Down Integrator						12000	1640	4,739.65
powerfurl.[twelve] - 12t SWL furler - Fork + 2:1						12000	1542	3,041.80



powerfurl.[single-line]

Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
powerfurl.[three] - 3t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						3000		1,928.40
powerfurl.[four] - 4,5t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						4500		2,415.76
powerfurl.[six] - 6t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						6000		3,630.00
powerfurl.[eight] - 8t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						8000		4,926.00
powerfurl.[ten] - 10t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						10000		7,716.75
powerfurl.[twelve] - 12t SWL furler - Single Line Drum and Swivelhead + Ti Lashing fittings						12000		9,447.20




tdi.s

Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
tdi.[s] - Top-Down Integrator Structured luff sails - for powerfurl.[three] and powerfurl.[four]						4500	649	1,217.00
tdi.[s] - Top-Down Integrator Structured luff sails - for powerfurl.[six]						6000	987	1,796.00
tdi.[s] - Top-Down Integrator Structured luff sails - for powerfurl.[eight] and powerfurl.[ten]						10000	1142	Price on Request

▼ PRICE DROP


m.dogbone



Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
m.dogbone 25-7-Al			25	7.7	7.2	560	3	6.60
m.dogbone 40-12-Al			40	12	9	860	6	8.31
m.dogbone 45-19-Al			45	19	9	860	7	11.15
m.dogbone 50-15-Al			50	15.6	11	1320	11	12.31
m.dogbone 60-23-Al			60	23.6	11	1320	14	16.16
m.dogbone 60-19-Al			60	19.7	13	2885	24	17.97
m.dogbone 65-24-Al			65	24.7	13	2885	27	19.01
m.dogbone 40-12-Ti			40	12	9	2300	10	23.00
m.dogbone 50-15-Ti			50	15.6	11	3520	19	32.00
m.dogbone 60-19-Ti			60	19.7	13	7720	42	38.00

NEW!

morfring.



Description	Sheave	Max Line	Dimensions [mm]			SWL	Weight	RRP PRICE
	ø mm	ø mm	A	B	C	Kg	gram	€
morfring Ø 15 mm - Low friction ring	15	4	15	6	7	250	1	10.19
morfring Ø 20 mm - Low friction ring	20	5	20	8	8	410	3	11.25
morfring Ø 30 mm - Low friction ring	30	8	30	12	12	850	8	15.45
morfring Ø 40 mm - Low friction ring	40	12	40	16	18	1725	20	19.29
morfring Ø 50 mm - Low friction ring	50	14	50	20	22	2500	39	29.00
morfring Ø 60 mm - Low friction ring	60	16	60	24	26	3900	68	33.97
morfring Ø 70 mm - Low friction ring	70	20	70	30	32	4700	112	48.29
morfring Ø 50 mm - Low friction ring - Low Profile	50	13	50	24	17	1200	31	34.65
morfring Ø 60 mm - Low friction ring - Low Profile	60	15	60	32	19	2000	42	40.43
morfring Ø 70 mm - Low friction ring - Low Profile	70	14	70	40	21	3000	90	56.60

Updated Prices, New Products and Promotions
in our 24/7 online shop:



SHOP.MORFRAC.COM

For Product Customization and Tailor-Made Systems and Solutions
Contact Us at

sales@morfrac.com
+34 676 302 314