


Carbon fiber sailboat steering

Exit Carbon wheels are suitable for sailing yachts, racing yachts, catamarans, and trimarans: ideal for anyone looking for a more responsive helm and enhanced comfort while, at the same time, increasing safety.

Exit Engineering was the first company to design and manufacture a wheel built in one piece, with no gluing of separate parts, unlike all other brands.

TECHNICAL DATA

Overall diameter	1840 mm
Hub thickness	60 mm
Rim thickness	40 mm
Weight	3.68 Kg



Space age technical exclusivity

Best results in terms of lightness, strength, and consistency.

The exact same wheel we supply to the fastest ocean racers is available for your yacht as well. Our shape seems easy to copy, but our construction is still unmatched.

European Patent 1755869B1

Exit Engineering was the first company to design and manufacture a wheel built in one piece - unlike those of all other brands at the time - without gluing separate parts.












The right hub for any axle

Our four standard hubs are always available and fit most steering wheel axles and we have stainless steel adapters for the 2 most common flange fittings, by Edson and JP3.

Many other brands of steering systems use the same fittings so check the drawings if in doubt.







The most common steering axles

Tapered with 3/16" (4.76 mm) key

LEWMAR/EDSON/JP3 (TAPERED) 8° tapered axle, 3/16" Woodruff key

Tapered with 5 mm key

JEFA/SOLIMAR (TAPERED) 8° tapered axle, 5 mm metric key

Cylindrical with 6 mm key

SOLIMAR CYLINDRICAL Untapered axle, 6 mm metric key


Cylindrical with %" (6.35 mm) key


EDSON CYLINDRICAL
1" untapered axle, 3/8" imperial key


3/8" key


6.35 mm wide


230 (1.18")











ADDITIONAL HUBS

JP3 ALUMINIUM SHAFT	30 mm dia. shaft, 6° taper angle, 3/16" Woodruff half moon key (4.76 mm wide)
NORTHWIND TAPERED	25 mm dia. shaft, 5° taper angle, 6 mm metric key
TELEFLEX TAPERED	19 mm (¾") dia. shaft, 2.5° taper angle, 3/16" Woodruff half moon key (4.76 mm wide)
PRIME PROJECTS TAPERED	30 mm dia. shaft, 3.4° taper angle, 8 mm metric key
MCCONAGHYS TAPERED	30 mm dia. shaft, 3.15° taper angle, twin 6 mm metric key
MARSILI 10% TAPERED	25 mm dia. shaft, 10% taper, 8 mm metric key

Options

Custom Painting

Gangways, swim ladders, walking surfaces, wheels, sun awning poles, can be painted in different colors. Please refer to the table to choose your color combination.

Our standard antiskid surface color is RAL 7036 Platinum Grey.



For an unlimited choice of color, please contact us, explaining your needs.



Sunbrella marine plus cover

Protect your carbon wheels with our exclusive Sunbrella Marine Plus covers. You can choose different colors: Blue, Dune, Grey





EU-TYPE-EXAMINIATION CERTIFICATE

CERTIFICATE NUMBER -07-10-1037-

European Certification Bureau Nederland BV, Notified Body 0614, declares that the product type as described below and specified in Annex I

Product name

EE127.02 (EE114.02) Steering Wheel

Product description Carbon fibre 3 spoke 1840 mm overall

diameter steering wheel

Manufacturers name Manufacturers address Exit Engineering S.R.L.

SS Via Industria, 43

30010 Camponogara, Venice

Italy

is in compliance with the essential requirements of the European Recreational Craft Directive 2013/53/EU. The product as assessed has been found to comply with the relevant parts of ISO standards and normative documents as listed in Annex I

Certification module

B (EU type-examination)

Issue date

October 19th 2007

Re-issue

December 21st 2016, due to directive revision

This certificate remains property of ECB Nederland BV and remains valid unless cancelled or revoked, provided the conditions of the certification contract remain complied with and the certified product is not modified.

This certificate consists of 1 page and 1 anne

For ECB Nederland,

Signature name function

H.J. Bloemers, B. Eng Senior Executive



ECB Nederland www.ecb.nl +31(0)299 323123 info@ecb.nl



EU-TYPE-EXAMINIATION CERTIFICATE

CERTIFICATE NUMBER -07-10-1037-

Annex I

Main particulars of Certified product

Overall diameter:

1840

[mm]

The Certified product has been assessed on basis of the following

Documentation as in ECB file: EXP-1581, and described in final report no. 1

Construction and Design plans, as detailed in Technical Documentation, kept by Applicant

The Certified product is found to comply with the relevant parts of ISO standards and normative documents listed below

EN ISO 8847:2004

m

Steering gear - Cable and pulley systems, clause 5.6 'Steering-wheel'

This certificate consists of 1 page and 1 annex

For ECB Nederland,

Signature name function

H.J. Bloemers, B. Eng Senior Executive



ECB Nederland www.ecb.nl +31(0)299 323123 info@ecb.nl

Carbon Fiber Sailboat Steering Wheels

					WHEELS	COVERS	PAINTING	
MODELS	DIAMETER	HUB THICKNESS	RIM THICKNESS	WEIGHT				
Quantum	Ø 93,5 cm	60 mm		1.34 Kg	€2,400	€255	€320	
Millennium	Ø 105 cm		35 mm	1.52 Kg	€2,550	€265	€330	
Orion 120	Ø 120 cm			1.75 Kg	€2,400	€290	€345	
Nautilus	Ø 164 cm			3,18 Kg	€3,630	€550	€375	
Arcadia	Ø 172 cm		40 mm	3.28 Kg	€3,850	€575	€385	
Enterprise	Ø 184 cm			3.68 Kg	€4,070	€595	€400	

STANDARD FINISHING

High gloss carbon fiber visible finishing with anti UV coating. Ample choice of beautiful RAL and Awlgrip ® colors, on option. Custom colors +€110. Metallic paint: +€110.

CONFIGURATION

Hub compatible with any steering shaft. See list below and send drawing for different kinds.

OPTIONAL WHEEL COVER

Tight fit, made to measure, Sunbrella Marine Plus ® covers. Choice of 3 colors. 5049 Charcoal grey, 5026 Dune (+€150), 5031 Marine blue (+€150)

Choices of color

Slate Grey - Whisper Grey - Platinum Grey - Silk Grey - Oyster White - Off White - Snow White - Purple Ochre Brown - Grey Beige - Desert Sand - Pebble Grey - Majestic Blue - Cobalt Blue - Aristo Blue Navy Blue - Royal Blue For even more colors, ask a quote.

PRICE

ALWAYS AVAILABLE STEERING HUBS

		PRICE HUB
Hub A	Lewmar / Edson / JP3 tapered (1" or 30 mm dia. shaft, 8° taper angle, 3/16" Woodruff half moon key)	included
Hub B	Jefa / Solimar tapered (25 or 30 mm dia. shaft, 8° taper angle, 5 mm metric key)	included
Hub D	Solimar 25 mm untapered (25 mm dia. shaft, 60 mm long, 6 mm metric key)	included
	., MADE TO ORDER STEERING HUBS	
Hub E	Edson 1" untapered (1" dia. shaft, 60 mm long, ¼" key)	€255
Hub G	JP3 aluminium shaft (30 mm dia. shaft, 6° taper angle, 3/16" Woodruff half moon key)	€255
Hub H	Teleflex tapered (¾" dia. shaft, 2.5° taper angle, 3/16" Woodruff half moon key)	€255
Hub R	Northwind tapered (25 mm dia. shaft, 5° taper angle, 6 mm metric key)	€255
Hub L	Prime Projects tapered (30 mm dia. shaft, 3.4° taper angle, 8 mm metric key)	€255
Hub I	McConaghys tapered (30 mm dia. shaft, 3.15° taper angle, twin 6 mm metric key)	€255
Hub M	JP3 90 mm flanged hub, 5 screws to hub	€400
Hub N	JP3 90 mm flanged hub, 6 screws to column	€400
Hub O	JP3 Square tapered keyless axle	€275
Hub P	Marsili 10% taper (25 mm dia. shaft, 10% taper, 8 mm metric key)	€255
Hub Q	JP3 30mm dia axle, 8° taper, 6mm metric key	€255
ADAPTERS F	OR FLANGED SHAFTS	
AISI316L Stai	nless Steel adapter for Edson 138 mm dia. flange	€330
AlSl316L Stai	nless Steel adapter for for JP3 90 mm dia. flange	€330
Any other kind	d of shaft can be made to measure. Provide drawing.	ASK

www.exitcarbon.com

EXIT CARBON IS MANUFACTURED

by $\,$ EXIT ENGINEERING $\,$

For more details, please send us an email at info@exitcarbon.com

HEADQUARTERS

Via Industria, 43 30010 - Camponogara (VE) Italy - +39 041 89 48 038

